






















NOTES

1. DO NOT SCALE. USE FIGURED DIMENSIONS ONLY.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS.
3. US CONCRETE FINISH INSTU.
4. CONCRETE KERBS SHALL COMPLY WITH THE RECOMMENDATIONS OF BS 8537 AND SHALL BE PROTECTED FROM ADVERSE WEATHER UNTIL CURED.
5. EXPANSION AND CONTRACTION JOINTS IN KERB TO MATCH JOINTS IN ROADS AND FOOTWAYS.
6. ALL ROAD WORKS TO BE TO SOUTH DUBLIN COUNTY COUNCIL STANDARDS FOR TAKING IN CHARGE.
7. ALL ROADS WITHIN TAKING IN CHARGE AREA TO COMPLY WITH SPECIFICATION DOCUMENT - APPENDIX 6 - ROADS MINIMUM STANDARDS.



REV.	DATE	AMENDMENT	DRN	APPD
2/	06/21	PLANNING ISSUE	PW	IS

**FOR PLANNING ONLY
NOT FOR CONSTRUCTION**

Waterman Moylan
Engineering Consultants
BLOCK 5 EASTPOINT BUSINESS PARK, ALFIE BYRNE ROAD,
DUBLIN D03 K7W7 IRELAND.
Tel: (01) 654 8900 Fax: (01) 661 3618
Email: info@watermanmoylan.ie www.watermanmoylan.ie

QUINTAN DEVELOPMENTS IRELAND LTD
ARCHITECT BKO ARCHITECTS
PROJECT ADBRIGG PHASE 2

CIENT	QUINTAN DEVELOPMENTS IRELAND LTD
ARCHITECT	BKO ARCHITECTS
PROJECT	ADBRIGG PHASE 2
TITLE	TYPICAL ROAD CONSTRUCTION DETAILS
DRAWN BY	IS
DESIGNED BY	SV
APPROVED BY	IS
DATE	MAY 2021
SCALE AS SHOWN	JOB NO. 20-108
DRG. NO.	P120
REVISION	-

TABLE 1

C.B.R. SUB-GRADE (%)	BELOW 2	2	3	4 or More
THICKNESS OF SUB-BASE (mm)	625	475	350	300
SUB-BASE THICKNESS (mm)	150	150	150	150
CAPPING LAYER THICKNESS (mm)	600	600	350	350

NOTE: ROAD SUB-BASE THICKNESS OF NON-FROST SUSCEPTIBLE SUB-GRADE IS SHOWN HEREUNDER. C.B.R. TESTS TO BE TAKEN AT A RATE AGREED WITH THE ENGINEER PRIOR TO LAYING SUB-BASE FOR APPROVAL. ALL C.B.R. RESULTS TO BE SUBMITTED TO THE ENGINEER PRIOR TO LAYING SUB-BASE FOR APPROVAL. ASSUMED CAPPING LAYER THICKNESS FOR TENDER 300mm.