


UNDER ROADS/HARDSTANDINGS/FOOTPATHS COVER ≥ 1.2m *



RIGID PIPES WITH CONCRETE BED & SURROUND

UNDER LANDSCAPED AREAS

CONCRETE PIPE ENCASEMENT DETAIL COVER ≥ 0.9m *

SURFACING/BACKFILL

(1),(2) or (3)—

PIPE DIA. = Ø


Ø/4 WHICHEVER

IS GREATER

150mm or

AS APPROPRIATE

-SEE DETAILS M, N




JOINT IN CONCRETE SURROUND

WHERE FLEXIBLY JOINTED PIPES ARE USED THE CONCRETE

SURROUND SHALL HAVE A 20mm

GAP FILLED WITH APPROVED

COMPRESSIBLE MATERIAL.



* NOTE: PIPE ENCASEMENT WHERE COVER

NOTE: PIPE DIA. = Ø

150 MIN GRADE C25/30


CONCRETE SURROUND

TO PIPES: < 1.2m IN ROADS /


HARDSTANDING / FOOTPATHS & <

0.9m IN GARDENS / GRASSED AREAS

CONCRETE ENCASEMENT




RIGID PIPES WITH GRANULAR BED & SURROUND



REINSTATEMENT OF PIPE TRENCH IN EXISTING ROAD (SUBJECT TO APPROVAL OF LOCAL AUTHORITY)






UNDER ROADS/HARDSTANDINGS/FOOTPATHS COVER ≥ 1.2m *

UNDER LANDSCAPED AREAS COVER ≥ 0.9m *



FLEXIBLE PIPES WITH GRANULAR BED & SURROUND NOTE: UPVC PIPES NOT ALLOWED IN DUBLIN CITY COUNCIL AREAS




NOTES

- CONCRETE SEWER PIPES WITH SPIGOT & SOCKET JOINTS & RUBBER RING TITTINGS TO COMPLY WITH IS/EN 1916 & IS 6 2004 OR EQUIVALENT STANDARD CLASS M OR CLASS H.
- THERMOPLASTIC STRUCTURED WALL PIPES AND FITINGS IN ACCORDANCE WITH THE REQUIREMENTS OF ISEN 13476 (2007/2009) . PIPES TO BE SERVICE CLASS
- UNPLASTICIZED POLYVINYLCHLORIDE (UPVC) PIPES & FITTINGS IN ACCORDANCE WITH THE REQUIREMENTS OF ISEN 1401 (2009/2012).
- CONCRETE BED & SURROUND TO BE A MINIMUM 150mm THICK IN-SITU CONCRETE GRADE C25/30 & HAUNCHED HALF WAY UP THE BARREL OF THE PIPE.
- GRANULAR BED & SURROUND FOR RIGID PIPES TO BE EITHER:
- A. 14mm TO 5mm GRADED AGGREGATE OR B. 10mm SINGLE SIZED AGGREGATE.
- ALL COMPLYING WITH THE REQUIREMENTS OF ISEN 13242 & SHOULD HAVE A COMPACTION FACTOR VALUE NOT GREATER THAN 0.2 WHEN MEASURED IN
- ACCORDANCE WITH ISEN 752.
- GRANULAR BED & SURROUND & COVER FOR FLEXIBLE PIPES TO BE (A) 14mm TO 5mm GRADED AGGREGATE (PIPE DIAMETER > 315mm)
 (B) 10mm SINGLE SIZED AGGREGATE (PIPE DIAMETER < 315mm)
- ALL COMPLYING WITH THE REQUIREMENTS OF ISEN 13242 & SHOULD HAVE A COMPACTION FACTOR VALUE NOT GREATER THAN 0.2 WHEN MEASURED IN ACCORDANCE WITH ISEN 752. GRANULAR SIDE FILL & COVER TO BE PLACED UNIFORMLY ON EITHER SIDE OF THE PIPE IN LAYERS NOT EXCEEDING 100mm, EAC LAYER BEING COMPACTED BY H& TAMPING UNTIL THE PIPE HAS A MINIMUM 150mm
- GRANULAR BACKFILL MATERIAL SHALL BE IN COMPLIANCE WITH CLAUSE 804 (GRANULAR MATERIAL TYPE B) OF THE NRA SPECIFICATION FOR ROAD WORKS. GRANULAR BACKFILL SHOULD BE PLACED UNIFORMLY ON EITHER SIDE OF THE PIPE IN LAYERS NOT EXCEEDING 100mm, EACH LAYER BEING COMPACTED BY HAN & TAMPING UNTIL THE PIPE HAS MINIMUM OF 300mm COMPACTED COVER. CARE SHOULD BE TAKEN THAT THE PROCESS OF COMPACTION DOES NOT DISPLACE THE PIPE FROM ITS CORRECT LINE & LEVEL. SUBSEQUENT LAYERS OF GRANULAR FILL TO BE WELL COMPACTED IN 150mm THICK LAYERS TO THE LOCAL AUTHORITY ROAD DIVISION SPECIFICATION. MECHANICAL COMPACTION EQUIPMENT SHOULD NOT BE USED UNTIL THERE IS A MINIMUM OF 450mm COMPACTED COVER OVER
- SELECTED FILL SHOULD BE FREE FROM STONES LARGER THAN 37mm, LUMPS OF CLAY OVER 75mm, TIMBER, FROZEN MATERIAL & VEGETABLE OR FOREIGN MATTER. SELECTED FILL SHOULD BE PLACED UNIFORMLY ON EITHER SIDE OF THE PIPE IN LAYERS NOT EXCEEDING 100mm, EACH LAYER BEING COMPACTED BY H& TAMPING UNTIL THE PIPE HAS A MINIMUM OF 150mm COMPACTED COVER. CARE SHOULD BE TAKEN THAT THE PROCESS OF COMPACTION DOES NOT DISPLACE THE PIPE FROM ITS CORRECT LINE & LEVEL, SUBSEQUENT SELECTED FILL CAN BE PLACED & COMPACTED IN 150mm THICK LAYERS.
- GENERAL BACKFILL MATERIAL SUITABLE FOR BACKFILL ABOVE SELECTED FILL MATERIAL SHOULD BE FREE FROM BOULDERS, LUMPS OF CONCRETE, TIMBER & VEGETABLE OR FOREIGN / CONTAMINATED MATTER: GENERAL BACKFILL SHOULD BE PLACED IN LAYERS NOT EXCEEDING 300mm, EACH LAYER BEING WELL COMPACTED. MECHANICAL COMPACTION EQUIPMENT SHOULD NOT BE USED UNTIL THERE IS A MINIMUM OF 450mm COMPACTED COVER OVER THE CROWN OF THE
- PIPES WITH INADEQUATE COVER TO BE FULLY SURROUNDED IN 150mm THICK
- LEAN-MIX BACKFILL TO TRENCHES IN EXISTING ROAD, WHERE REQUIRED BY THE LOCAL AUTHORITY TO BE GRADE C20/25 CONCRETE WITH 20mm AGGREGATE.
- SURFACING TO BE IN ACCORDANCE WITH THE ROAD SPECIFICATION &, IF APPROPRIATE, LOCAL AUTHORITY REQUIREMENTS. GOOD QUALITY TOPSOIL, 450mm MINIMUM THICK, TO BE PLACED OVER BACKFILL IN
- ACCORDANCE WITH PARKS DEPARTMENT / LANDSCAPE ARCHITECTS
- AJ's (ARMSTRONG JUNCTIONS)
- a. TO BE USED FOR PIPE DEPTHS UP TO 600mm b. INTERNAL AJ's IF REQUIRED TO HAVE DOUBLE SEALED COVERS c. EXTERNAL AJ'S TYPICALLY TO BE PROPRIETARY UPVC WITH 35kN COVER d. EXTERNAL AJ'S IN AREAS SUBJECT TO TRAFFIC TO BE SURROUNDED 150 WITH C20/25 CONCRETE & TO HAVE A CLASS D COVER & FRAME SUPPORTED OFF THE

- IN SOFT GROUND CONDITIONS (CBR < 5) THE MATERIAL SHOULD BE EXCAVATED AND DISPOSED OF IN ACCORDANCE WITH THE WASTE MANAGEMENT ACT AND CLAUSE 804 MATERIAL IN ACCORDANCE WITH THE NATIONAL ROADS AUTHORITY SPECIFICATION FOR ROAD WORKS SHALL REPLACE THE EXCAVATED MATERIAL WRAPPED IN GEO-TEXTILE WRAPPING, ALTERNATIVELY, SPECIAL PIPE SUPPORT ARRANGEMENTS, INCLUDING PILING ETC. MAY BE REQUIRED WHERE THE DEPTH OF SOFT MATERIAL IS EXCESSIVE. SUCH ARRANGEMENTS SHALL BE SUBJECT TO ASSESSMENT BY IRISH WATER BEFORE ADVANCING WITH THE WORK.
- PIPES SHALL NOT BE SUPPORTED ON STONES, ROCKS OR ANY HARD OBJECTS AT ANY POINT ALONG THE TRENCH, ROCK SHALL BE EXCAVATED TO A DEPTH OF 150mm BELOW THE THE ACTUAL DEPTH OF THE TRENCH WITH THE VOID FILLED WITH CLAUSE 804 MATERIAL IN ACCORDANCE WITH THE NATIONAL ROADS AUTHORITY SPECIFICATION FOR ROAD WORKS. THE GRANULAR MATERIAL SHALL BE LAID ABOVE THIS VOID BACKFILL MATERIAL.
- BEDDING LAYER. IN THE CASE OF NON METAL PIPE MATERIAL, THE MARKER TAPE SHOULD INCORPORATE A TRACE WIRE WHICH IS LINKED TO FITTINGS AND TERMINATED AT THE WASTE WATER PLUMBING STATION AND THE DISCHARGE MANHOLE.

NON DEGRADABLE MARKER TAPE SHOULD BE INSTALLED AT TOP OF PIPE

- TRENCH WIDTHS FOR PIPE SIZES ≤ 80mm MAY BE < 500mm, SUBJECT TO CONSIDERATION BEING GIVEN TO THE TRENCH DEPTH, HEALTH & SAFETY & CONSTRUCTION ACCESS REQUIREMENTS.
- THE HAUNCHES AND SURROUNDS TO BE FORMED USING FORM WORK TO PROVIDE A ROUGH CAST FINISH.
- EXPANSION JOINTS IN THE CONCRETE SHALL BE PROVIDED AT ALL PIPE JOINTS TO ALLOW FOR PIPE FLEXIBILITY, COMPRESSIBLE FILLER BOARD TO BE IN ACCORDANCE WITH B.S. EN 622-1 AND B.S. EN 622-4 AND TO BE 18mm THICK.
- POLYETHYLENE PIPES SHALL BE WRAPPED IN PLASTIC SHEETING HAVING A COMPOSITION IN ACCORDANCE WITH B.S. 6076 BEFORE BEING CAST INTO CONCRETE.
- BITUMINOUS MATERIAL SHALL NOT BE PUT IN CONTACT WITH PE OR PVC PIPES. FOR FOUL DRAINS TO BE TAKEN IN CHARGE BY IRISH WATER, PIPE BEDDING SHALL BE STRICTLY IN ACCORDANCE WITH THE REQUIREMENTS OF IRISH WATER WHICH MAY DIFFER FROM THE DETAILS SHOWN . REFER TO IRISH WATER CODE OF PRACTICE FOR WASTEWATER INFRASTRUCTURE AND ASSOCIATED IRISH WATER STANDARD DETAILS, ALONG WITH ANY PARTICULAR REQUIREMENTS



NOTES

2. FIGURED DIMENSIONS ONLY TO BE TAKEN

BE CHECKED ON SITE. ENGINEER TO BE

ANCIES BEFORE WORK PROCEEDS.

FROM THIS DRAWING. ALL DIMENSIONS TO

INFORMED IMMEDIATELY OF ANY DISCREP-

DRAWINGS.

THIS DRAWING TO BE READ IN CONJUNCTION WITH RELEVANT ARCHITECTS AND ENGINEERS

PROJECT PROPOSED DWELLING AT

No. 46 LIMELIKN ROAD, DUBLIN 12

CLIENT

JOHN McWEENEY

DRAWING TITLE

PIPE BEDDING DETAILS

date: 07.07.22 scale: N.T.S @ A1 chk: IC LIME - DOW - 00 - XX-DR-CE

DOW Project No. drg. no.

S4: SUITABLE FOR PLANNING Suitability Status: Code - Description

Cashel Business Centre, Cashel Road, Kimmage, Dublin 12 T 01 4901611 E admin@downesassociates.ie www.downesassociates.ie

