

Planning Department,
46-49 Dame Street,
Dublin 2.

Tel.: 42951, Ext. 32.

NOTIFICATION OF A DECISION ON AN APPLICATION FOR AN APPROVAL
LOCAL GOVERNMENT (PLANNING AND DEVELOPMENT) ACT, 1963. ~~PERMISSION~~ **PERMISSION**

To: Louis Peppard, Esq.,

Reference No. in Planning Register of
Dublin County Council B.264.

20, Merrion Sq. N.,

Planning Control No. 836.

DUBLIN, 2.

Application received 27th February, 1969.

APPLICANT Sisters of Charity of St. Vincent de Paul.

In pursuance of its functions under the above mentioned Act the Dublin County Council, being the Planning Authority for the County Health District of Dublin, did by order P/575769 dated 20th April 1969 make a decision pursuant to Section 26(1) of the Act to grant an ~~approval~~ **PERMISSION FOR:-**

Proposed Marillac Girls' Secondary School, St. Philomena's

Home, Stillorgan.

Floor area: 4,800 sq. ft.

subject to the following conditions:-

Conditions:

Reasons for conditions:

- (1) That the development be carried out and completed in strict conformity with the plans and specification lodged with the application, save as is in the conditions hereunder required.
- (2) That the structure shall be removed on or before 30th April, 1974, unless before that date permission for its retention is granted by the Planning Authority or by the Minister, on appeal.
- (3), That the water supply and drainage arrangements be in accordance with the requirements of the County Council.
- (4) That the following requirements of the Council's Fire Prevention Office be adhered to in the development:-

- (1) Provide an alternative means of escape from Science and Chemistry Room.

- (1) To ensure that the development shall be in accordance with the permission and effective control maintained.
- (2) To enable the effect of the development on the amenities of the area to be reviewed, having regard to the conditions then obtaining.
- (3) In order to comply with Sanitary Services Acts, 1878-1964.
- (4) In the interests of public safety and avoidance of fire hazard.

If there is no appeal to the Minister for Local Government against this decision, approval will be granted by the Council on the expiration of the period for the taking of such appeal. If every appeal made in accordance with the Act has been withdrawn, the Council will grant the ~~approval~~ **Permission** as soon as may be after the withdrawal.

Permission

Signed on behalf of the Dublin County Council:

for County Secretary

Date: 25th April, 1969.

NOTE: An appeal against the decision may be made to the Minister by the applicant within one month from the date of receipt by the applicant of this notification or by any other person within twenty-one days of the date of the decision. The appeal shall be in writing and shall state the subject matter of the appeal and grounds of the appeal and the nature of the appellant's interest in the property affected and should be addressed to the Secretary, Department of Local Government, Custom House, Dublin 1. When an appeal has been duly made and has not been withdrawn the Minister for Local Government will determine the application for ~~approval~~ **Permission** as if it had been made to him in the first instance.

APPROVAL OF THE COUNCIL UNDER BUILDING BYE LAWS MUST BE OBTAINED BEFORE THE DEVELOPMENT IS COMMENCED AND THE TERMS OF APPROVAL MUST BE COMPLIED WITH IN THE CARRYING OUT OF THE WORK.

Conditions:	Reasons for conditions:
<p><u>No. 4 contd.</u></p> <p>(ii) Boiler room and fuel storage room to be enclosed in fire resisting construction of 2 Hr. grade with access to the open air only.</p> <p>(iii) The structural timber to be of vacuum pressure impregnated with a fire retardant compound at a rate of 2½ lbs. per cubic ft.</p> <p>(iv) A perimeter perimeter wall be constructed to seal space under floors.</p> <p>(v) All wall and ceiling surfaces to have a class 1 surface spread of flame rating.</p> <p>(vi) Adequate general purpose first aid fire fighting equipment.</p> <p>(5) That the requirements of the Sanitary Authority be adhered to in the development (The applicants must consult with the Sanitary Authority, No. 6 Parnell Square, with regard to this requirement before any constructional work takes place.</p>	<p>(5) In order to comply with Sanitary Services Acts, 1878 - 1964.</p>

B 265

Withdrawal