

DUBLIN COUNTY COUNCIL  
 Local Government (Planning and Development) Act, 1963  
**REGISTER**  
 (Part I)

Plan Number  
 11563 /

SR

Folio  
 A-864 /

1. LOCATION	Saggart Hill		
2. PROPOSAL Subject of Application	House		
3. APPLICATION Type and Date	Type of Application	Application Date	Further Particulars Requested
	Admission	2-7-68	1 2
			Further Particulars Received
			2

O.S. No.	Grid Ref.

4. SUBMITTED BY  
Name and Address

Name: Mr. O'Sullivan  
 Address: Killcharmore House, Dublin 6, Killdare

5. PROPOSER'S NAME AND ADDRESS	Name	Address
	no above	no above

6. DECISION	O.C.M. & Date	Notified	Effect	S.26(2) (g)	S.26(2) (h)
	1243-23/8/68	23/8/68	To Grant Permission 4 R's P.T.O		
7. GRANT	Date of Grant	Sent	Effect	S.26(2) (g)	S.26(2) (h)
	27-9-68	7-10-68	Permission granted		

8. APPEAL

Notified to Co. Council

DATE OF MINISTER'S DECISION

DATE OF MINISTER'S DECISION

Effect of Decision of Minister

9. S.26(3) APPLICATION

DATE OF APPLICATION

Effect of Decision of Minister

10. COMPENSATION

Claim

Ref. in Part II. (Compensation Register)

11. ENFORCEMENT

Section

Ref. in Part III. (Enforcement Register)

12. PURCHASE NOTICE

13. REVOCATION OR AMENDMENT

14.

15.

16.

✓

Date of issue of copy

Registrar

Co. Accountant's Receipt No.

R. C. Sullivan Co. Inc.

1964

Washington Branch,

1963

Building, 30, Hill Street

2nd July 1968

M. Spillivan

1/20/68

2nd August 1968

Washington rd. Hayward Hill

Phone area - 700 03.70

Comments:

(1) That the devalued is not to be used  
 except in water supply by the town and  
 public supply with the town and in  
 the conditions through the supply  
 (2) That the devalued is not to be used  
 50% from the town supply on the water  
 (3) That the devalued is not to be used  
 for the distribution of the town supply  
 (4) That the devalued is not to be used  
 for the distribution of the town supply

Points for Consideration

- (1) To ensure that the devalued is not used in water supply by the town and public supply with the town and in the conditions through the supply.
- (2) To ensure that the devalued is not used 50% from the town supply on the water.
- (3) To ensure that the devalued is not used for the distribution of the town supply.
- (4) To ensure that the devalued is not used for the distribution of the town supply.