

Date: 29-June-2021

Register Reference: SD21A/0140

Development: Construction of 1 warehouse with ancillary office and staff facilities and associated development. The warehouse will have a maximum height of 16 meters with a gross floor area of 22,966sq.m including a warehouse area (21,113sq.m), ancillary office areas (1,163sq.m) and staff facilities (690sq.m); the provision of a new vehicular access to the site from Jordanstown Road including 2 additional access gates from this new road to the existing Site E to the north; pedestrian access; 210 ancillary car parking spaces; bicycle parking; HGV yards; level access goods doors; dock levellers; access gates; hard and soft landscaping; lighting; boundary treatments; ESB substation; plant; extinguishment of the existing vehicular access (farm gate) in lieu of a proposed pedestrian access gate at the southern portion of the site from the R120; and all associated development works above and below ground; all on a site of 5.67 on lands that are bounded to the west by Blocks A - D Jordanstown Road, to the south and east by greenfield lands and to the north by greenfield lands and Block E. The site abuts the R120 Newcastle Village to Rathcoole Road to the south.

Location: Block R, Jordanstown Road, Aerodrome Buisness Park, Rathcoole, Co. Dublin

Applicant: Exeter Ireland Property IV C Ltd.

App. Type: Permission


Planning Officer:

The proposal is **acceptable** to Environmental Health subject to the following conditions set out below:

1. No heavy / noisy construction equipment or machinery (to include pneumatic drills, construction vehicles, generators, etc) shall be operated on or adjacent to the construction site before 07:00 hours on weekdays and 09:00 hours on Saturdays nor after 19:00 hours on weekdays and 13:00 hours on Saturdays, nor at any time on Sundays, Bank Holidays or Public Holidays.
2. Noise levels arising from construction activities shall not be so loud, so continuous, so repeated, of such duration or pitch or occurring at such times as to give rise to a noise nuisance affecting a person in any premises in the neighbourhood.
3. During the construction / demolition phase of the development, Best Practicable Means shall be employed to minimise air blown dust being emitted from the site. This shall include covering skips and slack-heaps, netting of scaffolding, daily washing down of pavements or other public areas, and any other precautions necessary to prevent dust nuisances.
4. A suitable location for the storage of refuse shall be provided during the construction and operational phase of the development so as to prevent a public health nuisance.
5. The applicant shall put in place a pest control contract for the site for the duration of the construction works.

6. Noise due to the normal operation of the proposed development, expressed as Laeq over 15 minutes at the façade of a noise sensitive location, shall not exceed the daytime background level by more than 10 dB(A).
7. Any connections to the main sewer must be connected so as not to give rise to a public health nuisance.
8. Signage or lighting to be used on site during both construction and the on-going operation of the development must not be intrusive to any light sensitive location including residential properties in close proximity to the development.
9. Clearly audible or impulsive tones at noise sensitive locations during evening and night shall be avoided irrespective of the noise level.

Deliveries to the premises and collections shall be operated in such a manner as not to give rise to any noise nuisance to neighboring residents and properties.



Mark Whelan
Environmental Health Officer



Fiona Byrne
Senior Environmental Health Officer