


# Profile Park Power Plant

## LVIA Photomontages

This book contains imagery for the  
viewpoints chosen for the LVIA study

June 2021



# INDEX

Viewpoint 1 - Existing View + Outline View  
 Viewpoint 1 - Montage View + Mitigated View

Viewpoint 2 - Existing View + Outline View  
 Viewpoint 2 - Montage View + Mitigated View

Viewpoint 3 - Existing View + Outline View  
 Viewpoint 3 - Montage View + Mitigated View

Viewpoint 4 - Existing View + Outline View  
 Viewpoint 4 - Montage View + Mitigated View


Viewpoint 5 - Existing View + Outline View  
 Viewpoint 5 - Montage View  
 NB - There is no Mitigated Montage View for this viewpoint

Viewpoint 6 - Existing View + Outline View  
 Viewpoint 6 - Montage View  
 NB - There is no Mitigated Montage View for this viewpoint

Viewpoint 7 - Existing View + Outline View  
 Viewpoint 7 - Montage View + Mitigated View

Viewpoint 8 - Existing View + Outline View  
 Viewpoint 8 - Montage View + Mitigated View

## LVIA viewpoint locations selected for the Profile Park Energy Plant project



macroworks  
 Ordnance Survey Ireland Licence No EN0063120  
 302000 303000 304000

USCS, National Geographic, and other  
 Community  
 305000 306000



Existing View



Outline View  
indicating physical position and scale of the proposed development irrespective of screening

Profile Park Power Plant (Proposed)

**Cladding to be confirmed by SDCC.**

These are 160° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.  
To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 25cm. To see this entire panoramic scene in reality would necessitate turning one's head through 120°.

Eastings (ITM): Northings (ITM): Direction of View Angle of View:	703751 730605 172° E of Grid North 160°	Lens: Camera: Camera Height:	50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level	Date: Time:	25/02/2021 10:25
--	--	------------------------------------	--	----------------	---------------------






**Cladding to be confirmed by SDCC.**

These are 160° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 25cm. To see this entire panoramic scene in reality would necessitate turning one's head through 80°.

Eastings (ITM): 703751	Lens: 50mm / Full Frame Sensor	Date: 25/02/2021
Northing (ITM): 730605	Camera: Canon 1-D Mark II digital SLR	Time: 10:25
Direction of View: 172° E of Grid North	Camera Height: 1.7m Above Ground Level	
Angle of View: 160°		





Existing View



Outline View  
indicating physical position and scale of the proposed development irrespective of screening

Profile Park Power Plant (Proposed)

**Cladding to be confirmed by SDCC.**

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	703632	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730424	Camera:	Canon 1-D Mark II digital SLR	Time:	10:42
Direction of View:	60° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





Montage View  
Pre-Mitigation



Montage View  
With Mitigation Established

**Cladding to be confirmed by SDCC.**

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	703632	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730424	Camera:	Canon 1-D Mark II digital SLR	Time:	10:42
Direction of View:	60° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





Existing View

220° 230° 240° 250° 260° 270° 280° 290° 300° 310°



Outline View

indicating physical position and scale of the proposed development irrespective of screening

Profile Park Power Plant (Proposed)

220° 230° 240° 250° 260° 270° 280° 290° 300° 310°

**Cladding to be confirmed by SDCC.**

These are 100° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 60°.

Easting (ITM): Northing (ITM): Direction of View Angle of View:	703923 730483 92° W of Grid North 100°	Lens: Camera: Camera Height:	50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level	Date: Time:	25/02/2021 12:56
--	---	------------------------------------	--	----------------	---------------------





Montage View  
Pre-Mitigation



Montage View  
With Mitigation Established

**Cladding to be confirmed by SDCC.**

These are 100° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.


To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 60°.

Easting (ITM): Northing (ITM):	703923 730483	Lens: Camera: Camera Height:	50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level	Date: Time:	25/02/2021 12:56
Direction of View Angle of View:	92° W of Grid North 100°				






Existing View



Outline View

Indicating physical position and scale of the proposed development irrespective of screening



Profile Park Power Plant (Proposed)

Cladding to be confirmed by SDCC.

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Eastings (ITM):	703645	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730930	Camera:	Canon 1-D Mark II digital SLR	Time:	11:29
Direction of View	162° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





Montage View  
Pre-Mitigation



Montage View  
With Mitigation Established



**Cladding to be confirmed by SDCC.**

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): Northing (ITM): Direction of View 162° Angle of View:	703645 730930 E of Grid North 80°	Lens: Camera: Camera Height:	50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level	Date: Time:	25/02/2021 11:29
---	--	------------------------------------	--	----------------	---------------------





**Outline View**  
indicating physical position and scale of the proposed development irrespective of screening

Profile Park Power Plant (Proposed)


**Cladding to be confirmed by SDCC.**

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	702759	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730835	Camera:	Canon 1-D Mark II digital SLR	Time:	13:36
Direction of View	108° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





**Cladding to be confirmed by SDCC.**

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	702759	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730835	Camera:	Canon 1-D Mark II digital SLR	Time:	13:36
Direction of View	108° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				






**Cladding to be confirmed by SDCC.**

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): Northing (ITM): Direction of View Angle of View:	703097 730247 69° E of Grid North 80°	Lens: Camera: Camera Height:	50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level	Date: Time:	25/02/2021 11:44
--	--	------------------------------------	--	----------------	---------------------





**Cladding to be confirmed by SDCC.**

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Eastings (ITM):	703097	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730247	Camera:	Canon 1-D Mark II digital SLR	Time:	11:44
Direction of View:	69° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





Existing View



Outline View  
indicating physical position and scale of the proposed development irrespective of screening

Profile Park Power Plant (Proposed)

Cladding to be confirmed by SDCC.

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	703799	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730011	Camera:	Canon 1-D Mark II digital SLR	Time:	11:59
Direction of View	3° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





Montage View  
Pre-Mitigation



Montage View  
With Mitigation Established

**Cladding to be confirmed by SDCC.**



These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	703799	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730011	Camera:	Canon 1-D Mark II digital SLR	Time:	11:59
Direction of View:	3° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				







Outline View  
indicating physical position and scale of the proposed development irrespective of screening

Profile Park Power Plant (Proposed)


Cladding to be confirmed by SDCC.

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): Northing (ITM): Direction of View Angle of View:	704351 730552 94° W of Grid North 80°	Lens: Camera: Camera Height:	50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level	Date: Time:	25/02/2021 12:35
--	--	------------------------------------	--	----------------	---------------------





**Cladding to be confirmed by SDCC.**

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 704351  
 Northing (ITM): 730552  
 Direction of View: 94° W of Grid North  
 Angle of View: 80°

Lens: 50mm / Full Frame Sensor  
 Camera: Canon 1-D Mark II digital SLR  
 Camera Height: 1.7m Above Ground Level

Date: 25/02/2021  
 Time: 12:35

