



Legend

- Planting/Soft Landscaping**
- Heavy Standard Proposed Trees
 - Multi-Stemmed Trees
 - Existing trees to be retained
 - Planting Swathes Groundcover
 - Planting Swathes Perennial Shrub Mix
 - Planting Swathes Herbaceous Perennials, Herbs & Grasses
 - Riparian/Marginal Planting
 - Amenity Grass
 - Woodland Boundary Planting
 - Raingardens

Woodland Boundary Planting

Code	Species	Size (cm)	Density
Aff	<i>Athyrium filix-femina</i>	60-80	4pm2
Cs	<i>Cornus sanguinea</i>	80-100	2pm2
Ee	<i>Euonymus europaeus</i>	100-120	2pm2
Fa	<i>Frangula alnus</i>	100-120	2pm2
Lp	<i>Lonicera periclymenum</i>	100-120	2pm2
Ph	<i>Polygonatum x hybridum</i>	80-100	2pm2
Vo	<i>Viburnum opulus</i>	100-120	2pm2

Groundcover Planting

Code	Species	Size (cm)	Density
Am	<i>Achillea millefolium</i>	40-60	6pm2
Ar	<i>Ajuga reptans</i>	40-60	6pm2
An	<i>Anemone nemosa</i>	40-60	6pm2
Bp	<i>Bellis perennis</i>	20-40	8pm2
Co	<i>Calendula officinalis</i>	40-60	6pm2
Ea	<i>Euphorbia amygdaloides</i>	40-60	6pm2
Go	<i>Galium odoratum</i>	40-60	6pm2
Oa	<i>Ophrys apifera</i>	40-60	6pm2
Pv	<i>Primula vulgaris</i>	20-40	8pm2

Heavy Standard Trees

Code	Species	Size (cm)
Ag	<i>Alnus glutinosa</i>	150
Bp	<i>Betula pendula</i>	150
Bp (i)	<i>Betula pubescens</i>	150
Ca	<i>Corylus avellana</i>	120
Qr	<i>Quercus robur</i>	150
Sc	<i>Salix caprea</i>	120

Multi-Stemmed Trees

Code	Species	Size (cm)
Al	<i>Amelanchier tamarckii</i>	100
BuJ	<i>Betula utilis</i> subsq. <i>jacquemontii</i>	100

NOTES:

Thoroughly cultivate all areas to be planted to a minimum depth of at least 300mm. Include during the cultivation mulching compost at a rate of 15litres per m2.

Heavy and Extra Heavy Standard Trees to be planted into tree pits of 1200mm diameter 900mm and depth, each secured using a Platypus PF1 sub-surface root guying system and accessories. Backfill to be imported topsoil to BS3882, incorporating 60 litres of peat free compost thoroughly mixed into the backfill.

All shrubs to be planted in groups of 3, 5, 7 or 9 of the same species, each species evenly distributed throughout the planting bed. Each plant is to be planted in pits of 300mm diameter and depth, backfilled with imported topsoil to BS3882, incorporating 5 litres of peat free compost into each pit.

All areas to be grass seeded to a depth of at least 150mm. All debris and stones to be removed to contractors tip off site. The cultivation of these areas to be undertaken by machine, following the completion of any regrading works. Immediately prior to grass seeding carry out a final cultivation, and apply pre-seed fertiliser according to manufacturers recommendations.

Following the completion of planting, apply a 50mm layer of well rotted bark chippings.

TGP LANDSCAPE ARCHITECTS
 7 The Square, 95 Morrison Street,
 Glasgow, G5 8BE Tel: 0141 429 2999
 info@tgp.uk.com/www.tgp.uk.com
 Also in Edinburgh & Newcastle

Project Rathfarnham Care Home Landscape Designs	
Title Planting Plan 4 Eastern Housing Area	
Date 1.07.21	Scale 1:100 @ A1
Drawn KB	Checked GS
Job 2045	Suitability PLANNING
No. L07	Issue -
Revision -	
LI WORKSTAGE: 0/1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input checked="" type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/>	

DISCLAIMER:
 Do not scale from this drawing.
 All dimensions to be verified on site prior to commencement of works.
 Drawing to be read in conjunction with related TGP drawings, consultants drawings and any other relevant information.
 This drawing is the copyright of TGP Landscape Architects Ltd. unless otherwise specified.