



LEGEND

- TREE CONDITION CATEGORIES**
- A** TREES OF HIGH VALUE AND QUALITY
- B** TREES OF MODERATE VALUE AND QUALITY
- C** TREES OF LOW QUALITY AND VALUE
- D** TREES OF VERY LOW VALUE WHICH SHOULD BE REMOVED FOR REASONS OF SOUND ARBORICULTURAL MANAGEMENT
- TREE CONSTRAINTS
- TREE SURVEY BOUNDARY

Note
AP refers to trees not shown on topographical survey drawing but located approximately on this drawing only. Exact locations may need to be ascertained if the trees are to be retained.

Drawing to be interpreted with reference to Tree Survey document

Tree constraints shown are calculated from guidelines contained within BS5837 (2012) within dimensions contained within Section 5 of the Tree Survey document. This outline should not be interpreted as the exact extent of root spread however it is considered the optimal area to be retained free of developmental impacts. Natural and/or man made barriers such as waterlogged soil or buildings may restrict the spread of tree roots. Crown spreads may also prove to be a constraint particularly where crown reduction may not be possible. The constraints lines shown on this drawing are therefore a guide only. An on-site assessment should be undertaken in the event of any developments being planned within the areas shown for retained trees.

REV.	DATE	DESCRIPTION
A	09.09.20	REVISED CATEGORISATIONS

CMK
Horticulture & Arboriculture

Client: McCauley, Durney, Barnes	PROJECT: Shooting Lane	JOB NO. TST0003
DRAWING: Tree Survey and Constraints	DATE: 09.09.20	SCALE: 1:500 @ A1
DRAWN BY: Clare Keating	CHECKED: CK	REVISION: A
NOTES: This drawing is the property of CMK Horticulture & Arboriculture. It is not to be used for any other purpose without the written consent of CMK Horticulture & Arboriculture.	STATUS: Planning	