

1. FIGURED DIMENSIONS ONLY TO BE TAKEN FROM THIS DRAWING. ALL DIMENSIONS TO BE CHECKED ON SITE.
2. ALL LEVELS RELATE TO DATUM 0.000m ON THE GROUND FLOOR F.F.L (F.F.L = T.B.C.)
3. ALL FOUNDATIONS TO BE TAKEN DOWN ONTO SOLID GROUND & TO BE AGREED WITH THE ENGINEER ON SITE. THE DEPTH OF THE LEAN MIX CONCRETE UNDER THE FOUNDATIONS WILL BE ADJUSTED ACCORDINGLY.
4. BLOCKWORK: BLOCKWORK TO BE 7 N/mm<sup>2</sup> THROUGHOUT
5. CONCRETE GRADES IN ACCORDANCE WITH IS EN 206-1:2002:

	COMPRESSIVE STRENGTH CLASS	MAX. UPPER AGG. SIZE	NOMINAL SLUMP CLASS	EXPOSURE CLASS
FOUNDATIONS	C28/35	D20	S2	XC2
GROUND FLOOR SLAB	C28/35	D20	S2	XC1
LEAN MIX UNDER FND	C8/10	D20	S2	XC2
SCREED	C28/35	D10	S2	XC1
ROOF SLAB	C28/35	D20	S2	XC1

6. REFER TO ARCHITECTS DRAWING FOR BLOCKWORK SETTING OUT WHERE THEY ARE NOT INDICATED ON THESE DRAWINGS

Rev.	Date	Drawn By	Checked By	Revision

Status  
**FOR PLANNING**

Client  
**VINA KESSOPERSADH**

Project  
**86 TEMPLEVILLE DRIVE**

Drg. Title  
**EXISTING AND PROPOSED GROUND FLOOR PLAN**

**ETG CONSULTING STRUCTURAL ENGINEERS LTD.**

TEL 086 856 3371  
E-Mail egraham2102@gmail.com

Drawn By	EG	Scale	AS SHOWN
----------	----	-------	----------

Checked By	EG	Date	11.05.21
------------	----	------	----------

Drg.No.	E1045 - 102	Rev.	-
---------	-------------	------	---

