



Rafter insulation Kingspan K7 100mm between rafters with Kingspan K18 37.5mm plasterboard backed.
 Dormer wall insulation Kingspan K8 80mm wall between timbers & K18 37.5mm plasterboard backed.
 Dormer roof insulation Kingspan K7 100mm in joists & K18 37.5mm plasterboard backed.

DRAINAGE LEGEND

- PROPOSED 1500 UPVC SURFACE WATER PIPE
- - - PROPOSED 1500 UPVC FOUL SEWER PIPE
- — — EXISTING SURFACE WATER PIPE
- — — EXISTING FOUL SEWER PIPE

THIS DRAWING IS ISSUED FOR PLANNING PERMISSION ONLY, AND IS NOT A CONSTRUCTION DRAWING

NOTES:

This drawing is to be read in conjunction with all relevant Engineers drawings.
 Do not scale use figured dimensions ONLY.
 All dimensions in millimeters unless otherwise stated.
 All dimensions to be checked on site.
 All building works to comply with current building regulations & in accordance with Homebond Standards.

TITLE:

PROPOSED BLOCK PLAN,
 DRAINAGE LAYOUT & SECTIONS

CLIENT:
 Edel & Wayne Paul

JOB TITLE:
 PROPOSED WORKS AT 55 Seskin View Road,
 Tallaght, Dublin 24

P	ISSUED FOR PLANNING	TW	Oct' 2021
REV:	REVISION TITLE:	DRN:	CHD:
			DATE:

Architectural Planning

4 CARRIGMORE CLOSE, AYLESBURY,
 Dublin 24 - Ph: 01 4148358

JOB No: S486

SCALE: As shown

INITIALS: TW

DATE: Oct' 2021

DRAWING No: 005

REV: P

© COPYRIGHT OF Architectural Planning. ALL RIGHTS RESERVED.