



- NOTES:**
1. ALL DRAINAGE SERVICING BUILDING TO BE PRIVATELY OWNED AND MAINTAINED. DIVERTED SURFACE WATER SEWER TO BE PROVIDED AS PUBLIC.
 2. ALL PROPOSED SERVICES TO BE 2.0M MIN CLEAR OF EXISTING WATERMAIN AS REQUIRED BY IRISH WATER.

LEGEND:

- EXISTING FOUL WATER SEWER
- EXISTING SURFACE WATER SEWER
- EXISTING SURFACE WATER SEWER TO BE DEMOLISHED & REMOVED
- PROPOSED FILTER DRAIN
- PROPOSED SURFACE WATER SEWER
- PROPOSED FOUL WATER SEWER
- PROPOSED FILTER DRAIN
- PROPOSED GRAVEL TRENCH WITHIN ATTENUATION TANK
- PROPOSED ATTENUATION TANK
- PROPOSED FOUL WATER MANHOLE (FMH)
- PROPOSED SURFACE WATER MANHOLE (SMH)
- EXISTING FOUL/SURFACE WATER MANHOLE TO BE DEMOLISHED & REMOVED (exFMH, exSMH)
- EXISTING FOUL/SURFACE WATER MANHOLES (exFMH, exSMH)
- EXTENT OF SURFACE WATER SEWER & WATERMAIN WAYLEAVE
- PROPOSED BUILDINGS
- EXTENT OF DEVELOPMENT
- INDICATIVE BOUNDARY BETWEEN DUN LAOGHAIRE RATHDOWN AND SOUTH DUBLIN COUNTY COUNCILS

PROPOSED STORM MANHOLES (SURFACE WATER CULVERT DIVERSION)

Name	Cover Level (m)	Diameter (mm)	Depth (m)
SMH3.0	51.160	1650	1.890
SMH3.1	50.600	1650	1.950
SMH3.2	50.250	1650	1.628
SMH3.3	50.150	1650	1.564
SMH3.4	50.100	1650	1.630
OUT	50.000	1500	1.437

PROPOSED STORM MANHOLES (PROPOSED DEVELOPMENT)

Name	Cover Level (m)	Diameter (mm)	Depth (m)
SMH1.0	50.100	1200	0.825
SMH1.1	50.000	1200	0.845
SMH1.2	50.150	1200	1.117
SMH1.3	50.300	1200	1.477
SMH2.0	50.960	1200	1.360
SMH2.1	50.960	1200	1.684
SMH1.4	50.740	1200	2.000
SMH1.5	50.700	1200	1.963
SMH1.6	50.350	1200	1.700
SMH3.2	50.250	1200	1.620

PROPOSED FOUL MANHOLE (PROPOSED DEVELOPMENT)

Name	Cover Level (m)	Diameter (mm)	Depth (m)
FMH2.0	50.160	1200	1.350
FMH1.2	50.130	1200	2.210
FMH1.1	50.300	1200	2.150
FMH1.0	50.000	1200	1.070

PROPOSED STORM PIPES (SURFACE WATER CULVERT DIVERSION)

Name	US Node	DS Node	Length (m)	US IL (m)	DS IL (m)	Fall (m)	Slope (1:100)	Dia (mm)	US Depth (m)	DS Depth (m)
S3.000	SMH3.0	SMH3.0	7.836	49.270	48.910	0.360	21.8	1050	0.840	0.940
S3.001	SMH3.1	SMH3.2	15.112	48.910	48.622	0.288	48.0	1050	0.840	0.578
S3.002	SMH3.2	SMH3.3	36.066	48.622	48.586	0.036	1001.8	1050	0.578	0.514
S3.003	SMH3.3	SMH3.4	15.773	48.586	48.570	0.016	965.8	1050	0.514	0.480
S4.000 Out	SMH3.4	CUT	6.672	48.570	48.863	0.007	953.2	600	0.830	0.837

PROPOSED STORM PIPES (PROPOSED DEVELOPMENT)

Name	US Node	DS Node	Length (m)	US IL (m)	DS IL (m)	Fall (m)	Slope (1:100)	Dia (mm)	US Depth (m)	DS Depth (m)
S1.000	SMH1.0	SMH1.1	20.352	49.275	49.155	0.120	170.0	225	0.600	0.620
S1.001	SMH1.1	SMH1.2	20.758	49.155	49.033	0.122	170.0	225	0.620	0.662
S1.002	SMH1.2	SMH1.3	43.910	48.033	48.823	0.210	206.0	225	0.892	1.252
S1.003	SMH1.3	SMH1.4	17.442	48.823	48.740	0.083	209.0	225	1.252	1.775
S2.000	SMH2.0	SMH2.1	20.976	49.000	48.876	0.124	169.2	225	1.135	1.459
S2.001	SMH2.1	SMH1.4	19.412	48.876	48.761	0.115	168.8	225	1.459	1.754
S1.004	SMH1.4	SMH1.5	5.511	48.740	48.707	0.033	167.0	225	1.775	1.768
S1.005	SMH1.5	SMH1.6	21.559	48.717	48.650	0.067	321.8	225	1.758	1.475
S1.006	SMH1.6	SMH3.2	7.192	48.650	48.630	0.020	359.6	225	1.475	1.365

PROPOSED FOUL PIPES (PROPOSED DEVELOPMENT)

Name	US Node	DS Node	Length (m)	US IL (m)	DS IL (m)	Fall (m)	Slope (1:100)	Dia (mm)	US Depth (m)	DS Depth (m)
F1.001	FMH1.1	FMH1.2	1.990	48.150	47.920	0.230	8.7	150	2.000	2.060
F2.000	FMH2.0	FMH1.1	19.182	48.830	48.150	0.680	28.2	150	1.200	2.000
F1.000	FMH1.0	FMH1.1	40.934	48.930	48.150	0.780	52.5	150	0.920	2.000

Ordnance Survey Ireland Licence No. EN 0003720
© Ordnance Survey Ireland/Government of Ireland

© PUNCH Consulting Engineers
This drawing and any design hereon is the copyright of the Consultants and must not be reproduced without their written consent. All drawings remain the property of the Consultants. Figured dimension only to be taken from this drawing. Consultants to be informed immediately of any discrepancies before work proceeds.

Rev	Amendment	By	Date	Rev	Amendment	By	Date	Client:
C01	PLANNING ISSUE	IBS	2021/04/19					SIRIO HOMES
C02	PLANNING FI RESPONSE	DAP	2021/09/16					
C03	PLANNING CLARIFICATION RESPONSE	DAP	2021/11/18					

PUNCH consulting engineers
Dublin | Limerick | Cork | Galway | Glasgow
Carragee House Library Road,
Dun Laoghaire, Co. Dublin, A96 C7V7
T: +353 1 771 7300 | E: punchconsulting.com

PROJECT: RESIDENTIAL DEVELOPMENT, NUTGROVE AVENUE, RATHFARNHAM, DUBLIN
TITLE: PROPOSED DRAINAGE LAYOUT
DATE: JANUARY 2021
DRAWING NO: 202252-PUNCH-XX-XX-M2-C-0100
SCALE: 1:200
PROJECT NO: 202252-PUNCH-XX-XX-DR-C-0100
DRAWING STATUS: AD
INVESTOR NO: C03