



**NOTES:**

1. READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTURAL AND ENGINEERS DRAWINGS.
2. SURFACE WATER DRAINAGE WORKS TO BE COMPLIANT WITH GREATER DUBLIN REGIONAL CODE OF PRACTICE FOR DRAINAGE WORKS VERSION 6.0.
3. DRAINAGE AND WASTEWATER DISPOSAL WORKS TO BE COMPLIANT WITH BUILDING REGULATIONS TGD PART H-DRAINAGE AND WASTEWATER DISPOSAL 2010.
4. PERMEABLE PAVING SYSTEM TO BE PROVIDED TO ALL NEW HARD-STANDING ACCESS.
5. ALL DRAINAGE PIPES WITHIN THE SITE BOUNDARY TO BE UPVC.
6. ALL DRAINAGE PIPES OUTSIDE OF THE BOUNDARY SITE TO BE CONCRETE PIPES.
7. LINED ATTENUATION TANK SYSTEM TO BE AQUALCELL TYPE SYSTEM OR SIMILAR APPROVED SUITABLE FOR DOMESTIC DRIVEWAYS.

**SURFACE WATER MANHOLES**

MANHOLE REF.	COVER LEVEL	INVERT LEVEL	COVER	PIPE SIZE	REMARKS
	(m)	(m)	(mm)	(mm)	
SWMH 1	104.83	104.14	590	100	UPVC PIPE
SWMH 2	104.83	104.075	655	100	CONCRETE PIPE
SWMH 2	104.83	103.45	1155	225	EXISTING PUBLIC

DRAWING ISSUED AS PART OF ADDITIONAL INFORMATION RESPONSE

**MULHALL CONSULTING**

Structural & Civil Engineers - PSDP & PSCS  
 Unit C Terenure Enterprise Centre, 17 Rathfarnham Road, Terenure, Dublin 6W  
 Telephone: (01) 872 8569 Web: www.mulhallconsulting.ie Email: info@mulhallconsulting.ie

Job: 46 Heatherview Road, Dublin 24

Job No. 2063  
 Dwg. No. C01

Scale 1:100  
 Date 16-11-20

Drawing: Proposed Surface Water  
 Drainage Layout

Drawn PM  
 Rev. A