

(In Ruins)


The drawing is to be read in conjunction with the respective architectural schedules and reports relevant to this project.
Where contradictions between the drawing and any other design information becomes apparent, the respective architect should be contacted immediately.
It is the responsibility of the main site contractor to check and verify all information to ensure that all site operations work in accordance with respective architectural reports and BS5837:2012. Trees in relation to design demolition and construction

BS5837:2012 Tree Categorisation

- Category A**
Tree of high quality with an estimated remaining life expectancy of at least 40 years
- Category B**
Tree of moderate quality with an estimated life expectancy of at least 20 years
- Category C**
Tree of low quality with an estimated life expectancy of at least 10 years or young trees with a stem diameter below 150mm
- Category U**
Trees in a condition that they cannot realistically be retained as living trees in the context of the current land use for longer than 10 years

Key

- Road Protection Areas
The minimum area around a tree deemed to be necessary to maintain the tree's stability and to maintain the trees viability
- Tree Shrub or Hedgerow Group
- T520**
Reference Number for Tree Group or Hedgerow
- Site boundary
- Trees to be removed to facilitate the development shaded grey and dashed
- Proposed layout in pink
- Existing layout in pink



Tree Removals Plan

Project: Palmyra, Whitechurch Road, Rathfarnham, Dublin 16

Client: Anne Jackson

Date:	Nov 2021	Scale:	1:250 @ A3	Status:	Planning
Drawn by:	CHM/C	Drawn at:			
Checked by:	CHM/C	Checked at:	19/10/21-P-21		

CHARLES MCCORKELL
ARBORICULTURAL CONSULTANCY
T: 0035 943 7015 / E: info@cmccorkell.com / W: www.cmccorkell.com

Additional Information Request Point 2 - Planning Reference SD21B/0372
19.11.21