



External Wall Construction
 22mm Sand & Cement Render Finish
 215mm Cavity Block
 100mm Kingspan Insulation Board or Equal
 Finished with 3mm Skim Coat.

Timber Stud Partition (All New Internal Walls)
 3mm Skim Coat Plaster Finish on
 12.5mm Gypsum Plaster Board on
 38x75mm Studs.
 Insulate Between Studs

Note:
 All Dimensions are Block to Block

CAI Issued For Clarification of Additional Information JW JW Jan' 2022
 AI Issued For Additional Information JW JW 440 June 2021

| | | | | |
|------|---------------------|------|------|-----------|
| PL1 | Issued For Planning | JW | JW | MAR' 2021 |
| REV. | REVISION TITLE: | DRN: | CHD: | DATE: |

THIS DRAWING IS ISSUED FOR CLARIFICATION OF ADDITIONAL INFORMATION

| | | | | |
|--|-------------|--|--|--|
| APPLICANT: Deborah Soave | | DRAWING TITLE: Proposed Ground Floor Plan | | |
| Jason Walsh Architectural & Engineering 12 ARD MOR CRESCENT TALLAGHT DUBLIN 24 PHONE: 085 8070 432 EMAIL: GJL.SERCIVES@GMAIL.COM | | JOB TITLE: Proposed Two Storey Detached House At, 67 Coolamber Park, Knocklyon, Dublin 16. | | |
| SCALE: | INITIALS: | DATE: | | |
| 1:50 | JW | 04.01.21 | | |
| JOB No: | DRAWING No: | REV: | | |
| DS-21 | DS-21-02 | CAI | | |