



LEGEND:

- EXISTING SURFACE WATER SEWER
 - PROPOSED SURFACE WATER SEWER
 - PROPOSED TREE PIT, REFER TO LANDSCAPE ARCHITECTS DETAILS
 - OVERFLOW GULLY FROM TREE PIT
 - INDICATES CONCRETE SURROUND TO PIPE
 - INDICATES DOWNSTREAM STORM DEFENDER MANHOLE BY HYDRO INT. OR SIMILAR APPROVED
 - PROPOSED GULLY POT (150mm)
 - PROPOSED ACO CHANNEL (MULTIDRAIN MC BRICKSLOT)
- ALL SURFACEWATER DRAINAGE MATERIALS TO BE IN ACCORDANCE WITH SOUTH DUBLIN COUNTY COUNCIL REQUIREMENTS AND THE REGIONAL CODE OF PRACTICE FOR DRAINAGE WORKS.
- NOTE:
NO STORM SEWER GREATER THAN 225mm TO BE uPVC, CONCRETE TO BE USED.



S 2 = 24.2
CL=61.438
IL=59.75
REF: SDZ21A/0020

PLANNING DRAWING.
NOT FOR CONSTRUCTION.
ALL LEVELS GIVEN ARE
RELATIVE TO ORDNANCE DATUM.
THIS DRAWING HAS BEEN ISSUED FOR INFORMATION
PURPOSES ONLY AND MUST NOT BE USED
FOR CONSTRUCTION UNDER ANY CIRCUMSTANCES

| Rev. No. | Date | REVISION NOTE | Drn. By | Chk. By |
|----------|------------|------------------------------------|---------|---------|
| PI | 04.02.2022 | Drawing Updated For RFI Submission | RFM | RFM |

| | | | |
|----------|--|----------|------------|
| Client | Quintain Developments Ireland Ltd Adamstown - Block G | | |
| Project | Proposed Storm Network | | |
| Drn by | RFM | Chkd by | MMCE |
| Date | Feb 2021 | Scale | 1/250 @ A1 |
| Dwg. No. | D100/202 | Revision | P1 |

| | |
|---|-----------------------------------|
| CS Consulting Group DUBLIN LONDON LIMERICK | |
| Head Office 19-22 Dame Street, Dublin 2 T: +353 (0)1 6480883 e: info@csconsulting.ie w: www.csconsulting.ie | |
| Quality Certified | NSAI Energy Health & Safety |
| ISO 9001:2008 ISO 14001:2004 ISO 50001:2011 OHSAS 18001:2007 | |