



PROPOSED FOUL WATER DRAINAGE PLAN
SCALE 1:200

FOUL WATER MANHOLE SCHEDULE						
MH REF:	COVER LEVEL	INVERT LEVEL	PIPE Ø	DEPTH TO INVERT	MANHOLE TYPE	MANHOLE COVER/FRAME
EX. FW01	50.200	48.060	150	2.140		
FW01	50.200	48.560/48.060	150	2.140	STD-WW-10	CLASS D400/150mm DP
FW02	49.600	48.606	150	0.994	STD-WW-10	CLASS D400/150mm DP
FW03	49.750	48.632	150	1.118	STD-WW-10	CLASS D400/150mm DP
FW04	49.750	48.750	150	1.000	STD-WW-10	CLASS D400/150mm DP

NOTE: ALL MANHOLE TYPES AS PER IRISH WATER'S WASTEWATER STANDARD DETAILS

DRAINAGE LEGEND	
NEW FOUL WATER SEWER	FW03
EX. FOUL WATER SEWER	EX. F3
EX. SURFACE WATER SEWER	EX. S3
NEW SURFACE WATER SEWER	SW03
ROAD GULLY	RG
YARD GULLY	YG
DEMOLITION OF DRAINAGE LINE	DK
DROPPED KERB	DK

SITE LEGEND	
SITE BOUNDARY	---
OWNERSHIP LINE	---
DEMOLITION LINE	---
SPOT LEVELS	± 50.00

Rev	Date	Dm	Chk'd	Description
0	04/03/22	SR	FW	Issued in response to RFI

LOHAN & DONNELLY
Consulting Engineers

13 Gardiner Place, Mountjoy Square, Dublin 1. T: 01 8787770
W: www.lohan-donnelly.com E: info@lohan-donnelly.com

Project: Drive Thru Coffee Unit for New Ireland Assurance Company PLC	Project No: 21192	Dwg. No: C04
Drawing: Proposed Foul Water Drainage Plan	Scale: @A1	Date: Feb '21
Model Reference: 21192-LDE-ZZ-ZZ-M2-SC-0003	Drawn: SR	Rev: 0
Drawing Reference: 21192-LDE-ZZ-ZZ-DR-SC-1C04	Model Rev: P.01.1	Suitability: S0