



LEGEND:

- EXISTING 225Ø SURFACE WATER PIPE Ø1:150(MN) U.N.O
- EXISTING 300Ø SURFACE WATER PIPE Ø1:150(MN) U.N.O
- EXISTING 225Ø FOUL WATER PIPE Ø1:150(MN) U.N.O
- 100Ø SURFACE WATER PIPE Ø1:100(MN) U.N.O
- 100Ø FOUL WATER PIPE Ø1:60(MN) U.N.O
- MANHOLE
- ARMSTRONG JOINT
- INSPECTION CHAMBER TO IRISH WATER DETAIL (STD-WW-03)
- INSPECTION CHAMBER
- GREASE TRAP
- BACK INLET GULLY TRAP
- SOIL VENT PIPE WITH BACK INLET GULLY TRAP
- DOWNPIPE WITH GULLY TRAP
- PERMEABLE PAVING
- STORMCELL ATTENUATION SYSTEM 1.9mx1.9mx0.5m Dp.

NOTES:

1. ALL INFRASTRUCTURE IS TO BE INSTALLED AND BUILT TO THE IRISH WATER CODE OF PRACTICE AND STANDARD DETAILS.
2. ALL MANHOLES TO BE INSTALLED AND BUILT TO THE IRISH WATER CODE OF PRACTICE AND STANDARD DETAILS.
3. ALL ROAD GULLY DRAINS ARE 150Ø CONCRETE PIPES TO I.S.6.
4. ALL DRAINAGE PIPES ≤ 150Ø TO BE UPVC S.N.8 TO I.S.42
5. ALL DRAINAGE PIPES BETWEEN 225Ø & 375Ø TO BE CLASS M SPIGOT & SOCKET CONCRETE PIPES TO I.S.6
6. INSPECTIONS CHAMBERS TO BE INSTALLED WITHIN THE BOUNDARY TO THE CURTLAGE OF A PREMISES OR WITHIN 1M. OF THE PREMISES, REFER TO DWG. D-02 FOR DETAILS AND SECTIONS.
7. ALL S.W. DRAINAGE INSTALLED IN ACCORDANCE WITH SDCC REQUIREMENTS, GREATER DUBLIN STRATEGIC DRAINAGE STUDY AND SDCC GREATER DUBLIN REGIONAL CODE OF PRACTICE FOR DRAINAGE.

ISSUED FOR PLANNING

General Notes:-
 Contractors must verify all dimensions on the site before commencing work.
 Work only from figured dimensions.
 This drawing to be read in conjunction with all relevant Consultant's drawings.
 Reproduction of the whole or part of the information, ideas & concepts herein this drawing constitutes an infringement of copyright.

Revision Schedule	Initial	Rev	Date

Revision Schedule	Initial	Rev	Date

Revision Schedule	Initial	Rev	Date

Drawing Title DRAINAGE SITE DRAINAGE		PAMES DEVELOPMENTS LTD. First Floor, 60 Arames Street, Dublin 1. Tel: 01-6950204 e-mail: info@pames.ie	
Project RESIDENTIAL DEVELOPMENT AT HILLVIEW, DISPENSARY LANE, LUCAN.			
Client JOHN PCPE	Job No. 21010		
Date FEB 22	Drawn DF	Checked TC	Drawing No. D 01
Scale 1:100	CAD Ref.		

ISSUED FOR PLANNING