



Figure 20: Shadow diagrams 21 September 11:00 GMT+1 (DST)



Figure 21: Shadow diagrams 21 September 13:00 GMT+1 (DST)



Figure 22: Shadow diagrams 21 September 15:00 GMT+1 (DST)



Figure 23: Shadow diagrams 21 September 17:00 GMT+1 (DST)

7.6 Shadow Casting diagrams December Solstice



Figure 24: Shadow diagrams 21 December 10:00 GMT



Figure 25: Shadow diagrams 21 December 12:00 GMT



Figure 26: Shadow diagrams 21 December 14:00 GMT

Appendix A - Average Daylight Factor Tables for Habitable Rooms in Multi Unit Blocks




Figure 27: Block A - Ground floor false colour plans of ADF. Scale 0 - 5%




Figure 28: Block A - First floor false colour plans of ADF. Scale 0 - 5%




Figure 30: Block A - Second floor false colour plans of ADF. Scale 0 - 5%




Figure 29: Block A - Third floor false colour plans of ADF. Scale 0 - 5%




Figure 31: Block A - Fourth floor false colour plans of ADF. Scale 0 - 5%

Average Daylight Factor - Block A						
Space ID	Description	Area m ²	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
A01.1	LKD	32.6	75	7.63%	2%	Y
A01.2	Bed	11.5	25	2.19%	1%	Y
A01.3	Bed	14.4	39	3.22%	1%	Y
A02.1	LKD	30.0	81	2.50%	2%	Y
A02.2	Bed	11.8	35	1.67%	1%	Y
A02.3	Bed	13.7	39	1.46%	1%	Y
A03.1	LKD	30.0	81	2.42%	2%	Y
A03.2	Bed	11.4	35	1.56%	1%	Y
A03.3	Bed	13.7	39	1.34%	1%	Y
A04.1	LKD	23.3	60	4.08%	2%	Y
A04.2	Bed	12.2	33	1.23%	1%	Y
A05.1	LKD	30.8	78	2.78%	2%	Y
A05.2	Bed	11.4	33	3.01%	1%	Y
A05.3	Bed	13.0	35	3.14%	1%	Y
A06.1	LKD	37.0	94	6.33%	2%	Y
A06.2	Bed	12.7	35	3.87%	1%	Y
A06.3	Bed	14.2	32	3.43%	1%	Y
A07.1	LKD	26.0	58	6.39%	2%	Y
A07.2	Bed	13.1	30	3.83%	1%	Y
A08.1	LKD	27.4	71	6.52%	2%	Y
A08.2	Bed	13.1	30	3.78%	1%	Y
A09.1	LKD	32.4	88	6.31%	2%	Y
A09.2	Bed	11.4	35	3.96%	1%	Y
A09.3	Bed	13.0	30	3.69%	1%	Y

Average Daylight Factor - Block A						
Space ID	Description	Area m2	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
A10.1	LKD	32.6	75	7.53%	2%	Y
A10.2	Bed	11.5	25	2.12%	1%	Y
A10.3	Bed	14.4	39	3.55%	1%	Y
A11.1	LKD	42.9	112	2.70%	2%	Y
A11.2	Bed	11.4	35	2.41%	1%	Y
A11.3	Bed	13.4	27	2.18%	1%	Y
A12.1	LKD	42.9	112	2.67%	2%	Y
A12.2	Bed	11.4	35	2.46%	1%	Y
A12.3	Bed	13.4	27	2.13%	1%	Y
A13.1	LKD	22.1	55	3.08%	2%	Y
A13.2	Bed	14.8	45	1.85%	1%	Y
A14.1	LKD	30.8	78	2.84%	2%	Y
A14.2	Bed	11.4	33	3.46%	1%	Y
A14.3	Bed	13.0	35	3.69%	1%	Y
A15.1	LKD	32.4	88	7.75%	2%	Y
A15.2	Bed	11.4	35	4.76%	1%	Y
A15.3	Bed	13.0	30	4.46%	1%	Y
A16.1	LKD	32.6	75	9.13%	2%	Y
A16.2	Bed	11.5	25	3.47%	1%	Y
A16.3	Bed	14.4	39	3.90%	1%	Y
A17.1	LKD	42.9	112	3.44%	2%	Y
A17.2	Bed	11.4	35	3.31%	1%	Y
A17.3	Bed	13.4	27	3.04%	1%	Y
A18.1	LKD	42.9	112	3.42%	2%	Y
A18.2	Bed	11.4	35	3.14%	1%	Y
A18.3	Bed	13.4	27	2.83%	1%	Y
A19.1	LKD	22.1	55	3.80%	2%	Y
A19.2	Bed	14.8	45	2.30%	1%	Y
A20.1	LKD	30.8	78	4.81%	2%	Y
A20.2	Bed	11.4	33	3.64%	1%	Y
A20.3	Bed	13.0	35	3.84%	1%	Y
A21.1	LKD	30.1	68	10.61%	2%	Y
A21.2	Bed	11.4	35	2.82%	1%	Y
A21.3	Bed	12.8	35	3.97%	1%	Y
A22.1	LKD	22.1	55	5.44%	2%	Y
A22.2	Bed	14.8	45	3.43%	1%	Y
A23.1	LKD	22.1	55	5.05%	2%	Y
A23.2	Bed	14.8	45	3.02%	1%	Y
A24.1	LKD	33.0	86	4.96%	2%	Y
A24.2	Bed	11.4	35	3.83%	1%	Y
A24.3	Bed	13.4	27	3.44%	1%	Y
A25.1	LKD	22.1	55	5.18%	2%	Y
A25.2	Bed	14.8	45	2.98%	1%	Y
A26.1	LKD	30.0	82	10.74%	2%	Y
A26.2	Bed	13.6	37	2.98%	1%	Y
A26.3	Bed	13.3	36	3.69%	1%	Y
A27.1	LKD	30.0	68	7.03%	2%	Y
A27.2	Bed	11.4	35	2.79%	1%	Y
A27.3	Bed	12.8	35	3.99%	1%	Y

Average Daylight Factor - Block A						
Space ID	Description	Area m2	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
A28.1	LKD	30.8	78	4.88%	2%	Y
A28.2	Bed	11.4	33	4.12%	1%	Y
A28.3	Bed	13.0	35	4.36%	1%	Y
A29.1	LKD	22.1	55	4.89%	2%	Y
A29.2	Bed	14.8	45	2.91%	1%	Y
A30.1	LKD	42.9	112	4.16%	2%	Y
A30.2	Bed	11.4	35	3.84%	1%	Y
A30.3	Bed	13.4	27	3.46%	1%	Y
A31.1	LKD	42.9	112	4.16%	2%	Y
A31.2	Bed	11.4	35	3.86%	1%	Y
A31.3	Bed	13.4	27	3.45%	1%	Y
A32.1	LKD	32.6	75	8.97%	2%	Y
A32.2	Bed	14.4	39	4.32%	1%	Y
A32.3	Bed	11.5	25	3.44%	1%	Y
A33.1	LKD	32.4	88	7.32%	2%	Y
A33.2	Bed	11.4	35	4.60%	1%	Y
A33.3	Bed	13.0	30	4.41%	1%	Y
A34.1	LKD	30.0	83	10.88%	2%	Y
A34.2	Bed	13.6	37	3.04%	1%	Y
A34.3	Bed	13.3	36	3.74%	1%	Y
A35.1	LKD	22.1	55	5.18%	2%	Y
A35.2	Bed	14.8	45	3.01%	1%	Y
A36.1	LKD	33.0	86	4.99%	2%	Y
A36.2	Bed	11.4	35	3.86%	1%	Y
A36.3	Bed	13.4	27	3.44%	1%	Y
A37.1	LKD	22.1	55	5.13%	2%	Y
A37.2	Bed	14.8	45	2.99%	1%	Y
A38.1	LKD	22.1	55	5.42%	2%	Y
A38.2	Bed	14.8	45	3.45%	1%	Y
A39.1	LKD	32.4	88	7.43%	2%	Y
A39.2	Bed	11.4	35	4.85%	1%	Y
A39.3	Bed	13.0	30	4.43%	1%	Y
A40.1	Bed	11.5	25	3.54%	1%	Y
A40.1	LKD	32.6	75	9.28%	2%	Y
A40.3	Bed	14.4	39	4.06%	1%	Y
A41.1	LKD	42.9	112	3.77%	2%	Y
A41.2	Bed	11.4	35	3.44%	1%	Y
A41.3	Bed	13.4	27	3.17%	1%	Y
A42.1	LKD	42.9	112	3.66%	2%	Y
A42.2	Bed	11.4	35	3.37%	1%	Y
A42.3	Bed	13.4	27	3.08%	1%	Y
A43.1	LKD	22.1	55	4.14%	2%	Y
A43.2	Bed	14.8	45	2.50%	1%	Y
A44.1	LKD	30.8	78	4.78%	2%	Y
A44.2	Bed	11.4	33	3.85%	1%	Y
A44.3	Bed	13.0	35	4.03%	1%	Y
A45.1	LKD	30.1	68	10.78%	2%	Y
A45.2	Bed	11.4	35	2.71%	1%	Y
A45.3	Bed	12.8	35	3.73%	1%	Y

Average Daylight Factor - Block A						
Space ID	Description	Area m2	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
A46.1	LKD	22.1	55	5.22%	2%	Y
A46.2	Bed	14.8	45	3.36%	1%	Y
A47.1	LKD	11.4	35	4.03%	2%	Y
A47.2	Bed	11.4	35	3.99%	1%	Y
A47.3	Bed	13.4	27	3.53%	1%	Y
A48.1	LKD	33.0	86	5.06%	2%	Y
A48.3	Bed	33.0	86	5.16%	1%	Y
A48.3	Bed	13.4	27	3.67%	1%	Y
A49.1	LKD	33.0	86	5.47%	2%	Y
A49.2	Bed	10.4	31	5.28%	1%	Y
A49.3	Bed	12.1	24	4.54%	1%	Y
A50.1	LKD	30.0	82	11.17%	2%	Y
A50.2	Bed	13.6	37	3.16%	1%	Y
A50.3	Bed	13.3	36	4.15%	1%	Y
A51.1	LKD	30.0	68	7.06%	2%	Y
A51.2	Bed	11.4	35	2.61%	1%	Y
A51.3	Bed	12.8	35	3.67%	1%	Y
A52.1	LKD	30.8	78	4.90%	2%	Y
A52.2	Bed	11.4	33	4.23%	1%	Y
A52.3	Bed	13.0	35	4.41%	1%	Y
A53.1	LKD	22.1	55	4.81%	2%	Y
A53.2	Bed	14.8	45	2.95%	1%	Y
A54.1	LKD	42.9	112	4.20%	2%	Y
A54.2	Bed	11.4	35	3.88%	1%	Y
A54.3	Bed	13.4	27	3.43%	1%	Y
A55.1	LKD	42.9	112	4.24%	2%	Y
A55.2	Bed	11.4	35	3.85%	1%	Y
A55.3	Bed	13.4	27	3.47%	1%	Y
A56.1	LKD	32.6	75	9.14%	2%	Y
A56.2	Bed	14.4	39	4.27%	1%	Y
A56.3	Bed	11.5	25	3.54%	1%	Y
A57.1	LKD	32.4	88	7.46%	2%	Y
A57.2	Bed	11.4	35	4.86%	1%	Y
A57.3	Bed	13.0	30	4.53%	1%	Y
A58.1	LKD	30.0	83	11.34%	2%	Y
A58.2	Bed	13.6	37	3.12%	1%	Y
A58.3	Bed	13.3	36	4.19%	1%	Y
A59.1	LKD	33.0	86	5.53%	2%	Y
A59.2	Bed	10.5	32	5.38%	1%	Y
A59.3	Bed	12.1	24	4.66%	1%	Y
A60.1	LKD	33.0	86	5.00%	2%	Y
A60.2	Bed	11.4	35	3.99%	1%	Y
A60.3	Bed	13.4	27	3.56%	1%	Y
A61.1	LKD	33.0	86	5.10%	2%	Y
A61.2	Bed	11.4	35	4.00%	1%	Y
A61.3	Bed	13.4	27	3.66%	1%	Y
A62.1	LKD	22.1	55	5.09%	2%	Y
A62.2	Bed	14.8	45	3.30%	1%	Y
A63.1	LKD	32.4	88	7.39%	2%	Y
A63.2	Bed	11.4	35	4.77%	1%	Y
A63.3	Bed	13.0	30	4.55%	1%	Y

Average Daylight Factor - Block A						
Space ID	Description	Area m2	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
A64.1	LKD	32.6	75	9.38%	2%	Y
A64.2	Bed	11.5	25	3.49%	1%	Y
A64.3	Bed	14.4	39	4.13%	1%	Y
A65.1	LKD	42.9	112	3.91%	2%	Y
A65.2	Bed	11.4	35	3.59%	1%	Y
A65.3	Bed	13.4	27	3.31%	1%	Y
A66.1	LKD	42.9	112	3.92%	2%	Y
A66.2	Bed	11.4	35	3.57%	1%	Y
A66.3	Bed	13.4	27	3.22%	1%	Y
A67.1	LKD	22.1	55	4.48%	2%	Y
A67.2	Bed	14.8	45	2.71%	1%	Y
A68.1	LKD	30.8	78	4.85%	2%	Y
A68.2	Bed	11.4	33	4.04%	1%	Y
A68.3	Bed	13.0	35	4.08%	1%	Y
A69.1	LKD	30.1	68	10.92%	2%	Y
A69.2	Bed	11.4	35	2.63%	1%	Y
A69.3	Bed	12.8	35	3.71%	1%	Y
A70.1	LKD	22.1	55	5.16%	2%	Y
A70.2	Bed	14.8	45	3.28%	1%	Y
A71.1	LKD	33.0	86	5.14%	2%	Y
A71.2	Bed	11.4	35	4.13%	1%	Y
A71.3	Bed	13.4	27	3.74%	1%	Y
A72.1	LKD	33.0	86	5.14%	2%	Y
A72.2	Bed	11.4	35	4.21%	1%	Y
A72.3	Bed	13.4	27	3.83%	1%	Y
A73.1	LKD	33.0	86	5.94%	2%	Y
A73.2	Bed	10.4	31	5.57%	1%	Y
A73.3	Bed	12.1	24	4.82%	1%	Y
A74.1	LKD	30.0	82	11.40%	2%	Y
A74.2	Bed	13.6	37	3.28%	1%	Y
A74.3	Bed	13.3	36	4.26%	1%	Y
A75.1	LKD	30.0	68	7.16%	2%	Y
A75.2	Bed	11.4	35	2.60%	1%	Y
A75.3	Bed	12.8	35	3.65%	1%	Y
A76.1	LKD	30.8	78	4.90%	2%	Y
A76.2	Bed	11.4	33	4.19%	1%	Y
A76.3	Bed	13.0	35	4.35%	1%	Y
A77.1	LKD	22.1	55	4.83%	2%	Y
A77.2	Bed	14.8	45	2.87%	1%	Y
A78.1	LKD	42.9	112	4.23%	2%	Y
A78.2	Bed	11.4	35	3.84%	1%	Y
A78.3	Bed	13.4	27	3.63%	1%	Y
A79.1	LKD	42.9	112	4.20%	2%	Y
A79.2	Bed	11.4	35	3.94%	1%	Y
A79.3	Bed	13.4	27	3.52%	1%	Y
A80.1	LKD	32.6	75	9.28%	2%	Y
A80.2	Bed	14.4	39	4.29%	1%	Y
A80.3	Bed	11.5	25	3.47%	1%	Y

Average Daylight Factor - Block A						
Space ID	Description	Area m2	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
A81.1	LKD	32.4	88	7.39%	2%	Y
A81.2	Bed	11.4	35	4.75%	1%	Y
A81.3	Bed	13.0	30	4.47%	1%	Y
A82.1	LKD	30.0	83	11.35%	2%	Y
A82.2	Bed	13.6	37	3.33%	1%	Y
A82.3	Bed	13.3	36	4.48%	1%	Y
A83.1	LKD	33.0	86	5.17%	2%	Y
A83.2	Bed	10.5	32	5.13%	1%	Y
A83.3	Bed	12.1	24	4.45%	1%	Y
A84.1	LKD	33.0	86	5.22%	2%	Y
A84.2	Bed	11.4	35	4.11%	1%	Y
A84.2	Bed	11.4	35	4.15%	1%	Y
A84.3	Bed	13.4	27	3.81%	1%	Y
A84.3	Bed	13.4	27	3.63%	1%	Y
A85.1	LKD	33.0	86	5.12%	2%	Y
A86.1	LKD	22.1	55	5.05%	2%	Y
A86.1	Bed	14.8	45	3.24%	1%	Y
A87.1	LKD	32.4	88	9.33%	2%	Y
A87.2	Bed	11.4	35	4.90%	1%	Y
A87.3	Bed	13.0	30	4.52%	1%	Y
A88.1	LKD	32.6	75	9.31%	2%	Y
A88.2	Bed	11.5	25	3.60%	1%	Y
A88.3	Bed	14.4	39	4.15%	1%	Y
A89.1	Bed	42.9	112	6.20%	1%	Y
A89.2	Bed	11.4	35	5.81%	1%	Y
A89.3	Bed	13.4	27	5.28%	1%	Y
A90.1	LKD	42.9	112	6.21%	2%	Y
A90.2	Bed	11.4	35	5.91%	1%	Y
A90.3	Bed	13.4	27	5.33%	1%	Y
A91.1	LKD	22.1	55	7.22%	2%	Y
A91.2	Bed	14.8	45	4.57%	1%	Y
A92.1	LKD	30.2	80	11.30%	2%	Y
A92.2	Bed	11.4	25	4.98%	1%	Y
A92.3	Bed	12.0	26	5.18%	1%	Y
A93.1	LKD	25.0	60	7.50%	2%	Y
A93.2	Bed	11.8	26	6.27%	1%	Y
A94.1	LKD	24.0	59	6.95%	2%	Y
A94.2	Bed	12.0	33	5.96%	1%	Y
A95.1	LKD	33.0	86	7.55%	2%	Y
A95.2	Bed	11.4	35	6.11%	1%	Y
A95.3	Bed	13.4	27	5.34%	1%	Y
A96.1	LKD	33.0	86	7.50%	2%	Y
A96.2	Bed	11.4	35	6.02%	1%	Y
A96.3	Bed	13.4	27	5.47%	1%	Y
A97.1	LKD	33.0	86	7.32%	2%	Y
A97.2	Bed	10.4	31	5.89%	1%	Y
A97.3	Bed	12.1	24	5.00%	1%	Y
A98.1	LKD	30.0	82	11.34%	2%	Y
A98.2	Bed	13.6	37	4.23%	1%	Y
A98.3	Bed	13.3	36	4.74%	1%	Y

Average Daylight Factor - Block A						
Space ID	Description	Area m2	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
A99.1	LKD	24.9	60	7.53%	2%	Y
A99.2	Bed	11.8	26	6.25%	1%	Y
A100.1	LKD	30.2	80	11.30%	2%	Y
A100.2	Bed	11.4	25	5.07%	1%	Y
A100.3	Bed	13.0	29	4.86%	1%	Y
A101.1	LKD	22.1	55	7.35%	2%	Y
A101.2	Bed	14.8	45	4.66%	1%	Y
A102.1	LKD	42.9	112	6.37%	2%	Y
A102.2	Bed	11.4	35	5.97%	1%	Y
A102.3	Bed	13.4	27	5.45%	1%	Y
A103.1	LKD	42.9	112	6.38%	2%	Y
A103.2	Bed	11.4	35	6.03%	1%	Y
A103.3	Bed	13.4	27	5.44%	1%	Y
A104.1	LKD	32.6	75	9.28%	2%	Y
A104.2	Bed	14.4	39	4.32%	1%	Y
A104.3	Bed	11.5	25	3.63%	1%	Y
A105.1	LKD	32.4	88	7.42%	2%	Y
A105.2	Bed	11.4	35	4.74%	1%	Y
A105.3	Bed	13.0	30	4.52%	1%	Y
A106.1	LKD	30.0	83	11.51%	2%	Y
A106.2	Bed	13.6	37	4.19%	1%	Y
A106.3	Bed	13.3	36	4.83%	1%	Y
A107.1	LKD	33.0	86	7.38%	2%	Y
A107.2	Bed	10.5	32	5.65%	1%	Y
A107.3	Bed	12.1	24	4.95%	1%	Y
A108.1	LKD	33.0	86	7.48%	2%	Y
A108.2	Bed	11.4	35	5.99%	1%	Y
A108.3	Bed	13.4	27	5.39%	1%	Y
A109.1	LKD	33.0	86	7.45%	2%	Y
A109.2	Bed	11.4	35	6.04%	1%	Y
A109.3	Bed	13.4	27	5.49%	1%	Y
A110.1	LKD	22.1	55	7.44%	2%	Y
A110.2	Bed	12.0	33	5.91%	1%	Y

Table 8: Block A - Average Daylight Factor of all habitable rooms







Block B**Fourth Floor****Third Floor****Second Floor****First Floor****Lower Ground Floor****Ground Floor**

Figure 32: Block B - All floors false colour plans of ADF. Scale 0 - 5%

Average Daylight Factor - Block B						
Space ID	Description	Area m2	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
B01.1	LKD	30.5	88	4.33%	2%	Y
B01.2	Bed	12.2	29	3.74%	1%	Y
B01.3	Bed	10.9	31	4.01%	1%	Y
B02.1	LKD	31.1	90	4.60%	2%	Y
B02.2	Bed	12.2	29	3.81%	1%	Y
B02.3	Bed	12.0	35	3.02%	1%	Y
B03.1	LKD	25.7	65	2.65%	2%	Y
B03.2	Bed	12.6	36	3.50%	1%	Y
B04.1	LKD	23.1	63	2.15%	2%	Y
B04.2	Bed	12.6	36	2.72%	1%	Y
B05.1	Bed	31.5	86	10.57%	1%	Y
B05.2	Bed	12.4	32	1.99%	1%	Y
B05.3	Bed	13.1	30	3.44%	1%	Y
B06.1	LKD	31.6	84	2.64%	2%	Y
B06.2	Bed	11.1	28	3.50%	1%	Y
B06.3	Bed	13.9	38	2.61%	1%	Y
B07.1	LKD	49.4	115	4.35%	2%	Y
B07.2	Bed	17.0	48	2.08%	1%	Y
B07.3	Bed	12.7	36	3.77%	1%	Y
B07.4	Bed	7.1	20	6.25%	1%	Y
B08.1	LKD	49.4	115	4.63%	2%	Y
B08.2	Bed	17.0	48	2.08%	1%	Y
B08.3	Bed	12.7	36	4.23%	1%	Y
B08.4	Bed	7.1	20	6.51%	1%	Y
B09.1	LKD	49.4	115	4.71%	2%	Y
B09.2	Bed	17.0	48	2.09%	1%	Y
B09.3	Bed	12.7	36	4.24%	1%	Y
B09.4	Bed	7.1	20	6.47%	1%	Y
B10.1	LKD	49.4	115	4.71%	2%	Y
B10.2	Bed	17.0	48	1.89%	1%	Y
B10.3	Bed	12.7	36	4.30%	1%	Y
B10.4	Bed	7.1	20	6.58%	1%	Y
B11.1	LKD	30.5	88	5.51%	2%	Y
B11.2	Bed	10.9	31	4.21%	1%	Y
B11.3	Bed	12.2	29	3.95%	1%	Y
B12.1	LKD	31.1	90	5.66%	2%	Y
B12.2	Bed	12.2	29	4.01%	1%	Y
B12.3	Bed	12.0	35	3.17%	1%	Y
B13.1	LKD	25.7	65	3.36%	2%	Y
B13.2	Bed	12.6	36	3.73%	1%	Y
B14.1	LKD	25.7	65	2.22%	2%	Y
B14.3	Bed	12.6	36	2.91%	1%	Y
B15.1	LKD	31.5	86	11.44%	2%	Y
B15.2	Bed	12.4	32	2.57%	1%	Y
B15.3	Bed	13.1	30	3.63%	1%	Y
B16.1	LKD	31.6	84	3.27%	2%	Y
B16.2	Bed	11.1	28	3.79%	1%	Y
B16.3	Bed	13.9	38	2.94%	1%	Y

Average Daylight Factor - Block B						
Space ID	Description	Area m2	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
B17.1	LKD	30.5	88	5.96%	2%	Y
B17.2	Bed	12.2	29	4.07%	1%	Y
B17.3	Bed	10.9	31	4.24%	1%	Y
B18.1	LKD	31.1	90	5.94%	2%	Y
B18.2	Bed	12.2	29	4.05%	1%	Y
B18.3	Bed	12.0	35	3.31%	1%	Y
B19.1	LKD	25.7	65	3.52%	2%	Y
B19.2	Bed	12.6	36	3.77%	1%	Y
B20.1	LKD	25.7	65	3.02%	2%	Y
B20.2	Bed	12.6	36	3.14%	1%	Y
B21.1	LKD	31.5	86	11.58%	2%	Y
B21.2	Bed	12.4	32	2.57%	1%	Y
B21.3	Bed	13.1	30	3.67%	1%	Y
B22.1	LKD	31.6	84	3.08%	2%	Y
B22.2	Bed	11.1	28	3.86%	1%	Y
B22.3	Bed	13.9	38	2.97%	1%	Y
B23.1	LKD	41.8	95	5.48%	2%	Y
B23.2	Bed	12.9	36	4.46%	1%	Y
B23.3	Bed	12.7	36	4.46%	1%	Y
B23.4	Bed	7.1	20	2.48%	1%	Y
B24.1	LKD	41.8	95	5.53%	2%	Y
B24.2	Bed	12.9	36	4.43%	1%	Y
B24.3	Bed	12.7	36	4.48%	1%	Y
B24.4	Bed	7.1	20	2.29%	1%	Y
B25.1	LKD	41.8	95	5.75%	2%	Y
B25.2	Bed	12.9	36	4.47%	1%	Y
B25.3	Bed	12.7	36	4.46%	1%	Y
B25.4	Bed	7.1	20	2.29%	1%	Y
B26.1	LKD	41.8	95	6.66%	2%	Y
B26.2	Bed	12.9	36	3.98%	1%	Y
B26.3	Bed	12.7	36	10.51%	1%	Y
B26.4	Bed	7.1	20	2.12%	1%	Y
B27.1	LKD	31.5	86	11.28%	2%	Y
B27.2	Bed	13.1	30	3.52%	1%	Y
B27.3	Bed	12.4	32	2.66%	1%	Y
B28.1	LKD	34.2	84	7.40%	2%	Y
B28.2	Bed	13.8	40	4.91%	1%	Y
B28.3	Bed	14.4	40	3.92%	1%	Y
B28.4	Bed	12.6	35	3.33%	1%	Y
B29.1	LKD	31.5	86	11.73%	2%	Y
B29.2	Bed	13.1	30	3.69%	1%	Y
B29.3	Bed	12.4	32	2.80%	1%	Y

Table 9: Block B - Average Daylight Factor of all habitable rooms

Block C




Figure 34: Block C - Ground floor false colour plan of ADF. Scale 0 - 5%




Figure 33: Block C - First floor false colour plan of ADF. Scale 0 - 5%




Figure 36: Block C - Second floor false colour plan of ADF. Scale 0 - 5%




Figure 35: Block C - Third floor false colour plan of ADF. Scale 0 - 5%



Fourth Floor

Figure 37: Block C - Fourth floor false colour plan of ADF. Scale 0 - 5%

Average Daylight Factor - Block C						
Space ID	Description	Area m ²	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
C01.1	LKD	30.0	84	2.97%	2%	Y
C01.2	Bed	16.1	38	3.21%	1%	Y
C01.3	Bed	14.5	34	3.39%	1%	Y
C02.1	LKD	30.2	84	5.40%	2%	Y
C02.2	Bed	11.4	30	2.82%	1%	Y
C02.3	Bed	12.9	35	3.97%	1%	Y
C03.1	LKD	24.5	66	5.02%	2%	Y
C03.2	Bed	13.0	34	2.76%	1%	Y
C04.1	LKD	30.4	80	4.58%	2%	Y
C04.2	Bed	16.3	46	3.42%	1%	Y
C04.2	Bed	13.5	40	2.66%	1%	Y
C04.3	Bed	13.8	40	4.25%	1%	Y
C05.1	LKD	30.2	84	3.95%	2%	Y
C05.2	Bed	11.4	30	2.82%	1%	Y
C05.3	Bed	13.8	36	3.91%	1%	Y
C06.1	LKD	29.6	68	4.80%	2%	Y
C06.2	Bed	11.4	30	3.01%	1%	Y
C06.3	Bed	15.0	40	3.56%	1%	Y
C07.1	LKD	31.5	84	4.53%	2%	Y
C07.2	Bed	14.0	36	2.59%	1%	Y
C07.3	Bed	15.8	39	3.12%	1%	Y

Average Daylight Factor - Block C						
Space ID	Description	Area m2	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
C08.1	LKD	43.1	106	5.43%	2%	Y
C08.2	Bed	16.3	46	3.33%	1%	Y
C08.3	Bed	13.8	40	4.25%	1%	Y
C09.1	LKD	43.1	106	5.59%	2%	Y
C10.1	LKD	30.0	84	3.98%	2%	Y
C10.2	Bed	16.1	38	3.38%	1%	Y
C10.3	Bed	14.5	34	3.60%	1%	Y
C11.1	LKD	30.2	84	5.56%	2%	Y
C11.2	Bed	11.4	30	3.04%	1%	Y
C11.3	Bed	12.9	35	4.27%	1%	Y
C12.1	LKD	24.5	66	5.32%	2%	Y
C12.2	Bed	13.0	34	3.00%	1%	Y
C13.1	LKD	30.4	80	4.98%	2%	Y
C13.2	Bed	13.5	40	2.88%	1%	Y
C14.1	LKD	30.2	84	4.15%	2%	Y
C14.2	Bed	11.4	30	2.97%	1%	Y
C14.3	Bed	13.8	36	4.13%	1%	Y
C15.1	LKD	29.6	68	5.00%	2%	Y
C15.2	Bed	11.4	30	3.17%	1%	Y
C15.3	Bed	15.0	40	3.96%	1%	Y
C16.1	LKD	31.5	84	4.83%	2%	Y
C16.2	Bed	14.0	36	2.82%	1%	Y
C16.3	Bed	15.8	39	3.31%	1%	Y
C17.1	LKD	30.2	84	3.74%	2%	Y
C17.2	Bed	10.4	27	3.28%	1%	Y
C17.3	Bed	12.9	33	3.72%	1%	Y
C18.1	LKD	29.9	79	3.54%	2%	Y
C18.2	Bed	15.3	37	3.11%	1%	Y
C19.1	LKD	30.8	74	3.34%	2%	Y
C19.2	Bed	11.4	30	2.61%	1%	Y
C19.3	Bed	12.9	33	4.02%	1%	Y
C20.1	LKD	30.2	84	3.18%	2%	Y
C20.2	Bed	11.4	30	2.13%	1%	Y
C20.3	Bed	13.8	36	2.49%	1%	Y
C21.1	LKD	30.0	84	4.81%	2%	Y
C21.2	Bed	16.1	38	4.11%	1%	Y
C21.3	Bed	14.5	34	3.86%	1%	Y
C22.1	LKD	30.2	84	5.28%	2%	Y
C22.2	Bed	11.4	30	3.73%	1%	Y
C22.3	Bed	12.9	35	4.18%	1%	Y
C23.1	LKD	24.5	66	5.29%	2%	Y
C23.2	Bed	13.0	34	4.21%	1%	Y
C24.1	LKD	30.4	80	4.30%	2%	Y
C24.2	Bed	13.5	40	3.34%	1%	Y
C25.1	LKD	30.2	84	4.20%	2%	Y
C25.2	Bed	11.4	30	3.83%	1%	Y
C25.3	Bed	13.8	36	4.51%	1%	Y
C26.1	LKD	29.6	68	4.71%	2%	Y
C26.2	Bed	11.4	30	4.08%	1%	Y
C26.3	Bed	15.0	40	4.35%	1%	Y

Average Daylight Factor - Block C						
Space ID	Description	Area m2	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
C27.1	LKD	31.5	84	4.67%	2%	Y
C27.2	Bed	14.0	36	4.16%	1%	Y
C27.3	Bed	15.8	39	5.22%	1%	Y
C28.1	LKD	30.2	84	5.04%	2%	Y
C28.2	Bed	10.4	27	4.18%	1%	Y
C28.3	Bed	12.9	33	3.81%	1%	Y
C29.1	LKD	29.9	79	4.83%	2%	Y
C29.2	Bed	10.5	27	4.46%	1%	Y
C29.3	Bed	12.9	33	5.39%	1%	Y
C30.1	LKD	30.8	74	4.72%	2%	Y
C30.2	Bed	11.4	30	4.49%	1%	Y
C30.3	Bed	11.8	27	5.18%	1%	Y
C31.1	LKD	30.2	84	4.53%	2%	Y
C31.2	Bed	11.4	30	3.62%	1%	Y
C31.3	Bed	13.8	36	3.45%	1%	Y
C32.1	LKD	30.0	84	6.78%	2%	Y
C32.2	Bed	16.1	38	3.47%	1%	Y
C32.3	Bed	14.5	34	3.68%	1%	Y
C33.1	LKD	30.2	84	5.70%	2%	Y
C33.2	Bed	11.4	30	3.09%	1%	Y
C33.3	Bed	12.9	35	4.41%	1%	Y
C34.1	LKD	24.5	66	5.64%	2%	Y
C34.2	Bed	13.0	34	2.98%	1%	Y
C35.1	LKD	30.4	80	5.51%	2%	Y
C35.2	Bed	13.5	40	3.13%	1%	Y
C36.1	LKD	30.2	84	4.72%	2%	Y
C36.2	Bed	11.4	30	4.53%	1%	Y
C36.3	Bed	13.8	36	6.24%	1%	Y
C37.1	LKD	29.6	68	5.23%	2%	Y
C37.2	Bed	11.4	30	4.78%	1%	Y
C37.3	Bed	15.0	40	5.76%	1%	Y
C38.1	LKD	31.5	84	5.51%	2%	Y
C38.2	Bed	14.0	36	4.41%	1%	Y
C38.3	Bed	15.8	39	7.37%	1%	Y
C39.1	Bed	30.2	84	5.52%	1%	Y
C39.2	Bed	10.4	27	5.02%	1%	Y
C39.3	Bed	12.9	33	6.05%	1%	Y
C40.1	LKD	29.9	79	4.68%	2%	Y
C40.2	Bed	10.5	27	5.10%	1%	Y
C40.3	Bed	12.9	33	7.02%	1%	Y
C41.1	LKD	30.8	74	4.66%	2%	Y
C41.2	Bed	11.4	30	4.82%	1%	Y
C41.3	Bed	11.8	27	7.37%	1%	Y
C42.1	LKD	30.2	84	4.65%	2%	Y
C42.2	Bed	11.4	30	4.34%	1%	Y
C42.3	Bed	13.8	36	5.55%	1%	Y
C43.1	LKD	24.2	70	10.21%	2%	Y
C43.2	Bed	16.4	45	6.24%	1%	Y


Average Daylight Factor - Block C						
Space ID	Description	Area m2	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
C44.1	LKD	40.9	111	5.14%	2%	Y
C44.2	Bed	12.6	36	7.12%	1%	Y
C44.3	Bed	12.2	30	5.01%	1%	Y
C44.4	Bed	16.4	45	7.28%	1%	Y
C45.1	LKD	36.1	94	9.00%	2%	Y
C45.2	Bed	14.3	34	4.22%	1%	Y
C45.3	Bed	13.4	34	6.24%	1%	Y
C45.4	Bed	21.1	52	5.51%	1%	Y
C46.1	LKD	35.3	90	4.32%	2%	Y
C46.2	Bed	11.5	30	5.58%	1%	Y
C46.3	Bed	11.5	30	5.16%	1%	Y
C46.4	Bed	12.4	35	6.12%	1%	Y
C47.1	LKD	30.0	84	5.45%	2%	Y
C47.2	Bed	14.8	34	3.40%	1%	Y
C47.3	Bed	13.4	30	3.93%	1%	Y
C48.1	Bed	30.2	84	4.53%	1%	Y
C48.2	Bed	11.4	30	1.83%	1%	Y
C48.3	Bed	13.0	32	2.64%	1%	Y
C49.1	LKD	30.2	84	3.25%	2%	Y
C49.2	Bed	11.4	30	1.83%	1%	Y
C49.3	Bed	13.8	36	2.51%	1%	Y
C50.1	LKD	30.4	80	3.18%	2%	Y
C50.2	Bed	13.5	40	1.89%	1%	Y
C51.1	LKD	30.2	84	3.26%	2%	Y
C51.2	Bed	11.4	30	2.02%	1%	Y
C51.3	Bed	12.9	32	2.80%	1%	Y
C52.1	LKD	30.0	74	4.01%	2%	Y
C52.2	Bed	12.0	35	3.33%	1%	Y
C52.3	Bed	13.2	35	4.29%	1%	Y
C53.1	LKD	43.1	106	6.37%	2%	Y
C53.2	Bed	16.1	46	3.48%	1%	Y
C53.3	Bed	14.0	40	1.98%	1%	Y
C54.1	LKD	43.1	106	6.51%	2%	Y
C54.2	Bed	16.2	46	3.40%	1%	Y
C54.3	Bed	14.0	40	1.95%	1%	Y
C55.1	LKD	30.0	84	5.94%	2%	Y
C55.2	Bed	14.8	34	3.61%	1%	Y
C55.3	Bed	13.4	30	4.06%	1%	Y
C56.1	LKD	30.2	84	4.91%	2%	Y
C56.2	Bed	11.4	30	2.22%	1%	Y
C56.3	Bed	13.0	32	3.18%	1%	Y
C57.1	LKD	30.2	84	3.63%	2%	Y
C57.2	Bed	11.4	30	2.19%	1%	Y
C57.3	Bed	13.8	36	3.02%	1%	Y
C58.1	LKD	30.4	80	3.78%	2%	Y
C58.2	Bed	13.5	40	2.21%	1%	Y
C59.1	LKD	30.2	84	3.74%	2%	Y
C59.2	Bed	11.4	30	2.29%	1%	Y
C59.3	Bed	12.9	32	3.31%	1%	Y

Average Daylight Factor - Block C						
Space ID	Description	Area m2	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
C60.1	LKD	36.2	98	6.77%	2%	Y
C60.2	Bed	11.4	30	2.38%	1%	Y
C60.3	Bed	12.0	32	3.55%	1%	Y
C61.1	LKD	30.0	74	4.19%	2%	Y
C61.2	Bed	12.0	35	3.58%	1%	Y
C61.3	Bed	13.2	35	4.63%	1%	Y
C62.1	LKD	30.2	84	4.43%	2%	Y
C62.2	Bed	10.4	27	2.84%	1%	Y
C62.3	Bed	13.8	36	3.21%	1%	Y
C63.1	LKD	29.9	79	4.81%	2%	Y
C63.2	Bed	15.3	37	2.66%	1%	Y
C64.1	LKD	24.2	62	5.89%	2%	Y
C64.2	Bed	15.2	37	3.70%	1%	Y
C65.1	LKD	35.9	98	4.10%	2%	Y
C65.2	Bed	10.4	27	4.28%	1%	Y
C65.3	Bed	12.9	33	5.18%	1%	Y
C66.1	LKD	30.0	84	6.24%	2%	Y
C66.2	Bed	14.8	34	3.64%	1%	Y
C66.3	Bed	13.4	30	4.09%	1%	Y
C67.1	LKD	30.2	84	4.98%	2%	Y
C67.2	Bed	11.4	30	2.42%	1%	Y
C67.3	Bed	13.0	32	3.52%	1%	Y
C68.1	LKD	30.2	84	3.91%	2%	Y
C68.1	LKD	30.4	80	4.22%	2%	Y
C68.2	Bed	11.4	30	2.31%	1%	Y
C68.3	Bed	13.8	36	3.34%	1%	Y
C69.2	Bed	13.5	40	2.43%	1%	Y
C70.1	LKD	30.2	84	4.02%	2%	Y
C70.2	Bed	11.4	30	2.52%	1%	Y
C70.3	Bed	12.9	32	3.63%	1%	Y
C71.1	LKD	36.2	98	6.94%	2%	Y
C71.2	LKD	11.4	30	2.59%	2%	Y
C71.3	LKD	12.0	32	3.90%	2%	Y
C72.1	LKD	30.0	74	5.63%	2%	Y
C72.2	Bed	12.0	35	3.60%	1%	Y
C72.3	Bed	13.2	35	4.66%	1%	Y
C73.1	LKD	30.2	84	4.82%	2%	Y
C73.2	Bed	10.4	27	3.26%	1%	Y
C73.3	Bed	13.8	36	3.63%	1%	Y
C74.1	LKD	29.9	79	5.28%	2%	Y
C74.2	Bed	10.4	27	3.62%	1%	Y
C74.3	Bed	13.9	36	4.80%	1%	Y
C75.1	LKD	24.2	62	6.22%	2%	Y
C75.2	Bed	15.2	37	3.96%	1%	Y
C76.1	LKD	35.9	98	4.34%	2%	Y
C76.2	Bed	10.4	27	4.44%	1%	Y
C76.3	Bed	12.9	33	5.55%	1%	Y
C77.1	LKD	30.0	84	6.32%	2%	Y
C77.2	Bed	14.8	34	3.59%	1%	Y
C77.3	Bed	13.4	30	4.04%	1%	Y

Average Daylight Factor - Block C						
Space ID	Description	Area m2	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
C78.1	LKD	30.2	84	5.66%	2%	Y
C78.2	Bed	11.4	30	4.19%	1%	Y
C78.3	Bed	13.0	32	5.91%	1%	Y
C79.1	LKD	30.2	84	4.81%	2%	Y
C79.2	Bed	11.4	30	4.25%	1%	Y
C79.3	Bed	13.8	36	5.80%	1%	Y
C80.1	LKD	30.4	80	4.84%	2%	Y
C80.2	Bed	13.5	40	2.87%	1%	Y
C81.1	LKD	30.2	84	4.35%	2%	Y
C81.2	Bed	11.4	30	2.68%	1%	Y
C81.3	Bed	12.9	32	3.85%	1%	Y
C82.1	LKD	36.2	98	6.98%	2%	Y
C82.2	Bed	11.4	30	2.90%	1%	Y
C82.3	Bed	12.0	32	4.08%	1%	Y
C83.1	LKD	30.0	74	5.59%	2%	Y
C83.2	Bed	12.0	35	2.82%	1%	Y
C83.3	Bed	13.2	35	3.68%	1%	Y
C84.2	Bed	10.4	27	4.61%	1%	Y
C84.1	LKD	30.2	84	5.22%	2%	Y
C84.3	Bed	13.8	36	4.99%	1%	Y
C85.1	LKD	29.9	79	5.60%	2%	Y
C85.2	Bed	10.4	27	5.11%	1%	Y
C85.3	Bed	13.9	36	6.71%	1%	Y
C86.1	LKD	24.2	62	6.79%	2%	Y
C86.2	Bed	15.2	37	5.46%	1%	Y
C87.1	LKD	35.9	98	4.57%	2%	Y
C87.2	Bed	10.4	27	4.87%	1%	Y
C87.3	Bed	12.9	33	6.03%	1%	Y
C88.1	LKD	30.0	74	6.11%	2%	Y
C88.2	Bed	11.0	32	4.80%	1%	Y
C88.3	Bed	12.2	32	6.23%	1%	Y
C89.1	LKD	37.3	101	4.11%	2%	Y
C89.2	Bed	11.5	30	5.44%	1%	Y
C89.3	Bed	10.4	27	5.70%	1%	Y
C89.4	Bed	12.4	35	4.04%	1%	Y
C90.1	LKD	46.2	116	6.14%	2%	Y
C90.2	Bed	11.8	25	3.94%	1%	Y
C90.3	Bed	11.9	36	6.05%	1%	Y
C90.4	Bed	15.0	28	6.82%	1%	Y
C91.1	LKD	34.6	92	8.43%	2%	Y
C91.2	Bed	11.7	32	4.31%	1%	Y
C91.3	Bed	10.6	27	5.00%	1%	Y
C91.4	Bed	14.3	32	3.99%	1%	Y

Table 10: Block C - Average Daylight Factor of all habitable rooms


Duplex A




Third Floor



Second Floor



First Floor



Ground Floor

Figure 38: Duplex A all habitable rooms assessed with false colour plan for ADF. Scale is 0-5%.

Average Daylight Factor - Duplex A						
Space ID	Description	Area m2	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
DA 01.1	LKD	32.8	81	3.43%	2%	Y
DA 01.2	Bed	17.7	47	3.34%	1%	Y
DA 01.3	Bed	11.5	26	4.93%	1%	Y
DA 02.1	LKD	31.3	76	3.39%	2%	Y
DA 02.2	Bed	13.1	33	4.21%	1%	Y
DA 02.3	Bed	11.5	26	4.85%	1%	Y
DA 03.1	LKD	32.2	85	4.59%	2%	Y
DA 03.2	Bed	13.6	37	8.56%	1%	Y
DA 04.1	LKD	27.6	71	3.08%	2%	Y
DA 04.2	Bed	11.4	31	5.54%	1%	Y
DA 05.1	LKD	44.6	114	7.99%	2%	Y
DA 05.2	Bed	13.8	30	6.91%	1%	Y
DA 05.3	Bed	12.0	30	4.32%	1%	Y
DA 05.4	Bed	8.0	20	9.45%	1%	Y
DA 06.1	LKD	40.5	102	4.26%	2%	Y
DA 06.2	Bed	17.0	46	6.66%	1%	Y
DA 06.3	Bed	12.0	35	6.89%	1%	Y
DA 07.1	LKD	31.3	76	3.54%	2%	Y
DA 07.2	Bed	11.5	26	4.70%	1%	Y
DA 07.3	Bed	13.1	33	3.99%	1%	Y
DA 08.1	LKD	31.3	76	3.47%	2%	Y
DA 08.2	Bed	13.1	33	4.04%	1%	Y
DA 08.3	Bed	11.5	26	4.69%	1%	Y
DA 09.1	LKD	31.3	76	3.53%	2%	Y
DA 09.2	Bed	13.1	33	3.83%	1%	Y
DA 09.3	Bed	11.5	26	4.53%	1%	Y
DA 10.1	LKD	31.3	76	3.36%	2%	Y
DA 10.2	Bed	13.1	33	3.84%	1%	Y
DA 10.3	Bed	11.5	26	4.44%	1%	Y
DA 11.1	LKD	31.3	76	3.52%	2%	Y
DA 11.2	Bed	13.1	33	3.81%	1%	Y
DA 11.3	Bed	11.5	26	4.25%	1%	Y
DA 11.3	Bed	11.5	26	4.27%	1%	Y
DA 12.1	LKD	31.3	76	3.44%	2%	Y
DA 12.2	Bed	13.1	33	3.67%	1%	Y
DA 13.1	LKD	40.5	112	2.98%	2%	Y
DA 13.2	Bed	14.3	25	3.64%	1%	Y
DA 13.3	Bed	8.9	19	3.34%	1%	Y
DA 13.4	Bed	12.6	30	3.68%	1%	Y
DA 14.1	Living	19.9	54	7.89%	1.5%	Y
DA 14.2	Kit /Dining	16.2	32	5.95%	2%	Y
DA 14.3	Bed	14.5	39	3.19%	1%	Y
DA 14.4	Bed	11.8	31	3.98%	1%	Y
DA 14.5	Bed	11.4	30	2.76%	1%	Y
DA 15.1	Living	20.0	54	8.02%	1.5%	Y
DA 15.2	Kit /Dining	16.2	32	5.87%	2%	Y
DA 15.3	Bed	14.5	39	3.17%	1%	Y
DA 15.4	Bed	11.8	31	4.12%	1%	Y
DA 15.5	Bed	11.4	30	2.78%	1%	Y
DA 16.1	Living	20.0	54	7.91%	1.5%	Y

Average Daylight Factor - Duplex A						
Space ID	Description	Area m2	Sensor Count	ADF	Minimum Recommended ADF	Meets Criteria
DA 16.2	Kit /Dining	16.2	32	5.99%	2%	Y
DA 16.3	Bed	11.8	31	3.96%	1%	Y
DA 16.4	Bed	11.4	30	2.78%	1%	Y
DA 16.5	Bed	14.5	39	3.17%	1%	Y
DA 17.1	Living	20.0	54	7.95%	1.5%	Y
DA 17.2	Kit /Dining	16.2	32	5.85%	2%	Y
DA 17.3	Bed	14.5	39	3.16%	1%	Y
DA 17.4	Bed	11.8	31	4.07%	1%	Y
DA 17.5	Bed	11.4	30	2.77%	1%	Y
DA 18.1	Living	20.0	54	7.97%	2%	Y
DA 18.2	Kit /Dining	16.2	32	5.94%	2%	Y
DA 18.3	Bed	11.8	31	3.96%	1%	Y
DA 18.4	Bed	11.4	30	2.71%	1%	Y
DA 18.5	Bed	14.5	39	3.20%	1%	Y
DA 19.1	Living	19.9	54	7.90%	1.5%	Y
DA 19.2	Kit /Dining	16.2	32	5.91%	2%	Y
DA 19.3	Bed	14.5	39	3.14%	1%	Y
DA 19.4	Bed	11.8	31	3.98%	1%	Y
DA 19.5	Bed	11.4	30	2.75%	1%	Y
DA 20.1	Living	24.9	66	9.15%	1.5%	Y
DA 20.2	Kit /Dining	19.3	54	5.37%	2%	Y
DA 20.3	Bed	14.5	39	3.16%	1%	Y
DA 20.4	Bed	11.8	31	3.98%	1%	Y
DA 20.5	Bed	11.4	30	5.76%	1%	Y

Table 11: Duplex A - Average Daylight Factor of all habitable rooms