



- Legend:**
- Foul Sewer
 - Storm Sewer
 - Watermain
 - Stormwater soakaway area
 - Handstanding areas within site
- Note:**
All Access Junctions to be in accordance with IS EN 13598-1 and IS EN 7158
- All foul sewer pipes within the site to be 110mm Ø UPVC @ min. 1 in 80 fall (UPVC pipes to be S48 to EN13476)**
- All storm sewer pipes within the site to be 110mm Ø UPVC @ min. 1 in 80 fall (UPVC pipes to be S48 to EN13476)**
- Watermain - 25mm MDPE waterpipe.**
- Stormwater soakaway area**



NOTES:
This drawing is the property of Tanner Structural Designs Ltd.
Figured dimensions only to be taken from this drawing. All dimensions to be checked on site. If in doubt, ask.

REV	REMARKS	DRN	CHKD	DATE
C	LAYOUT MODIFIED, RE-ISSUE FOR PLANNING	T.C.	H.T.	28.10.22
B	SPECIFICATION NOTES ADDED	T.C.	H.T.	06.11.20
A	ISSUE FOR PLANNING	T.C.	H.T.	30.10.20



Unit 2 | Connolly House | Connolly St | Fermoy | Co. Cork
T: (025) 51000 | E: info@sd.ie | W: www.sd.ie

Client: MARTINA MURPHY

Project: 1 MARLEY RISE, RATHFARINHAM

Drawing Title: SITE DRAINAGE PLAN

Date Created: 29.10.2020
Drawn By: T.C.
Scale: 1:100 @ A3
Checked By: H.T.

Drawing No.: 20063 - 01 - PLANNING
Rev: C