

INDEX

Viewpoint 1 - Existing View + Outline View
 Viewpoint 1 - Montage View + Colour Scheme Applied View
 Viewpoint 1 - Mitigated View

Viewpoint 2 - Existing View + Outline View
 Viewpoint 2 - Montage View + Colour Scheme Applied View
 Viewpoint 2 - Mitigated View

Viewpoint 3 - Existing View + Outline View
 Viewpoint 3 - Montage View + Colour Scheme Applied View
 Viewpoint 3 - Mitigated View

Viewpoint 4 - Existing View + Outline View
 Viewpoint 4 - Montage View + Colour Scheme Applied View
 Viewpoint 4 - Mitigated View

Viewpoint 5 - Existing View + Outline View
 Viewpoint 5 - Montage View + Mitigated View

Viewpoint 6 - Existing View + Outline View
 Viewpoint 6 - Montage View + Mitigated View

Viewpoint 7 - Existing View + Outline View
 Viewpoint 7 - Montage View + Mitigated View

Viewpoint 8 - Existing View + Outline View
 Viewpoint 8 - Montage View + Mitigated View

LVIA viewpoint locations selected for the Profile Park Energy Plant project



Existing View



Outline View
indicating physical position and scale of the proposed development irrespective of screening




Profile Park Power Plant (Proposed)

These panoramas on a flat surface one must move from left to right along its horizon while maintaining a perpendicular viewing direction and the specified viewing distance of 25cm. To see the entire panoramic scene in reality one must rotate one's head through 120°.


Eastings (ITM):	703751	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730605	Camera:	Canon 1-D Mark II digital SLR	Time:	10:25
Direction of View:	172° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	160°				



Montage View
pre-mitigation



Montage View
pre-mitigation With Colour Scheme Applied



are 160° panoramic montages captured and presented in accordance with the
nce set by the British Landscape Institute 2011 - Advice Note 01/11.
w these panoramas on a flat surface one must move from left to right along its
r whilst maintaining a perpendicular viewing direction and the specified
s viewing distance of 25cm. To see the entire panoramic scene in reality
necessitate turning one's head through 90°.

Eastings (ITM):	703751	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northings (ITM):	730605	Camera:	Canon 1-D Mark II digital SLR	Time:	10:25
Direction of View:	172° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	160°				






These are 160° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified viewing distance of 25cm. To see this entire panoramic scene in reality would necessitate turning one's head through 80°.

Easting (ITM):	703751	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730605	Camera:	Canon 1-D Mark II digital SLR	Time:	10:25
Direction of View:	172° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	160°				





Outline View
 indicating physical position and scale of the
 proposed development irrespective of screening

Profile Park Power Plant (Proposed)

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Eastings (ITM):	703632	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730424	Camera:	Canon 1-D Mark II digital SLR	Time:	10:42
Direction of View:	60° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				



Montage View
Pre-Mitigation



Montage View
Pre-Mitigation With Colour Scheme Applied



These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Eastings (ITM): 703632
Northings (ITM): 730424
Direction of View: 60° E of Grid North
Angle of View: 80°

Lens: 50mm / Full Frame Sensor
Camera: Canon 1-D Mark II digital SLR
Camera Height: 1.7m Above Ground Level

Date: 25/02/2021
Time: 10:42



Montage View
With Mitigation Established



These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Eastings (ITM):	703632	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730424	Camera:	Canon 1-D Mark II digital SLR	Time:	10:42
Direction of View:	60° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				



Existing View



Outline View

Indicating physical position and scale of the proposed development irrespective of screening



Profile Park Power Plant (Proposed)



These are 100° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11. When these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified exact viewing distance of 30cm. To see this entire panoramic scene in reality and necessitate turning one's head through 60°.

Easting (ITM):	703923	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730483	Camera:	Canon 1-D Mark II digital SLR	Time:	12:56
Direction of View:	92° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	100°				



Montage View
Pre-Mitigation



Montage View
Pre-Mitigation With Colour Scheme Applied




These are 100° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

View these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified direct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 60°.

Eastings (ITM):	703923	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northings (ITM):	730483	Camera:	Canon 1-D Mark II digital SLR	Time:	12:56
Direction of View:	92° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	100°				



Montage View
With Mitigation Established



These are 100° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

When these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 60°.

Eastings (ITM):	703923	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730483	Camera:	Canon 1-D Mark II digital SLR	Time:	12:56
Direction of View:	92° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	100°				



Existing View



Outline View
indicating physical position and scale of the
proposed development irrespective of screening



Profile Park Power Plant (Proposed)

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 703645
Northing (ITM): 730930
Direction of View 162° E of Grid North
Angle of View: 80°

Lens: 50mm / Full Frame Sensor
Camera: Canon 1-D Mark II digital SLR
Camera Height: 1.7m Above Ground Level

Date: 25/02/2021
Time: 11:29



Montage View
Pre-Mitigation



Montage View
Pre-Mitigation with Colour Scheme Applied




These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Eastings (ITM):	703645	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730930	Camera:	Canon 1-D Mark II digital SLR	Time:	11:29
Direction of View	162° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				



Montage View
With Established Mitigation





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Eastings (ITM):	703645	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730930	Camera:	Canon 1-D Mark II digital SLR	Time:	11:29
Direction of View:	162° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				






Outline View
indicating physical position and scale of the proposed development irrespective of screening

Profile Park Power Plant (Proposed)

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	702759	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730835	Camera:	Canon 1-D Mark II digital SLR	Time:	13:36
Direction of View:	108° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				



These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.
 To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Eastings (TTM):	702759	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (TTM):	730835	Camera:	Canon 1-D Mark II digital SLR	Time:	13:36
Direction of View:	108° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





Outline View
 indicating physical position and scale of the
 proposed development irrespective of screening


Profile Park Power Plant (Proposed)

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	703097	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730247	Camera:	Canon 1-D Mark II digital SLR	Time:	11:44
Direction of View:	69° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				






These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	703097	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730247	Camera:	Canon 1-D Mark II digital SLR	Time:	11:44
Direction of View:	69° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





Outline View
 Indicating physical position and scale of the proposed development Irrespective of screening

Profile Park Power Plant (Proposed)

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	703799	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730011	Camera:	Canon 1-D Mark II digital SLR	Time:	11:59
Direction of View:	3° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				



Montage View
Pre-Mitigation



Montage View
With Mitigation



These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	703799
Northing (ITM):	730011
Direction of View	3° E of Grid North
Angle of View:	80°

Lens:	
Camera:	
Camera Height:	

50mm / Full Frame Sensor	
Canon 1-D Mark II digital SLR	
1.7m Above Ground Level	

Date:	25/02/2021
Time:	11:59






These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	704351	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730552	Camera:	Canon 1-D Mark II digital SLR	Time:	12:35
Direction of View:	94° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				



Imagery depicting the view towards the site (Montage pre- and post-mitigation establishment)



These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Eastings (ITM):	704351	Lens:	50mm / Full Frame Sensor	Date:	25/02/2021
Northing (ITM):	730552	Camera:	Canon 1-D Mark II digital SLR	Time:	12:35
Direction of View:	94° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				

