



PercolationTests.ie
Planning Assessments & Land Surveys

Tel: 087 6636 757 Email: percolationtests@gmail.com Web: www.percolationtests.ie

BRE Digest 365 Report.

Prepared on behalf of:

Declan Doherty

At:

**2 Club Road,
Fox & Geese,
Clondalkin,
Dublin 22.**



PercolationTests.ie

Planning Assessments & Land Surveys

Tel: 087 6636 757 Email: percolationtests@gmail.com Web: www.percolationtests.ie

Scope of Report.

The findings of this report are the result of an on-site infiltration test. Interpretations and conclusions included in the report are based on knowledge of the ground conditions following detailed investigations, as well as the regional soils, subsoils and bedrock geology, and the experience of the author. David Ryan has prepared this report in line with the best current practice and with all reasonable skill, care and diligence in consideration of the limits imposed by the survey techniques used and resources devoted to it by agreement with the client.

David Ryan accepts no responsibility for any matters arising if any recommendations contained in this document are not carried out, or are partially carried out, without further advice being obtained from David Ryan.

Cillron Limited
 Newtownmoyaghy, Kilcock, Co. Kildare.
 www.percolationtests.ie
 Tel: 087 6636757

BRE Digest 365 Test

Revision: **1.00**

Job No: **Soakpit 1** Page: **C/01**

Section: **2 Club Road, Fox & Geese, Clondalkin, Dublin 22** Prepared By: **DR** Date: **29/03/2022**

ALTERNATIVE SOAKAWAY SIZES			
	trench soakaways		
	width of trench [mm]:	450	600
required trench length [m]:	6.87	5.56	4.01
	ring soakaways		
	diameter of ring [mm]:	1500	2100
required pit diameter [m]:	1.57	1.57	1.57

* Based on effective depth and number of pits as in Soakaway Data table

SUMMARY OF CALCULATIONS	
critical design rainfall duration t_{crit} =	60 min
required storage volume V_{req} =	1.43 m ³
provided storage volume V_{prov} =	1.52 m ³
utilisation factor =	0.94 .OK
required time to discharge 50% t_{50} =	1.12 hours
utilisation factor =	0.05 .OK

GENERAL DATA	
site location:	██████████ Ireland
soakaway type:	infilled pit or trench
impermeable area drained to soakaway 'A' [m ²] =	75
60 min rainfall depth of 5 year return period 'R' [mm] =	16
M5-60 to M5-2d rainfall ratio 'r' =	0.28
allowance for climate change:	20%

SOAKAWAY DATA	
soakaway width 'W' [m] =	2.00
soakaway length 'L' [m] =	2.00
total depth from ground level 'D _b ' [m] =	0.80
depth to drain invert level 'D _d ' [m] =	0.40
soakaway effective depth 'D _{eff} ' [m] =	0.40
free volume in infill aggregate [%] =	95

SOIL INFILTRATION DATA	
allowance for infiltration through soakaway base:	30%
available on-site infiltration test results:	<input checked="" type="radio"/> Yes <input type="radio"/> No
use soakage trial pit table below	
internal surface area of trial pit 'a _{p50} ' [m ²] =	0.80
storage volume between 75-25% 'V _p ' [m ³] =	0.05
time for water to fall from 75-25% 't _p ' [min] =	15.50
soil infiltration rate 'f' [m/s] =	6.72E-05

SOAKAGE TRIAL PIT DATA	
soakage trial pit width 'W _t ' [m] =	0.50
soakage trial pit length 'L _t ' [m] =	1.00
total depth from ground level 'D _{tb} ' [m] =	0.80
depth to pipe invert level 'D _{ip} ' [m] =	0.60
soakage trial pit effective depth 'D _{teff} ' [m] =	0.20
free volume in infill aggregate [%] =	100

NOTE: faces of excavation assumed to be vertical

REQUIRED STORAGE CAPACITY PER RAINFALL DURATION													
rainfall duration [min]	rainfall factor Z1	M5-D rainfalls [mm]	M30-D			ignore			ignore			outflow from soakaway [m ³]	required storage [m ³]
			Z2	rainfalls [mm]	inflow [m ³]	Z2	rainfalls [mm]	inflow [m ³]	Z2	rainfalls [mm]	inflow [m ³]		
5	0.33	5.21	1.44	9.02	0.68						0.06	0.62	
10	0.48	7.57	1.47	13.31	1.00						0.11	0.89	
15	0.58	9.14	1.48	16.24	1.22						0.17	1.05	
30	0.76	11.96	1.49	21.41	1.61						0.34	1.27	
60	1.00	15.70	1.49	28.08	2.11						0.68	1.43	
120	1.27	19.88	1.47	35.15	2.64						1.35	1.28	
240	1.63	25.53	1.46	44.67	3.35						2.71	0.64	
360	1.86	29.20	1.45	50.67	3.80						4.06	0.00	
600	2.22	34.79	1.43	59.66	4.47						6.77	0.00	
1440	3.05	47.85	1.38	79.36	5.95						16.26	0.00	

* Z2 is a growth factor from M5 rainfalls


SOAKAGE TRIAL PIT INFILTRATION TEST RESULTS																				
water level measurement N ^o :		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Soakage Trial 1	time [min] =	0	20																	
	depth to water [m] =	0.60	0.80																	
Soakage Trial 2	time [min] =	0	25																	
	depth to water [m] =	0.60	0.80																	
Soakage Trial 3	time [min] =	0	31																	
	depth to water [m] =	0.60	0.80																	

DETAILS TO BE CHECKED AND VERIFIED BY THE BUILDING CONTRACTOR PRIOR TO THE COMMENCEMENT OF ANY WORKS OR AGREEMENTS

CLIENT	Declan Doherty		
PROJECT	2 Club Road, Fox & Geese, Clondalkin, Dublin 22		
	Ciliron Limited		
	Site Suitability Assessments & Land Surveys		
	Newtownmoyaghy		
	Kilcock		
	Co. Meath		
	Ireland		
	Mobile 0876636757		
	Email: percolatontests@gmail.com		
DRAWN BY		SCALE	1:100
ORDER DATE	06/04/2022	DRAWING NUMBER	

FOR PLANNING PURPOSES ONLY


Min 1.43m³ storage required.
 2.0m x 2.0m with an effective depth of 0.80m (see attached calc page). The soakpit should include an overflow to an existing SW drain. Soakpit must be min 5m from any dwelling & 3m from any boundary.



AquaCell

Re-engineered to rain
supreme for years to come



The new AquaCell range engineered
from reformulated, recycled material.



wavin



AquaCell ECO

ECO is manufactured from specially reformulated, recycled material and has been designed for shallow, non-trafficked, landscaped applications.





AquaCell CORE-R

CORE-R has been designed for use in deep applications, subject to both regular and heavy traffic loadings, such as cars and HGV's.



AquaCell PLUS-R

PLUS-R has been designed primarily for use in applications where inspection is required, and is suitable for use in all applications from landscaped areas to heavily trafficked areas.






The best in stormwater solutions made better still

AquaCell systems are the tried, tested and fully BBA approved answer to the effective management of excessive rainfall, whether through attenuation or infiltration solutions.

Now refined to offer three crate variants, the entire range is engineered from reformulated, recycled material for outstanding sustainable performance in every application.

As concern grows over the effects of climate change and the challenges of increasing urbanisation, AquaCell continues to rain supreme as the cost-effective, proven and versatile stormwater solution.



Discover more online at:
aquacell.wavin.co.uk

Storming ahead – from roof to river

From infiltration and attenuation units to advanced siphonic rainwater systems, vortex valves and drainage solutions, Wavin leads the way in stormwater management.



Wavin is part of Orbia, a community of companies working together to tackle some of the world's most complex challenges. We are bound by a common purpose: To Advance Life Around the World.



Wavin Limited
Registered Office | Edlington Lane | Doncaster | DN12 1BY
Tel. 0844 856 5152 | www.wavin.co.uk | info@wavin.co.uk

Met Eireann
Return Period Rainfall Depths for sliding Durations
Irish Grid: Easting: 319075, Northing: 232626,

DURATION	Interval		Years													
	6months	1year	2	3	4	5	10	20	30	50	75	100	150	200	250	500
5 mins	2.6	3.7	4.2	5.1	5.7	6.2	7.8	9.6	10.7	12.4	13.9	15.1	16.8	18.2	19.4	N/A
10 mins	3.6	5.1	5.9	7.2	8.0	8.7	10.8	13.3	15.0	17.3	19.4	21.0	23.5	25.4	27.0	N/A
15 mins	4.2	6.0	7.0	8.4	9.4	10.2	12.7	15.7	17.6	20.3	22.8	24.7	27.6	29.9	31.8	N/A
30 mins	5.6	7.8	9.0	10.8	12.1	13.0	16.2	19.7	22.0	25.3	28.2	30.5	34.0	36.7	38.9	N/A
1 hours	7.3	10.2	11.7	14.0	15.5	16.7	20.5	24.8	27.6	31.5	35.0	37.7	41.8	45.0	47.7	N/A
2 hours	9.7	13.3	15.2	18.0	19.9	21.3	26.0	31.2	34.5	39.3	43.4	46.6	51.5	55.3	58.4	N/A
3 hours	11.4	15.5	17.7	20.8	23.0	24.6	29.8	35.6	39.4	44.6	49.3	52.8	58.2	62.3	65.7	N/A
4 hours	12.8	17.3	19.7	23.2	25.5	27.2	32.9	39.2	43.3	48.9	53.9	57.6	63.4	67.9	71.5	N/A
6 hours	15.1	20.2	22.9	26.8	29.4	31.4	37.8	44.8	49.3	55.6	61.1	65.3	71.6	76.5	80.6	N/A
9 hours	17.8	23.7	26.7	31.1	34.0	36.3	43.4	51.2	56.3	63.2	69.3	73.9	80.9	86.2	90.6	N/A
12 hours	20.0	26.4	29.7	34.6	37.7	40.2	47.9	56.4	61.8	69.3	75.7	80.7	88.2	93.9	98.6	N/A
18 hours	23.5	30.8	34.6	40.1	43.6	46.4	55.0	64.5	70.5	78.7	85.9	91.3	99.6	105.9	111.0	N/A
24 hours	26.4	34.4	38.5	44.5	48.4	51.4	60.7	70.9	77.4	86.2	93.9	99.8	108.6	115.3	120.7	139.4
2 days	32.1	41.1	45.6	52.1	56.3	59.5	69.5	80.2	87.0	96.2	104.2	110.1	119.1	125.9	131.5	150.2
3 days	36.7	46.4	51.3	58.3	62.8	66.2	76.7	88.0	95.1	104.7	112.9	119.1	128.3	135.3	141.0	160.2
4 days	40.7	51.1	56.3	63.7	68.4	72.0	83.1	94.8	102.2	112.1	120.6	127.0	136.5	143.7	149.5	169.1
6 days	47.8	59.3	65.0	73.0	78.2	82.1	94.1	106.7	114.5	125.1	134.1	140.8	150.8	158.4	164.5	184.9
8 days	54.0	66.5	72.6	81.2	86.8	90.9	103.7	117.0	125.3	136.4	145.8	152.9	163.4	171.2	177.5	198.7
10 days	59.6	73.0	79.5	88.7	94.5	98.9	112.4	126.4	135.0	146.7	156.5	163.8	174.7	182.8	189.4	211.2
12 days	64.9	79.1	86.0	95.6	101.7	106.3	120.4	135.0	144.0	156.1	166.3	173.9	185.1	193.5	200.3	222.8
16 days	74.7	90.2	97.8	108.3	114.9	119.9	135.1	150.8	160.4	173.3	184.2	192.2	204.1	213.0	220.1	243.8
20 days	83.7	100.5	108.6	119.9	127.0	132.3	148.5	165.1	175.3	188.9	200.3	208.8	221.3	230.6	238.1	262.9
25 days	94.2	112.4	121.2	133.3	140.9	146.6	163.9	181.6	192.5	206.9	218.9	227.9	241.1	250.8	258.7	284.6

NOTES:

N/A Data not available

These values are derived from a Depth Duration Frequency (DDF) Model

For details refer to:

'Fitzgerald D. L. (2007), Estimates of Point Rainfall Frequencies, Technical Note No. 61, Met Eireann, Dublin', Available for download at www.met.ie/climate/dataproducts/Estimation-of-Point-Rainfall-Frequencies_TN61.pdf



PercolationTests.ie

Planning Assessments & Land Surveys

Tel: 087 6636 757 Email: percolationtests@gmail.com Web: www.percolationtests.ie



2 Club Road -
29/03/2022



2 Club Road -
29/03/2022



Sound Insurance
Unit 7 Burnell Court
Northern Cross
Malahide Road
Dublin 17

E: emailus@sound.ie
T: +353 1 524 2800

sound.ie

You're safe with *Sound*.

David Ryan
Cillron Limited
Newtownmoyaghy
Kilcock
Co Meath

Date: 22/03/2022
Reference: RYDA01001

INSURANCE CERTIFICATE

To Whom It May Concern

We confirm we act as Insurance Brokers to the above and set out below a summary of cover we have arranged:

Business Description: *Soil Engineer (Percolation Testing)*

PROFESSIONAL INDEMNITY

Policy No.	PID00024862
Insurer:	Accredited Insurance (Europe) Ltd
Period of Insurance:	04/03/2022 to 03/03/2023
Limit of Indemnity:	€1,000,000

Subject always to Insurers policy wording, warranties, conditions, restrictions & exclusions a copy of which is available on request.

We trust this is in order but if you have any queries, please do not hesitate to contact us.

Yours sincerely,

Gary Kinsella
Commercial Broker
P: (01) 524 1415
E: Gary@sound.ie