



LEGEND:

PROPOSED BASEMENT DRAINAGE AND CAST-IN-SITU INSPECTION CHAMBER

PROPOSED WASTEWATER RISING MAIN

PROPOSED CAR PARKING

Basement Drainage Network Table

USMH	USCL (m)	PN	USIL (m)	Slope (1:X)	DSIL (m)	Dia (mm)
F1	103.750	F1.000	102.850	60.00	102.479	150
F2	103.750	F2.000	102.850	36.80	102.479	150
F3	103.750	F1.001	102.479	150.00	102.407	150



PLANNING DRAWING.
 NOT FOR CONSTRUCTION.
 ALL LEVELS GIVEN ARE
 RELATIVE TO ORDNANCE DATUM.
 THIS DRAWING HAS BEEN ISSUED FOR INFORMATION
 PURPOSES ONLY AND MUST NOT BE USED
 FOR CONSTRUCTION UNDER ANY CIRCUMSTANCES

- FOR SETTING OUT REFER TO ARCHITECT'S DRAWINGS.
- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER ARCHITECTURAL AND ENGINEERING DRAWINGS AND ALL OTHER RELEVANT DRAWINGS AND SPECIFICATIONS.
- DO NOT SCALE THIS DRAWING. USE FIGURED DIMENSIONS ONLY.
- NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR STORED IN ANY RETRIEVAL SYSTEM OF ANY NATURE WITHOUT THE WRITTEN PERMISSION OF O'CONNOR SUTTON CRONIN AS COPYRIGHT HOLDER EXCEPT AS AGREED FOR USE ON THE PROJECT FOR WHICH THE DOCUMENT WAS ORIGINALLY ISSUED.

Rev No.	Date	Revision Note	Drn by	Chkd by	Rev No.	Date	Revision Note	Drn by	Chkd by
P01	22.02.22	SUITABLE FOR INFORMATION	EH	MK					
P02	06.05.22	SUITABLE FOR PLANNING	EH	MK					
P03	20.05.22	SUITABLE FOR PLANNING	EH	MK					



Head Office,
 9 Prussia Street,
 Dublin 7,
 D07 KT57



TEL +353 (0)1 8682000
 e: contactus@ocsc.ie
 w: www.ocsc.ie

Dublin | London | Belfast | Galway | Cork | Birmingham

Client: MSJA LTD
 Project: PROSPECT HOUSE, STOCKING LANE
 RATHFARNHAM
 Title: PROPOSED BASEMENT DRAINAGE

Code	Originator	Zone	Level	Type	Role	Number	Status	Revision
S627	OCSC	XX	B1	DR	C	0501	S4	P03

Date: APR' 22 Scale: 1:200 @ A1 Drn by:EH Chkd by:MK Aprvd by:MOR