


- GENERAL NOTES**
- ALL DIMENSIONS ARE IN METERS UNLESS NOTED OTHERWISE.
  - ALL DIMENSIONS SHALL BE SCALED FROM THE DRAWINGS.
  - ALL LEVELS ARE IN METERS AND ARE TO MAIN HEAD DATUM.
  - ALL COORDINATES ARE IN METERS AND ARE TO IRISH TRANSVERSE MERCATOR.
  - DRAWINGS ARE TO BE READ IN CONJUNCTION WITH THE SPECIFICATION.



- NOTE:** INTERCEPTOR TRENCH, SILT FENCE AND 2 SETTLEMENT PONDS INSTALLED AS PART OF ENVIRONMENTAL IMPROVEMENTS SHALL BE INCLUDED FOR IN THIS PROJECT IS THE REMOVAL OF THE SETTLEMENT PONDS ON COMPLETION OF THE WORKS AND THE DRAINAGE NETWORK SHALL BE DISCHARGED TO ADJACENT DRAINAGE SYSTEMS TO BE AGREED WITH INLAND FISHERIES.
- NOTE:** ALL INTERNAL DRAINAGE ASSOCIATED WITH THE FACILITIES SHALL BE INSTALLED AS PART OF THE STORMWATER AND FULFILLING THE REQUIREMENTS OF THE SPECIFICATION.

- NOTE:** ALL R/W GULLY AND CHIMNEY DRAIN CONNECTIONS TO BE ACHIEVED VIA DIRECT CONNECTION TO THE MAIN SURFACE WATER DRAINAGE SYSTEM ARE TO BE INSTALLED WITH A 1.5% SLOPE TO THE MAIN SURFACE WATER DRAINAGE SYSTEM.
- NOTE:** ALL R/W GULLY AND CHIMNEY DRAIN CONNECTIONS TO BE ACHIEVED VIA DIRECT CONNECTION TO THE MAIN SURFACE WATER DRAINAGE SYSTEM ARE TO BE INSTALLED WITH A 1.5% SLOPE TO THE MAIN SURFACE WATER DRAINAGE SYSTEM.

- SPECIFIC NOTES:**
- ALL R/W GULLY AND CHIMNEY DRAIN CONNECTIONS TO BE ACHIEVED VIA DIRECT CONNECTION TO THE MAIN SURFACE WATER DRAINAGE SYSTEM ARE TO BE INSTALLED WITH A 1.5% SLOPE TO THE MAIN SURFACE WATER DRAINAGE SYSTEM.
  - ALL R/W GULLY AND CHIMNEY DRAIN CONNECTIONS TO BE ACHIEVED VIA DIRECT CONNECTION TO THE MAIN SURFACE WATER DRAINAGE SYSTEM ARE TO BE INSTALLED WITH A 1.5% SLOPE TO THE MAIN SURFACE WATER DRAINAGE SYSTEM.
  - ALL R/W GULLY AND CHIMNEY DRAIN CONNECTIONS TO BE ACHIEVED VIA DIRECT CONNECTION TO THE MAIN SURFACE WATER DRAINAGE SYSTEM ARE TO BE INSTALLED WITH A 1.5% SLOPE TO THE MAIN SURFACE WATER DRAINAGE SYSTEM.
  - ALL R/W GULLY AND CHIMNEY DRAIN CONNECTIONS TO BE ACHIEVED VIA DIRECT CONNECTION TO THE MAIN SURFACE WATER DRAINAGE SYSTEM ARE TO BE INSTALLED WITH A 1.5% SLOPE TO THE MAIN SURFACE WATER DRAINAGE SYSTEM.
  - ALL R/W GULLY AND CHIMNEY DRAIN CONNECTIONS TO BE ACHIEVED VIA DIRECT CONNECTION TO THE MAIN SURFACE WATER DRAINAGE SYSTEM ARE TO BE INSTALLED WITH A 1.5% SLOPE TO THE MAIN SURFACE WATER DRAINAGE SYSTEM.

PLANNING	
Project Name	PROPOSED STORM DRAINAGE LAYOUT SHEET 2
Author	AD
Check	GM
Issue	17.09.20
Scale	1:1000 @ A2
Drawing Number	P DUB10-ATK-ZZ-ZZ-DR-C-960502
Revision	4

Client: **ECHOLON Clondalkin DC Services Limited**

Project: **Clondalkin ICT Facility**

**ATKINS**

Member of the SNC-Lavalin Group

UNIVERSITY COLLEGE DUBLIN  
 School of Civil, Structural and Environmental Engineering  
 University City, Belfield, Dublin 4, Ireland  
 Tel: +353 (0) 1 293 7761  
 Fax: +353 (0) 1 293 7769

Rev	Description	By	Date	CHK	APP
1	ISSUED FOR STAGE 2	GM	18.11.20	DK	KH
2	ISSUED FOR OUTLINE PLANNING	GM	12.11.20	DK	KH
3	ISSUED FOR PLANNING	GM	18.11.20	DK	KH
4	ISSUED FOR FURTHER INFORMATION	GM	18.11.20	DK	KH

**LEGEND**

- EXTENTS OF PLANNING APPLICATION
- PROPOSED RETAINING WALL
- PROPOSED GARDEN RETAINING WALL
- PERMITTED SURFACE WATER PIPE
- SWALE DRAIN WITH PERFORATED SW PIPE
- INTERCEPTOR TRENCH
- PROPOSED SW PIPE WITH MANHOLE
- PROPOSED SW PIPE WITH FORECOURT SEPARATOR
- PROPOSED SW PIPE WITH BY-PASS SEPARATOR
- PROPOSED SW PIPE WITH INLET/OUTLET HEADWALL
- PERMITTED SURFACE WATER PIPE
- INTERCEPTOR TRENCH
- PAISLEE FENCE BY OTHERS
- PROPOSED 1.2m HIGH TIMBER POST AND RAIL FENCE REFER TO T11 PUBLICATION NUMBER: CO-SO-00017 FOR DETAILS

**OS SHEET REFERENCES:**

3262-25 3262-21

© DUBLIN CITY COUNCIL AND DUBLIN CITY DEVELOPMENT BOARD. ALL RIGHTS RESERVED.

DATE: P10 18.11.2021 - 0:17pm. PLOTTED BY: MATHIAS/2019

DWG: DUB10-ATK-ZZ-ZZ-DR-C-960501-960502.DWG