

Planning Pack Map

708548
35250
708548
35078
708548

corbwell design
Suite 1 - Unit 17
Claregalway
Corporate Park
Galway
Tel: 081 8332200
Fax: (01) 437600
Email: design@corbwell.ie
Web: www.corbwell.ie

OSI MAP - PLANNING USE

SITE LOCATION MAP
'X' marks location of Site Notice
Site Outlined in Red
Site Ownership outlined in Blue

Location: Mill Lane, D20, D20HY57
Area: 0.029 HECTARE
Scale: 1:1000

Map by M. Holland - Corbwell Design



This map has been printed under Licence from Ordnance Survey Ireland. © Ordnance Survey Ireland & Government of Ireland. Ordnance Survey Ireland Licence No. EN 0083916



The Coach House

LUCAN ROAD

MILL LANE

Dublin
Baile Átha
Cliath

Baile Phámar
Íochtarach
Palmerston Lower

Intellectual
Disability
Services

Tk

Tk

Healthcare
Campus

Supported
Living
Residence

Stewarts
Hospital

Position of Site Notice
erected on 26/05/2022

Position of Site Notice
erected on 26/05/2022

Position of Site Notice
erected on 26/05/2022

Position of Site Notice
erected on 26/05/2022

CENTRE
COORDINATES:
ITM 708665,735164

PUBLISHED: 22/04/2022
ORDER NO.: 50263813_1

MAP SERIES: 1:1,000
MAP SHEETS: 3196-21
3196-22

COMPILED AND PUBLISHED BY:
Ordnance Survey Ireland,
Phoenix Park,
Dublin 8,
Ireland.

Unauthorised reproduction
infringes Ordnance Survey Ireland
and Government of Ireland
copyright.


All rights reserved.
No part of this publication may
be copied, reproduced
or transmitted in any form
or by any means without the prior
written permission of
the copyright owners.

The representation on this map
of a road, track or footpath
is not evidence of the existence
of a right of way.

Ordnance Survey maps
never show legal property
boundaries, nor do they
show ownership of
physical features.

© Suirbhéireacht Ordanáis Éireann,
2022
© Ordnance Survey Ireland, 2022
www.osi.ie/copyright

LEGEND:
<http://www.osi.ie>;
search 'Large Scale Legend'



OUTPUT SCALE: 1:1,000

CAPTURE RESOLUTION:
The map objects are only accurate to the
resolution at which they were captured.
Output scale is not indicative of data capture scale.
Further information is available at:
<http://www.osi.ie>; search 'Capture Resolution'



708781
735250
735078
708781