



NOTES:  
ALL TIMBERS TO BE SC8 IN ACCORDANCE WITH SR 11 1991.  
PROVIDE LATERAL SUPPORT TO WALLS WHERE THEY JOIN PARALLEL TO JOISTS, BY FIXING 30x30mm GALV. XLS STRIPS AT 2M CRS ACROSS 2 NO JOISTS. SOLID JOISTING PIECES TO BE FIXED DIRECTLY UNDER STRAPS.  
ROOF TRUSS RAFTERS TO BUILDING REGULATIONS. PROVIDE SOAK INSULATION BETWEEN RAFTERS AND ROOF FELL. PROVIDE VENTILATION AT EAVES TO PROMOTE CROSS VENTILATION (10MM STRIP FULL LENGTH).

NOTES:  
MODIFY EXISTING ROOF STRUCTURE TO FACILITATE ACCESS INTO EXISTING ATTIC SPACE FOR STORAGE PURPOSES.  
ROOF TILES LAD ON SOGS RAFTERS AND OVER UNREMOVABLE ROOFING FELT. FELT TO RUN OUT OVER FLEET PIECE AND INTO PVC CUTTER.  
ROOF TRUSS RAFTERS 100x50mm @ 400 C.C. ON 100x75 WALL PLATES SUPPORT WITH 175x75 PURLINS AND 100x50 HANGERS & TESTO COMPLY WITH L. 103.

KEY  
 PROPOSED WALL  
 EXISTING WALL

Status of Drawing:  
**FOR PLANNING APPLICATION PURPOSES ONLY**  
 Do not scale from this drawing.  
 All dimensions to be taken from Architect's drawings.  
 Discrepancies to be referred to the Architect for clarification.  
 The copyright of this drawing is vested in the Architects.  
 This drawing may not be copied or reproduced without written consent.

Revisions:  
 Rev 0.  
 Drawn By: Andrei Adam  
 Checked By: Aurelian Adam

**Re Dec Ltd.**  
 redeclimited@gmail.com  
 087 932 8286  
 7 Kilmalogue Downs, Portlinton, Co. Louth

Date: 06 May 2022  
 Scale: Varies @ A1  
 Job No: 2205  
 Dwg No: PA-001 Rev. 0