

LINK ROAD TO CLONLARA ROAD, BALDONNELL BUSINESS PARK, DUBLIN

Flood Risk Assessment



IBE1374
Baldonnell Link Road FRA
F01
June 2022

REPORT

Document status

Version	Purpose of document	Authored by	Reviewed by	Approved by	Review date
D01	Draft	D McGinnis	B. Quigley	A. Jackson	June 2022
F01	Draft Final	D McGinnis	B. Quigley	A. Jackson	June 2022

Approval for issue

Andrew Jackson



10 June 2022

© Copyright RPS Group Limited. All rights reserved.

The report has been prepared for the exclusive use of our client and unless otherwise agreed in writing by RPS Group Limited no other party may use, make use of or rely on the contents of this report.

The report has been compiled using the resources agreed with the client and in accordance with the scope of work agreed with the client. No liability is accepted by RPS Group Limited for any use of this report, other than the purpose for which it was prepared.

RPS Group Limited accepts no responsibility for any documents or information supplied to RPS Group Limited by others and no legal liability arising from the use by others of opinions or data contained in this report. It is expressly stated that no independent verification of any documents or information supplied by others has been made.

RPS Group Limited has used reasonable skill, care and diligence in compiling this report and no warranty is provided as to the report's accuracy.

No part of this report may be copied or reproduced, by any means, without the written permission of RPS Group Limited.

Prepared by:

Prepared for:

RPS

MLEU Dublin 2 Ltd

Brendan Quigley

Wal Groves

Senior Associate - Water Environment and Flood Risk Management

Construction Director

Elmwood House
74 Boucher Road, Belfast
Co. Antrim BT12 6RZ

5th Floor, Beaux Lane House
Mercer Street Lower
Dublin 2
D02 DH60

T +44 2890 667 914

E brendan.quigley@rpsgroup.com

Contents

1	INTRODUCTION	3
2	OVERVIEW OF THE SITE AND THE PROPOSED DEVELOPMENT.....	4
3	EXISTING FLOOD RISK	6
3.1	CFRAM Study	6
3.2	Flood Risk Management Strategy.....	8
4	STORM DRAINAGE	10
5	COMPLIANCE WITH PLANNING SYSTEM AND FLOOD RISK MANAGEMENT GUIDELINES.....	11
5.1	Flood Zones	11
5.2	Development Classification.....	11
6	CONCLUSION	13

Figures

Figure 2.1	Location of Phase 2 lands.....	4
Figure 2.2	Extent of works for proposed link road.....	5
Figure 3.1	Existing fluvial flood risk - Eastern CFRAM Study maps (www.floodinfo.ie).....	7
Figure 3.2	Predicted 1% AEP flood extents post-construction of FRM works	9
Figure 4.1	Extract from Planning Guidelines- Classification of vulnerability of development	11
Figure 4.2	Extract from Planning Guidelines- Vulnerability versus flood zones.....	12

Appendices

Appendix A	Site plan	14
Appendix B	Typical road section	15
Appendix C	Proposed drainage layout.....	16
Appendix D	Proposed SUDs layout.....	17

1 INTRODUCTION

RPS were appointed by MLEU Dublin Ltd in July 2017 to develop a flood risk mitigation strategy in support of a business park development at Baldonnell. The Mountpark Baldonnell Phase 2 lands (henceforth referred to as the 'Phase 2 lands') represented a second phase of the development at Baldonnell following an approval for a first phase in early 2017 granted by An Bord Pleanála. Planning Approval was granted for the Phase 2 lands and associated flood risk management strategy for the entire site in March 2020 (Planning Reference: SD19A/0370).

This report has been prepared to support a detailed application for a link road from the Phase 2 lands / Clonlara Road into a portion of lands on the eastern side of the Camac. This report represents a Stage 3 detailed flood risk assessment as defined under the 'Planning System and Flood Risk Management Guidelines' (DEHLG/OPW, 2009).

2 OVERVIEW OF THE SITE AND THE PROPOSED DEVELOPMENT

The Baldonnell Business Park Phase 2 lands are located between Casement Aerodrome and the Camac River, as shown in Figure 2.1. The Camac River flows from the south at Saggart under the N7 and along the eastern boundary of the Phase 2 lands before flowing north and east towards Clondalkin.




Figure 2.1 Location of Phase 2 lands

The proposed link road (Application Site) is situated to the south of the Phase 2 lands, on the opposite side of the River Camac. The extent of the proposed works is shown in Figure 2.2, and in Appendix A. A typical section through the road is shown in Appendix B.




Figure 2.2 Extent of works for proposed link road

3 EXISTING FLOOD RISK

3.1 CFRAM Study

The Eastern CFRAM Study (2011- 2017) mapped the flood risk from fluvial flooding across the Camac catchment. The Study predicted that parts of the Phase 2 lands were at risk of flooding from out of bank fluvial flows, with the channel capacity being exceeded in all the mapped present-day scenarios (10%, 1% and 0.1% AEP). However, the location of the proposed link road is outside the predicted flood extents. The predicted flood extents from the Eastern CFRAM Study are shown in Figure 3.1 overleaf.

The proposed link road is not considered to be at significant risk of flooding from any other source. The site is inland with a minimum level of over 90m above mean sea level. There is no scope for pluvial flooding from outside of the application site as the Camac channel lies directly and adjacent and would act to intercept and drain any overland flow from the field in which the application site is located. The N7 and its associated drainage network sits above (to the south-east) of the application site and acts to intercept and channel any runoff from higher ground above the site (Saggart / Citywest).





Figure 3.1 Existing fluvial flood risk - Eastern CFRAM Study maps (www.floodinfo.ie)

3.2 Flood Risk Management Strategy

Given the level of flood risk to the Mountpark Baldonnell Phase 2 lands, a Flood Risk Management (FRM) strategy and resulting mitigation measures were proposed and constructed as part of the site masterplan.

The final FRM solution consists of a controlled spillway from the upper most reaches of the Camac where it meets the Baldonnell Phase 2 lands boundary. This flows into a large swale (FR1a) at the west of the Phase 2 lands that is then connected via a series of long, narrower swales back to the Camac at the Phase 1 portion of the Mountpark development. There is just under 150,000m³ of storage provided within the FRM system. Swales are connected at their base level by culverts that are designed to attenuate flows through the system and control the filling of the swales. At the upper level, typically 300-500mm below the top of the swales, controlled spills allow the swales to overtop and floodwaters to progress to the next swale in the system once the swale has reached capacity. The system also functions as a Sustainable Drainage System (SuDS) for surface water run-off from the development in line with SuDS best practice guidance. Pluvial / drainage system events have been simulated peak on peak with the fluvial flooding in the design scenarios to demonstrate robustness of system. Levels are proposed across the Phase 2 lands such that flood waters only breach the left bank at controlled spill points, primarily the Phase 2 spillway where flows of up to 7.2m³/s are conveyed to the large swale basin FR1a in the 1% AEP Mid-Range Future Scenario (allowing for climate change and future urbanisation of the catchment). The large swale FR1a and overspill swale FR1b will be retained for agricultural use consistent with the zoning in the South Dublin County Council Development Plan 2016 – 2022. The works were constructed on site in 2021-2022.

Modelling of the proposed development with the FRM system in place demonstrates that the Phase 2 is at low risk of flooding. Flood risk to receptors beyond the Phase 2 lands and communities downstream is shown to be reduced in events up to and including the 1% AEP Mid-Range Future Scenario. Full details of the FRM works and the modelling can be found in the Flood Risk Assessment for the Phase 2 lands.

Figure 3.2 shows the predicted 1% AEP flood extents following completion of the FRM works, with the location of the proposed link road. This shows that the proposed application site for the link road is not at risk of flooding following completion of the Phase 2 FRM works.

4 STORM DRAINAGE

The proposed drainage layout is shown in Appendix C, and the proposed SUDs layout is shown in Appendix D.

The proposed road will form an impermeable surface that will create additional volumes of surface runoff. There will be a 125mm high kerb along the road that will contain outlets to a 2m wide swale, which will be constructed parallel to the road. The swale will be dished to a filter drain in the centre. The swale will outlet to a proposed hydrobrake manhole with a 2l/s outflow to the River Camac.

5 COMPLIANCE WITH PLANNING SYSTEM AND FLOOD RISK MANAGEMENT GUIDELINES

5.1 Flood Zones

'The Planning System and Flood Risk Management – Guidelines for Planning Authorities' (DEHLG 2009) sets out the types of development which are appropriate in the different flood zones, A, B and C defined as:

- **Flood Zone A** – where the probability of flooding from rivers is highest (area within the 1% AEP flood extents);
- **Flood Zone B** – where the probability of flooding from rivers is moderate (the area beyond the 1% AEP fluvial flood extents but within the 0.1% AEP flood extents);
- **Flood Zone C** – where the probability of flooding from rivers is low (the area outside the 0.1% AEP flood extents).

The location for the proposed access road lies entirely within Flood Zone C.

5.2 Development Classification

The 'Planning System and Flood Risk Management' Guidelines classify different types of development in terms of their vulnerability class (Table 3.1 of the Guidelines). This table has been reproduced as Figure 4.1.

Vulnerability class	Land uses and types of development which include*
Highly vulnerable development (including essential infrastructure)	Garda, ambulance and fire stations and command centres required to be operational during flooding; Hospitals; Emergency access and egress points; Schools; Dwelling houses, student halls of residence and hostels; Residential institutions such as residential care homes, children's homes and social services homes; Caravans and mobile home parks; Dwelling houses designed, constructed or adapted for the elderly or, other people with impaired mobility; and Essential infrastructure, such as primary transport and utilities distribution, including electricity generating power stations and sub-stations, water and sewage treatment, and potential significant sources of pollution (SEVESO sites, IPPC sites, etc.) in the event of flooding.
Less vulnerable development	Buildings used for: retail, leisure, warehousing, commercial, industrial and non-residential institutions; Land and buildings used for holiday or short-let caravans and camping, subject to specific warning and evacuation plans; Land and buildings used for agriculture and forestry; Waste treatment (except landfill and hazardous waste); Mineral working and processing; and Local transport infrastructure.
Water-compatible development	Flood control infrastructure; Docks, marinas and wharves; Navigation facilities; Ship building, repairing and dismantling, dockside fish processing and refrigeration and compatible activities requiring a waterside location; Water-based recreation and tourism (excluding sleeping accommodation); Lifeguard and coastguard stations; Amenity open space, outdoor sports and recreation and essential facilities such as changing rooms; and Essential ancillary sleeping or residential accommodation for staff required by uses in this category (subject to a specific warning and evacuation plan).
<small>*Uses not listed here should be considered on their own merits.</small>	
<small>Table 3.1 Classification of vulnerability of different types of development</small>	

Figure 5.1 Extract from Planning Guidelines- Classification of vulnerability of development

Table 3.2 of the Guidelines identifies the type of development that would be appropriate to each flood zone and those that would need the Justification Test. This table has been reproduced as Figure 5.2.

	Flood Zone A	Flood Zone B	Flood Zone C
Highly vulnerable development (including essential infrastructure)	Justification Test	Justification Test	Appropriate
Less vulnerable development	Justification Test	Appropriate	Appropriate
Water-compatible development	Appropriate	Appropriate	Appropriate

Table 3.2: Matrix of vulnerability versus flood zone to illustrate appropriate development and that required to meet the Justification Test.

Figure 5.2 Extract from Planning Guidelines- Vulnerability versus flood zones

The development can be classified within the category '*Local transport infrastructure*' as defined under the Guidelines and as such are classed as Less vulnerable development. Less vulnerable development only requires application of the Justification Test where it is located within Flood Zone A. For this application the site is located in Flood Zone C, and therefore a Justification Test is not required.

6 CONCLUSION

RPS were appointed by MLEU Dublin Ltd in July 2017 to develop a flood risk mitigation strategy in support of a warehouse/ logistics development at Baldonnell. The Phase 2 lands represented a second phase of the development at Baldonnell following an approval for a first phase in early 2017 granted by An Bord Pleanála. Planning Approval was granted for the Phase 2 lands and associated flood risk management strategy for the entire site in March 2020 (Planning Reference: SD19A/0370).

This report has been prepared to support a detailed application for a link road from the Phase 2 lands / Clonlara Road into a portion of lands on the eastern side of the Camac. This report represents a Stage 3 detailed flood risk assessment as defined under the 'Planning System and Flood Risk Management Guidelines' (DEHLG/OPW, 2009).

The Baldonnell Business Park Phase 2 lands are located between Casement Aerodrome and the Camac River. The Camac River flows from the south at Saggart under the N7 and along the eastern boundary of the Phase 2 lands before flowing north and east towards Clondalkin. The proposed link road is situated to the south of the Phase 2 lands, on the opposite side of the River Camac.

The Eastern CFRAM Study (2011- 2017) mapped the flood risk from fluvial flooding across the Camac catchment. The Study predicted that parts of the Phase 2 lands were at risk of flooding from out of bank fluvial flows, with the channel capacity being exceeded in all the mapped present-day scenarios (10%, 1% and 0.1% AEP). However, the location of the proposed link road is outside the predicted flood extents.


Given the level of flood risk, a Flood Risk Management (FRM) strategy and resulting mitigation measures were proposed and constructed as part of the site masterplan for the Baldonnell Business Park. The works were constructed on site in 2021 – 2022. Modelling of the proposed development with the FRM system in place demonstrates that the proposed site for the link road is not at risk of flooding.

The proposed road will form an impermeable surface that will create additional volumes of surface runoff. There will be a 125mm high kerb along the road that will contain outlets to a 2m wide swale, which will be constructed parallel to the road. The swale will be dished to a filter drain in the centre. The swale will outlet to a proposed hydrobrake manhole with a 2l/s outflow to the River Camac.

The development of the application site (the link road) can be classified within the category '*Local transport infrastructure*' as defined under the 'Planning System and Flood Risk Management' Guidelines and as such are classed as Less vulnerable development. Less vulnerable development only requires application of the Justification Test where it is located within Flood Zone A. For this application the site is located in Flood Zone C, and therefore a Justification Test is not required.

Appendix A

Site plan



PLAN VIEW
SCALE 1:500

DRAFT

Ordnance Survey Ireland License No 000771
© Ordnance Survey Ireland / Government of Ireland

© PUNCH Consulting Engineers
This drawing and any design therein is the copyright of the Consultants and must not be reproduced without their written consent.
All drawings remain the property of the Consultants.
A signed dimension only to be taken from this drawing.
Consultants to be informed immediately of any discrepancies before work proceeds.



Rev	By	Date	Rev	Amendment	By	Date	Client
01	PLANNING	02/07/19					


PUNCH
consulting engineers
Dublin | Emerald Court | Galway | Glasgow
Carragee Road | Urry Road,
Dun Laoghaire, Co. Dublin, A94 CH7
t: +353 (0)1 226 0000 | www.punch.ie

SITE ACCESS ROAD BALDONNELL BUSINESS PARK NORTH, DUBLIN 22			
SITE KEY PLAN			
Drawn	Checked	Reviewed	Approved
NO	NO	NO	NO
212126	212126-PLN-XX-XX-A2-C-0401	AD	
Scale 1:500	212126-PLN-XX-XX-DR-C-0401		01

Appendix B

Typical road section

REFER PLAN VIEW ON
212126-PUN-XX-XX-DR-C-0402



PROPOSED ROAD - TYPICAL SECTION

SCALE 1:100

DRAFT

© PUNCH Consulting Engineers
This drawing and any design herein is the copyright of the Consultants and must not be reproduced without their written consent.
All drawings remain the property of the Consultants.
Figured dimensions only to be taken from this drawing.
Consultants to be informed immediately of any discrepancies before work proceeds.
L3D CAD DRAWING



Rev	Amendment	By	Date	Rev	Amendment	By	Date
001	PLANNING ISSUE	RD	2022/05/20				

Client:
**MLEU DUBLIN 3 LTDA
AND CHARLES GREENE**


PUNCH
consulting engineers
Dublin | Limerick | Cork | Galway | Glasgow
Carraigte Hóuail | Brúnaí Road,
Dún Laoghaire, Co. Dubhaig, M8A 2Y9
T: +353 1 771 2300 | E: punch@punchconsulting.com

PROJECT: LINE ROAD TO CLOONARA ROAD, BALDOWHILL BUSINESS PARK, DUBLIN 22					
TITLE: ROAD DETAIL - SHEET 1 OF 2					
Drawn by	2022/05/20	Checked by	2022/05/20	Reviewed by	2022/05/20
Project No.	212126	Drawing No.	212126-PUN-XX-XX-DR-C-0551	Revision	01
Scale	1:200	Scale	212126-PUN-XX-XX-DR-C-0551	Project No.	001

Appendix C

Proposed drainage layout

Appendix D
Proposed SUDs layout



DRAFT

Ordnance Survey StreetView Licence No: CV43202204
 © Ordnance Survey, 2022. All Rights Reserved. In Ireland

PUNCH Consulting Engineers
 3rd Floor, 100-102, The Arcade, 117-119, The Arcade, Dublin 2
 Tel: 01 454 4111 | Fax: 01 454 4112 | Email: info@punch.ie
 www.punch.ie

© PUNCH Consulting Engineers
 All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission from the copyright owner.

Consent is given for the information contained in this document to be used for the purposes of the project for which it was prepared.



Rev	Date	By	Check	Appr	Description
01	10/11/2022	ML	ML	ML	Final Design

PUNCH
 Consulting Engineers
 3rd Floor, 100-102, The Arcade, 117-119, The Arcade, Dublin 2
 Tel: 01 454 4111 | Fax: 01 454 4112 | Email: info@punch.ie
 www.punch.ie

PROPOSED SWALE LAYOUT			
Project No:	717176-PUN-XX-DR-C-0150	Project Name:	LINK ROAD TO CLONARA ROAD, MALDENWELL BUSINESS PARK, DUBLIN 22
Client:	MALDENWELL BUSINESS PARK	Scale:	1:100
Drawn:	ML	Checked:	ML
Issue:	01	Project Status:	Final Design
Author:	ML	Project No.:	717176-PUN-XX-DR-C-0150
Issue Date:	10/11/2022	Project Name:	LINK ROAD TO CLONARA ROAD, MALDENWELL BUSINESS PARK, DUBLIN 22
Scale:	1:100	Project No.:	717176-PUN-XX-DR-C-0150
Project Name:	LINK ROAD TO CLONARA ROAD, MALDENWELL BUSINESS PARK, DUBLIN 22	Project Status:	Final Design
Client:	MALDENWELL BUSINESS PARK	Project No.:	717176-PUN-XX-DR-C-0150
Scale:	1:100	Project Name:	LINK ROAD TO CLONARA ROAD, MALDENWELL BUSINESS PARK, DUBLIN 22