THIS DRAWING TO BE READ IN CONJUNCTION WITH ARCHITECT'S DRAWINGS, CONSULTANT ENGINEER'S DRAWINGS AND SPECIFICATIONS & LANDSCAPE ARCHITECTS DRAWINGS

REFER TO ARCHITECT'S SITE PLAN PL009-014 FOR NORTH ORIENTATION AND LEVELS.

LEVELS GIVEN ON HOUSE TYPE DRAWINGS ARE GIVEN TO A LOCAL ABSOLUTE ZERO LEVEL. FOR SPECIFIC LEVELS DEPENDING ON INDIVIDUAL UNIT LOCATION, REFER TO ARCHITECT'S CONTEXT SECTIONS AND ENGINEER'S DRAWINGS WHERE LEVELS ARE ARE ALL GIVEN IN RELATION TO LAND SURVEYOR'S BENCHMARK BASED ON MALIN HEAD DATUM LEVEL.

### NOTES ON FINISHES:

TO BE FINISHED IN SLATE OR CONCRETE ROOF TILES IN SELECTED COLOUR OR SIMILAR APPROVED. PITCHED ROOF:

SELECTED BRICKWORK WHERE INDICATED OTHERWISE PAINTED SAND / CEMENT RENDER OR SELF COLOURED

RENDER.

ALL WINDOWS AND DOORS, FRAMES AND LEAVES, TO BE ALUMINIUM POWDER-COATED TO APPROVED COLOUR OR uPVC OR PAINTED TIMBER TO APPROVED COLOUR. SPANDREL PANEL / OBSCURE GLAZING WHERE INDICATED TO

RAINWATER GOODS: GUTTERS, DOWNPIPES, AND FIXINGS TO BE uPVC OR ALUMINIUM POWDER COATED TO SELECTED COLOUR TO

SENSITIVE WINDOWS.

MATCH ROOF SLATES

INDICATIVE SOLAR PANEL POSITION, FINAL SOLAR PANEL POSITION DEPENDS ON HOUSE ORIENTATION. THE SOLAR PANELS SHOWN ARE A PROVISIONAL OPTION TO SATISFY RENEWABLE ENERGY REQUIREMENTS OF BUILDING REGS PART L. SOLAR PANELS MAY BE OMITTED IN FAVOUR OF ALTERNATIVE RENEWABLE ENERGY SOURCE.

KEY PLAN - NTS





| NOTES:   |                |
|--|----------------|
| NOTES:   |                |
| DO NOT SCALE FROD DRAWINGS. WORK FIGURED DIMENSION ONLY. ARCHITECT BE NOTIFIED OF AL | TO<br>NS<br>TO |

DISCREPANCIES.

27.05.22 FURTHER INFORMATION REVISIONS

|                                       | PROJECT TITLE:  | DATE:   | DRAWN BY:  |
|---------------------------------------|---|---------|------------|
|                                       | CLONBURRIS, PHASE 1A  | SEPT'21 | CMcC       |
| MCORM                                 | DRAWING TITLE:  | SCALE:  | REVISION:  |
|                                       | HOUSE TYPES H2 - H1 - H1 - H1 - H1 - H2   | 1:100   | Α          |
| MCCROSSAN O ROURKE MANNING ARCHITECTS | Elevations  | JOB NO: | DRAWING NO |
|                                       | 1 Grantham Street, Dublin 8, D08 A49Y,Ireland. Tel: 01-4788700 Fax: 01-4788711 E-Mail: arch@mcorm.com | 19014   | PL112      |

THIS DRAWING TO BE READ IN CONJUNCTION WITH ARCHITECT'S DRAWINGS, CONSULTANT ENGINEER'S DRAWINGS AND SPECIFICATIONS & LANDSCAPE ARCHITECTS DRAWINGS

REFER TO ARCHITECT'S SITE PLAN PL009-014 FOR NORTH ORIENTATION AND LEVELS.

LEVELS GIVEN ON HOUSE TYPE DRAWINGS ARE GIVEN TO A LOCAL ABSOLUTE ZERO LEVEL. FOR SPECIFIC LEVELS DEPENDING ON INDIVIDUAL UNIT LOCATION, REFER TO ARCHITECT'S CONTEXT SECTIONS AND ENGINEER'S DRAWINGS WHERE LEVELS ARE ARE ALL GIVEN IN RELATION TO LAND SURVEYOR'S BENCHMARK BASED ON MALIN HEAD DATUM LEVEL.

### NOTES ON FINISHES:

TO BE FINISHED IN SLATE OR CONCRETE ROOF TILES IN SELECTED COLOUR OR SIMILAR APPROVED. PITCHED ROOF:

SELECTED BRICKWORK WHERE INDICATED OTHERWISE PAINTED SAND / CEMENT RENDER OR SELF COLOURED

ALL WINDOWS AND DOORS, FRAMES AND LEAVES, TO BE ALUMINIUM POWDER-COATED TO APPROVED COLOUR OR uPVC OR PAINTED TIMBER TO APPROVED COLOUR. SPANDREL PANEL / DOSCURE GLAZING WHERE INDICATED TO

SENSITIVE WINDOWS.

RAINWATER GOODS: GUTTERS, DOWNPIPES, AND FIXINGS TO BE uPVC OR ALUMINIUM POWDER COATED TO SELECTED COLOUR TO

MATCH ROOF SLATES

INDICATIVE SOLAR PANEL POSITION, FINAL SOLAR PANEL POSITION DEPENDS ON HOUSE ORIENTATION. THE SOLAR PANELS SHOWN ARE A PROVISIONAL OPTION TO SATISFY RENEWABLE ENERGY REQUIREMENTS OF BUILDING REGS PART L. SOLAR PANELS MAY BE OMITTED IN FAVOUR OF

ALTERNATIVE RENEWABLE ENERGY SOURCE.

KEY PLAN - NTS





| The state of the s |
|--|
| NOTES:   |
| DO NOT SCALE FROM<br>DRAWINGS. WORK TO<br>FIGURED DIMENSION  |
| ONLY. ARCHITECT TO<br>BE NOTIFIED OF ALL   |

DISCREPANCIES.

|                 | REVISIONS                              |    |
|-----------------|--|----|
|                 | DATE DESCRIPTION                       | No |
| S:              | 27.05.22 FURTHER INFORMATION REVISIONS | A  |
| E FROM          |  |    |
| FORK TO ENSIONS |  |    |
| TECT TO         |  |    |

|                                      | PROJECT TITLE:  | DATE:        |
|--------------------------------------|---|--------------|
|                                      | CLONBURRIS, PHASE 1A  | SEP          |
| MCORM                                | DRAWING TITLE: HOUSE TYPES H2 - H1 - H1 - H1 - H1 - H2  | SCALE<br>1:1 |
| MCCROSSAN OROURKE MANNING ARCHITECTS | Elevations  | JOB NO       |
|                                      | 1 Grantham Street, Dublin 8, D08 A49Y,Ireland. Tel: 01-4788700 Fax: 01-4788711 E-Mail: arch@mcorm.com | 190          |

THIS DRAWING TO BE READ IN CONJUNCTION WITH ARCHITECT'S DRAWINGS, CONSULTANT ENGINEER'S DRAWINGS AND SPECIFICATIONS & LANDSCAPE ARCHITECTS DRAWINGS

REFER TO ARCHITECT'S SITE PLAN PL009-014 FOR NORTH ORIENTATION AND LEVELS.

LEVELS GIVEN ON HOUSE TYPE DRAWINGS ARE GIVEN TO A LOCAL ABSOLUTE ZERO LEVEL. FOR SPECIFIC LEVELS DEPENDING ON INDIVIDUAL UNIT LOCATION, REFER TO ARCHITECT'S CONTEXT SECTIONS AND ENGINEER'S DRAWINGS WHERE LEVELS ARE ARE ALL GIVEN IN RELATION TO LAND SURVEYOR'S BENCHMARK BASED ON MALIN HEAD DATUM LEVEL.

### NOTES ON FINISHES:

TO BE FINISHED IN SLATE OR CONCRETE ROOF TILES IN SELECTED COLOUR OR SIMILAR APPROVED. PITCHED ROOF:

SENSITIVE WINDOWS.

SELECTED BRICKWORK WHERE INDICATED OTHERWISE PAINTED SAND / CEMENT RENDER OR SELF COLOURED

RENDER.

ALL WINDOWS AND DOORS, FRAMES AND LEAVES, TO BE ALUMINIUM POWDER-COATED TO APPROVED COLOUR OR upvc or painted timber to approved colour. SPANDREL PANEL / DOSCURE GLAZING WHERE INDICATED TO

RAINWATER GOODS: GUTTERS, DOWNPIPES, AND FIXINGS TO BE uPVC OR ALUMINIUM POWDER COATED TO SELECTED COLOUR TO

MATCH ROOF SLATES

INDICATIVE SOLAR PANEL POSITION, FINAL SOLAR PANEL POSITION DEPENDS ON HOUSE ORIENTATION. THE SOLAR PANELS SHOWN ARE A PROVISIONAL OPTION TO SATISFY RENEWABLE ENERGY REQUIREMENTS OF BUILDING REGS PART L. SOLAR PANELS MAY BE OMITTED IN FAVOUR OF ALTERNATIVE RENEWABLE ENERGY SOURCE.

KEY PLAN - NTS





| DATE     | DESCRIPTION                   | No. |
|----------|-------------------------------|-----|
| 27.05.22 | FURTHER INFORMATION REVISIONS | A   |
|          |                               |     |
|          |                               |     |
|          |                               |     |
|          |                               |     |
|          |                               |     |

|     |                                      | PROJECT TITLE:  | DATE:   | DRAWN BY:  |
|-----|--------------------------------------|---|---------|------------|
|     |                                      | CLONBURRIS, PHASE 1A  | SEPT'21 | CMcC       |
|     |                                      | DRAWING TITLE:  | SCALE:  | REVISION:  |
| MC( | ⊃R M                                 | HOUSE TYPES H2 - H1 - H1 - H1 - H1 - H2   | 1:100   | Α          |
|     | MCCROSSAN OROURKE MANNING ARCHITECTS | Elevations  | JOB NO: | DRAWING NO |
|     |                                      | 1 Grantham Street, Dublin 8, D08 A49Y,Ireland. Tel: 01-4788700 Fax: 01-4788711 E-Mail: arch@mcorm.com | 19014   | PL112      |

THIS DRAWING TO BE READ IN CONJUNCTION WITH ARCHITECT'S DRAWINGS, CONSULTANT ENGINEER'S DRAWINGS AND SPECIFICATIONS & LANDSCAPE ARCHITECTS DRAWINGS

REFER TO ARCHITECT'S SITE PLAN PL009-014 FOR NORTH ORIENTATION AND LEVELS.

LEVELS GIVEN ON HOUSE TYPE DRAWINGS ARE GIVEN TO A LOCAL ABSOLUTE ZERO LEVEL. FOR SPECIFIC LEVELS DEPENDING ON INDIVIDUAL UNIT LOCATION, REFER TO ARCHITECT'S CONTEXT SECTIONS AND ENGINEER'S DRAWINGS WHERE LEVELS ARE ARE ALL GIVEN IN RELATION TO LAND SURVEYOR'S BENCHMARK BASED ON MALIN HEAD DATUM LEVEL.

### NOTES ON FINISHES:

TO BE FINISHED IN SLATE OR CONCRETE ROOF TILES IN SELECTED COLOUR OR SIMILAR APPROVED. PITCHED ROOF:

SELECTED BRICKWORK WHERE INDICATED OTHERWISE PAINTED SAND / CEMENT RENDER OR SELF COLOURED

RENDER.

ALL WINDOWS AND DOORS, FRAMES AND LEAVES, TO BE ALUMINIUM POWDER-COATED TO APPROVED COLOUR OR uPVC OR PAINTED TIMBER TO APPROVED COLOUR.

SPANDREL PANEL / OBSCURE GLAZING WHERE INDICATED TO SENSITIVE WINDOWS.

RAINWATER GOODS: GUTTERS, DOWNPIPES, AND FIXINGS TO BE uPVC OR ALUMINIUM POWDER COATED TO SELECTED COLOUR TO MATCH ROOF SLATES

INDICATIVE SOLAR PANEL POSITION, FINAL SOLAR PANEL POSITION DEPENDS ON HOUSE ORIENTATION. THE SOLAR PANELS SHOWN ARE A PROVISIONAL OPTION TO SATISFY RENEWABLE ENERGY REQUIREMENTS OF BUILDING REGS PART L. SOLAR PANELS MAY BE OMITTED IN FAVOUR OF

ALTERNATIVE RENEWABLE ENERGY SOURCE.

KEY PLAN - NTS





| NOTES:   |
|--|
| DO NOT SCALE FROM<br>DRAWINGS. WORK TO<br>FIGURED DIMENSIONS |
| ONLY. ARCHITECT TO<br>BE NOTIFIED OF ALL                     |

DISCREPANCIES.

27.05.22 FURTHER INFORMATION REVISIONS

|  |   | CLONBURRIS, PHASE 1A                                   | SEPT'21         | CMC     |
|--|---|--|-----------------|---------|
| МС                                     | ORM   | DRAWING TITLE: HOUSE TYPES H2 - H1 - H1 - H1 - H1 - H2 | SCALE:<br>1:100 | REVISIO |
| M° CROSSAN O ROURKE MANNING ARCHITECTS | Elevations  | JOB NO:  | DRAWIN          |         |
|  | 1 Grantham Street, Dublin 8, D08 A49Y,Ireland. Tel: 01-4788700 Fax: 01-4788711 E-Mail: arch@mcorm.com | 19014  | PL1             |         |