

Thorton O'Connor
1, Kilmacud Road Upper
Dundrum
Dublin 14

**NOTIFICATION OF DECISION TO GRANT PERMISSION
PLANNING & DEVELOPMENT ACT 2000 (as amended) AND
PLANNING REGULATIONS THEREUNDER**

Decision Order Number: 0882	Date of Decision: 11-Jul-2022
Register Reference: SD22A/0065	Date: 14-Jun-2022

Applicant: Rockface Development Limited

Development: Provision of a warehouse unit with ancillary office and staff facilities and associated development. The building will have a maximum height of 15.5m with a gross floor area of 13,604sq.m including a warehouse area (12,568sq.m), staff facilities (489sq.m) and ancillary office area (538sq.m). The development will also include a vehicular and pedestrian entrance to the site from Magna Avenue, a separate HGV entrance from Magna Drive; 69 ancillary car parking spaces; covered bicycle parking; HGV parking and yards'; level access good doors; dock levellers; access gates; signage; hard and soft landscaping; lighting boundary treatments; ESB substation; sprinkler tank and pump house; an all associated site development works above and below ground.

Location: Magna Avenue and Magna Drive, Citywest, Dublin 24

Floor Area:

Time extension(s) up to and including:

Additional Information Requested/Received: 19-May-2022 /14-Jun-2022

Clarification of Additional Information Requested/Received:

DECISION TO: Pursuant to the Planning & Development Act 2000 (as amended), it is hereby decided, for the reasons set out in the First Schedule hereto, to **GRANT**

PERMISSION for the said development in accordance with the said plans and particulars, subject to the conditions specified in the Second Schedule hereto, the reasons for the imposition of the said conditions being as set out in the said Second Schedule and the said decision is subject to the said conditions.

FIRST SCHEDULE

It is considered that the proposed development accords with the policies and objectives of South Dublin County Council, as set out in the South Dublin County Council Development Plan 2016 - 2022 and subject to the condition(s) set out hereunder is thereby in accordance with the proper planning and sustainable development of the area.

SECOND SCHEDULE

Conditions and Reasons:

1. Development to be in accordance with submitted plans and details.
The development shall be carried out and completed in its entirety in accordance with the plans, particulars and specifications lodged with the application, and as amended by Further Information received on 14th June 2022, save as may be required by the other conditions attached hereto.
REASON: To ensure that the development shall be in accordance with the permission, and that effective control be maintained.
2. Public Realm.
 - (A) Implementation of Landscape Masterplan
The landscaping scheme shown on drawing No. FI-01 Landscape Masterplan and Section (and associated detailed planting details, boundary treatments plan Dwg No. FI-02 and sections) shall be implemented in full, within the first planting season following completion of the development, in addition:
 - a) All hard and soft landscape works shall be completed in full accordance with the approved Landscape Masterplan (Drawing No. FI-01).
 - b) All trees, shrubs and hedge plants supplied shall comply with the requirements of BS: 3936, Specification for Nursery Stock. All pre-planting site preparation, planting and post-planting maintenance works shall be carried out in accordance with the requirements of BS : 4428 (1989) Code of Practice for General Landscape Operations (excluding hard surfaces).
 - c) All new tree plantings shall be positioned in accordance with the requirements of Table 3 of BS 5837: 2012 'Trees in Relation to Design, Demolition and Construction – Recommendations'.
 - d) Any trees, shrubs or hedges planted in accordance with this condition which are removed, die, become severely damaged or become seriously diseased within three years of planting shall be replaced within the next planting season by trees, shrubs or hedging plants of similar size and species to those originally required to be planted
REASON: To ensure satisfactory landscape treatment of the site which will enhance the character and appearance of the site and the area, in accordance with the policies and objectives contained within Section 8.3.0 Public Open Space Hierarchy and Landscape

Setting of the CDP 2016-2022

(B) Retention of Landscape Architect

- i) Prior to the commencement of any permitted development, the developer shall appoint and retain the services of a qualified Landscape Architect (or qualified Landscape Designer) as a Landscape Consultant, throughout the life of the construction works and shall notify the planning authority of that appointment in writing prior to commencement.
- ii) A Practical Completion Certificate is to be signed off by the Landscape Architect when all landscape works are fully completed to the satisfaction of the planning authority in accordance with the permitted landscape proposals.
- iii) Installation of attenuation tree pits shall be supervised by the project landscape architect.

REASON: In the interests of residential and visual amenity and to ensure full and verifiable implementation of the approved landscape design

(C) Landscape Management and Maintenance

A Landscape Management and Maintenance Plan shall be submitted to the planning authority prior to occupation of the development. This Landscape Management and Maintenance Plan shall cover a period of at least three years and shall include details of the arrangements for its implementation. All planting shall be adequately protected from damage until established and maintained thereafter. Any plants which die, are removed or become seriously damaged or diseased in the first 5 years of planting, shall be replaced within the next planting season with others of similar size and species, unless otherwise agreed in writing with the planning authority.

REASON: To provide for the satisfactory future maintenance of this development in the interest of visual amenity.

3. Sustainable Drainage Systems.

Prior to the commencement of development a comprehensive SUDS Management Plan shall be submitted to the Planning Authority for written agreement to demonstrate that the proposed SUDS features have reduced the rate of run off into the existing surface water drainage network. A maintenance plan shall also be included as a demonstration of how the system will function following implementation. Additional natural SUDS features shall be incorporated into the proposed drainage system for the development such as, detention basins, filter drains, swales etc. In addition, the applicant shall provide the following:

- Demonstrate the treatment train, biodiversity value and amenity value of the SUDS proposals for the catchment in the residential areas.
- Demonstrate how the proposed natural SUDS features will be incorporated and work within the drainage design for the proposed development including drainage / attenuation calculations for same.
- The applicant shall show further proposed SuDS features for the development such as green roofs, grass areas, channel rills, swales, permeable paving and other such SuDS and show what attenuation capacity is provided by such SuDS. Bio retention tree pits should be designed so that they enable tree pits to both support healthy tree growth while at the same time to help treat and attenuate water coming from hard landscaping areas.
- Natural Suds measures should be detailed to remove/ reduce the requirement for

underground attenuation tanks in line with the development plan objectives.

- Tree Pits to incorporate SuDS bioretention features and sufficient growing medium. SuDS details need to show how the water drains from the road/pavement hard surface into the SUDS tree pit, clearly outlining how SuDS features within the tree pits will function. The applicant is requested to refer to the recently published 'SDCC Sustainable Drainage Explanatory, Design and Evaluation Guide 2022' for acceptable SUDS tree pit details.

REASON: To prevent the increased risk of flooding and to improve and protect water quality, in accordance with policies under Section 8.4.0 Sustainable Urban Drainage Systems of the CDP 2016-22 in particular G5 Objective 1 and G5 Objective

4. Ecological Impact.

The recommendations and mitigation measures contained within the Ecological Impact Assessment Report prepared by Enviroguide Consulting shall be implemented in full by the applicant.

REASON: To protect and enhance areas of biodiversity, in accordance with policies IE7 Objective 5, G3 Objective 2, G4 Objective 2, HCL15 Objective 3, and other policies relating to Biodiversity within the CDP 2016-2022.

5. Irish Water Connection Agreement.

Prior to the commencement of development the applicant or developer shall enter into water and/or wastewater connection agreement(s) with Irish Water.

REASON: In the interest of public health and to ensure adequate water/wastewater facilities.

6. Drainage - Irish Water.

(a) The water supply and drainage infrastructure, shall comply with the requirements of Irish Water.

(b) There shall be complete separation of the foul and surface water drainage systems, both in respect of installation and use. All new precast surface water manholes shall have a minimum thickness surround of 150mm Concrete Class B.

REASON: In the interests of public health, the proper planning and sustainable development of the area and in order to ensure adequate water supply and drainage provision.

7. Construction & Demolition Waste Management Plan

Prior to commencement of the development, the applicant shall submit a developed Construction & Demolition Waste Management Plan for the written agreement of the Planning Authority.

REASON: To protect the amenities of the area.

8. Mobility Management Plan.

A revised Mobility Management Plan shall be completed by the future occupant within six months of opening of the proposed development. The Mobility Management Plan shall be submitted for the written agreement of the Planning Authority.

REASON: In the interest of sustainable transport.

9. Irish Aviation Authority.

The applicant shall inform the Irish Aviation Authority of the use of cranes during

construction, no less than 30 days in advance of their use on the site.

REASON: To ensure aviation safety.

10. Noise (Operational Phase).

(a) Noise levels from the proposed development shall not be so loud, so continuous, so repeated, of such duration or pitch or occurring at such times as to give reasonable cause for annoyance to a person in any residence, adjoining premises or public place in the vicinity.

(b) Noise due to the normal operation of the proposed development, expressed as L_{Aeq} over 15 minutes at the façade of a noise sensitive location, shall not exceed the daytime background level by more than 10 dB(A) and shall not exceed the background level for evening and night time. Clearly audible and impulsive tones at noise sensitive locations during evening and night shall be avoided irrespective of the noise level.

(c) Plant equipment with low inherent potential for generation of noise shall be selected and used. Generators and high duty compressors shall be provided with localised barriers or acoustic barriers as appropriate.

REASON: In the interest of public health.

11. Minimise Air Blown Dust.

During the construction and or demolition phase of the development, Best Practicable Means shall be employed to minimise air blown dust being emitted from the site. This shall include covering skips and slack-heaps, netting of scaffolding, daily washing down of pavements or other public areas, and any other precautions necessary to prevent dust nuisances. The applicant/developer shall comply with British Standard B.S. 5228 Noise Control on Construction and Open sites and British Standard B.S. 6187 Code of Practice for demolition.

REASON: In the interest of public health and to uphold the Council's policies set out in the South Dublin County Council Development Plan.

12. Construction Noise and Hours.

To control, limit and prevent the generation of unacceptable levels of Environmental Noise Pollution from occurring during construction activity, no Equipment or Machinery (to include pneumatic drills, on-site construction vehicles, generators, etc.) that could give rise to unacceptable levels of noise pollution as set out generally for evening and night-time in S.I. No. 140/2006 - Environmental Noise Regulations 2006, shall be operated on the site :

- Before 07.00 hours on weekdays, Monday to Friday
- Before 09.00 hours on Saturdays.
- After 19.00 hours on weekdays, Monday to Friday.
- After 13.00 hours on Saturdays.
- Not permitted at any time on Sundays, Bank Holidays or Public Holidays.

Any construction work outside these hours that could give rise to unacceptable levels of noise pollution shall only be permitted following a written request to the Planning Authority and the subsequent receipt of the written consent of the Planning Authority, having regard to the reasonable justification and circumstances and a commitment to

minimise as far as practicable any unacceptable noise outside the hours stated above. In this respect, the applicant or developer shall also comply with BS 5228:2009 Noise and Vibration Control on Construction and Open Sites, and have regard to the World Health Organisation (WHO) – Guidelines for Community Noise (1999).

The applicant or developer shall also endeavour to engage in local consultation in respect of any noise sensitive location within 30 metres of the development as approved prior to construction activity commencing on site. Such noise sensitive locations should be provided with the following:

- Schedule of works to include approximate timeframes
- Name and contact details of contractor responsible for managing noise complaints
- Hours of operation- including any scheduled times for the use of equipment likely to be the source of significant noise.

REASON: In the interest of public health by the prevention of unacceptable levels of noise pollution which could interfere with normal sleep and rest patterns and/or when people could reasonably expect a level of quietness, the proper planning and sustainable development of the area and to uphold the Council's amenity policies set out in the South Dublin County Council Development Plan.

13. Financial Contribution.

The developer shall pay to the Planning Authority a financial contribution of €1,353,490.00 (one million three hundred and fifty three thousand four hundred and ninety euros), in respect of public infrastructure and facilities benefiting development within the area of the Planning Authority, that is provided, or intended to be provided by or on behalf of the authority, in accordance with the terms of the Development Contribution Scheme 2021 - 2025, made under Section 48 of the Planning and Development Acts 2000-2011 (as amended).

The contributions under the Scheme shall be payable prior to commencement of development or as otherwise agreed in writing by the Council. Contributions due in respect of permission for retention will become payable immediately on issue of the final grant of permission. Contributions shall be payable at the index adjusted rate pertaining to the year in which implementation of the planning permission is commenced.

REASON: The provision of such facilities will facilitate the proposed development. It is considered reasonable that the payment of a contribution be required, in respect of public infrastructure and facilities benefiting development in the area of the Planning Authority and that is provided, or that is intended will be provided, by or on behalf of the Local Authority.

NOTE RE: CONDITION - Please note that with effect from 1st January 2014, Irish Water is now the statutory body responsible for water services. Further details/clarification can be obtained from Irish Water at Tel. 01 6021000 or by emailing customerservice@water.ie.

NOTE: The applicant is advised that under the provisions of Section 34 (13) of the Planning and Development Act 2000 (as amended) a person shall not be entitled solely by reason of a permission to carry out any development.

NOTE: The applicant is advised that in the event of encroachment or oversailing of adjoining property, the consent of the adjoining property owner is required.

NOTE: The requirements of the HSE Environmental Health Officer shall be ascertained prior to the commencement of development in the interest of public health.

NOTE: The applicant or developer should ensure that all necessary measures shall be taken by the contractor to prevent the spillage or deposit of clay, rubble or other debris on adjoining roads during the course of the works and to ensure that any such instances arising are remedied immediately.

NOTE: A Roads Opening Licence must be obtained from South Dublin County Council prior to the commencement of any works in the public domain in order to comply with the Roads Act 1993, Section 13, paragraph 10. Under this Act, non-compliance constitutes an offence.

NOTE: Notwithstanding any grant of planning permission; if an applicant requires permission to access local authority land (e.g. public footpaths, public open space or roadways) in order to access utilities, or for any other reason; please apply via <https://maproadroadworkslicensing.ie/MRL/> for a licence from the Local Authority to carry out those works.

The Developer is advised that under the provisions of the Construction Products Regulation 2013 (No.305/2011-CPR) All products sourced for use in building process must conform with the statutory requirements of the CPR. For more information on these responsibilities see <http://ec.europa.eu/enterprise/sectors/construction/legislation>.

From March 1, 2014 the Building Control (Amendment) Regulations 2013 (SI 80 of 2013) come into effect. All Commencement Notices for works greater than 40sq.m are obliged to be accompanied by a number of certified undertakings as described by these Regulations.

Please note that upon receipt of this document you are obliged to remove the planning site notice in compliance with Article 20 of the Planning and Development Regulations 2001, as amended.

Please note that any valid submissions or observations received in accordance with the provisions of the Planning and Development Regulations 2001, as amended, have been considered in the determination of this application.

Signed on behalf of the South Dublin County Council.


for **Senior Planner**

14-Jul-2022

NOTES

(A) REFUND OF FEES SUBMITTED WITH A PLANNING APPLICATION

Provision is made for a partial refund of fees in the case of certain repeat applications submitted within a period of twelve months where the full standard fee was paid in respect of the first application and where both applications related to developments of the same character or description and to the same site. An application for a refund must be made in writing to the Planning Authority and received by them within a period of two months beginning on the date of the Planning Authority's decision on the second application. For full details of fees, refunds and exemptions the Planning & Development Regulations, 2001 should be consulted.

(A) APPEALS

1. An appeal against the decision may be made to An Bord Pleanála. The applicant or ANY OTHER PERSON who made submissions or observations to the Local Authority may appeal within FOUR WEEKS beginning on the date of this decision. (N.B. Not the date on which the decision is sent or received).
1. Every appeal must be made in writing and must state the subject matter and full grounds of appeal. It must be fully complete from the start. In the case of a third party appeal it must be accompanied by the acknowledgement by the Planning Authority of receipt of the submissions/observations. Appeals should be sent to:
 2. The Secretary, An Bord Pleanála, 64 Marlborough Street, Dublin 1.
3. An Appeal lodged by an applicant/ agent or by a third party with An Bord Pleanála will be invalid unless accompanied by the prescribed fee. A schedule of fees is at 7 below.
4. A party to an appeal making a request to An Bord Pleanála for an Oral Hearing of an appeal must, in addition to the prescribed fee, pay to An Bord Pleanála a further fee (see 7 (g) below).
5. A person who is not a party to an appeal must pay a fee to An Bord Pleanála when making submissions or observations to An Bord Pleanála in relation to an appeal.
6. If the Council makes a decision to grant permission/grant permission consequent on a grant of outline permission and there is no appeal to An Bord Pleanála against this decision, PERMISSION/PERMISSION CONSEQUENT ON A GRANT OF OUTLINE PERMISSION will be granted by the Council as soon as may be after the expiration of the period for the taking of such an appeal. If any appeal made in accordance with the Acts has been withdrawn, the Council will grant the PERMISSION/PERMISSION CONSEQUENT ON A GRANT OF OUTLINE PERMISSION/RETENTION as soon as may be after the withdrawal.
7. Fees payable to An Bord Pleanála from 10th December 2007 are as follows:
 - (a) Appeal against a decision of a Planning Authority on a planning application relating to commercial development made by the person by whom the planning application was made.
where the application relates to unauthorised development €4,500.00 or €9,000 if an E.I.A.R. is involved
 - (b) Appeal against a decision of a planning authority on a planning application relating to commercial development made by the person by whom the planning application was made.
other than an appeal mentioned at (a)..... €1,500.00 or €3,000.00 if an E.I.A.R. is involved
 - (c) Appeal made by the person by whom the planning application was made, where the application relates to unauthorised development other than an appeal mentioned at (a) or (b) €660.00
 - (d) Appeal other than an appeal mentioned at (a), (b), (c) or (f) €220.00
 - (e) Application for leave to appeal €110.00
 - (f) Appeal following a grant of leave to appeal €110.00
 - (g) Referral..... €220.00
 - (h) Reduced fee (payable by specified bodies)..... €110.00
 - (i) Submission or observations (by observer) €50.00
 - (j) Request from a party for an Oral Hearing €50.00

If in doubt regarding any of the above appeal matters, you should contact An Bord Pleanála for clarification at

Telephone 01-858 8100