


MOY GLAS WAY

MOY GLAS WAY

Position of Site Notice

MOY GLAS WAY



12

9833

9323

1532

8887

1361

8690

7147

- GENERAL NOTES**
- 1.10 DO NOT SCALE THIS DRAWING.
  - 1.15 ALL DIMENSIONS TO BE CHECKED BY THE CONTRACTOR PRIOR TO COMMENCEMENT OF THE WORKS.
  - 1.20 CONTRACTOR TO ASCERTAIN THE POSITION OF ALL EXISTING SERVICES PRIOR TO COMMENCEMENT OF THE WORKS.
  - 1.25 THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT STRUCTURAL DETAILS.
  - 1.30 BUILDING WORKS TO BE UNDERTAKEN IN ACCORDANCE WITH THE APPROVED DOCUMENTS ISSUED BY THE LOCAL AUTHORITY.
  - 4 ALL CONDITIONS STATED BY LOCAL AUTHORITY ARE TO BE IMPLEMENTED.
  - 1.35 THE DRAWING SPECIFICATION & ANY STRUCTURAL DETAILS DO NOT CONSTITUTE A FULL TECHNICAL SPECIFICATION. THEY ARE FOR THE PURPOSE OF OBTAINING LOCAL AUTHORITY APPROVALS ONLY.
  - 1.45 EXISTING STRUCTURE SHOWN AS ASSUMED ONLY. PRIOR TO COMMENCEMENT OF WORKS CONTRACTOR TO FULLY EXPOSE EXISTING STRUCTURE & ASCERTAIN ITS SUITABILITY FOR PROPOSED WORKS.
  - 1.50 NOTIONAL BOUNDARY POSITION INDICATED IS TO BE CHECKED ON SITE FOR ACCURACY PRIOR TO COMMENCEMENT OF WORKS.
  - 1.55 THE REQUIREMENT OF APPROVED DOCUMENT L IN RESPECT OF THE LIMITATION OF HEAT LOSS THROUGH THE FABRIC OF THE BUILDING IS TO BE MET WITH 'U' VALUE OF EXTERNAL WALL OF 0.45 WM<sup>2</sup>DEG.C. 'U' VALUE OF ROOF OF 0.25 WM<sup>2</sup>DEG.C. (REDUCED TO 0.35WM<sup>2</sup>DEGC THROUGH EXISTING ROOF STRUCTURE) & WINDOWS & DOORS TO BE DOUBLE GLAZED.
- DEMOLITIONS & ALTERATIONS**
- 2.10 DEMOLITIONS AND ALTERATIONS TO BE CARRIED OUT IN ACCORDANCE WITH PROVISIONS OF BS6187.

<b>Project:</b> 12 Moy Glas Way, Lucan, Dublin 22.	
<b>Scale:</b> 1:200	<b>Clients:</b> Vasilie Negru
<b>Date:</b> 31-5-22	<b>Drawing Number:</b> 006
<b>Drawn by:</b> Stuart O'Malley B.Eng. MIEI FMP	
<b>Drawing Title:</b> Site Plan	