

## Element Materials Technology

**Client Name:** Ground Investigations Ireland  
**Reference:** 11310-11-21  
**Location:** Takeda Grangecastle  
**Contact:** Barry Sexton  
**EMT Job No:** 22/1289

**Report :** Solid

**Solids:** V=60g VOC jar, J=250g glass jar, T=plastic tub

EMT Sample No.	41-44	45-48	49-52	53-56																		
Sample ID	TP05	TP06	TP06	WS01																		
Depth	1.00-2.00	0.10-1.00	1.00-2.00	3.00																		
COC No / misc																						
Containers	V J T	V J T	V J T	V J T																		
Sample Date	25/01/2022	25/01/2022	25/01/2022	25/01/2022																		
Sample Type	Soil	Soil	Soil	Soil																		
Batch Number	1	1	1	1																		
Date of Receipt	27/01/2022	27/01/2022	27/01/2022	27/01/2022																		
Natural Moisture Content	11.6	17.4	15.4	14.5																<0.1	%	PM4/PM0
Moisture Content (% Wet Weight)	10.4	14.8	13.3	12.6																<0.1	%	PM4/PM0
Hexavalent Chromium #	<0.3	<0.3	<0.3	<0.3																<0.3	mg/kg	TM38/PM20
Sulphate as SO4 (2:1 Ext) #	-	-	-	0.0960																<0.0015	g/l	TM38/PM20
Chromium III	41.0	59.0	43.3	27.0																<0.5	mg/kg	NONE/NONE
Total Organic Carbon #	0.49	0.58	0.46	0.37																<0.02	%	TM21/PM24
pH #	7.71	8.02	7.96	8.03																<0.01	pH units	TM73/PM11
Asbestos Type*	NAD	NAD	NAD	NAD																	None	Subcontracted
Mass of raw test portion	0.1047	0.1038	0.1045	0.1115																	kg	NONE/PM17
Mass of dried test portion	0.09	0.09	0.09	0.09																	kg	NONE/PM17

Please see attached notes for all abbreviations and acronyms.

# Element Materials Technology

Client Name: Ground Investigations Ireland  
 Reference: 11310-11-21  
 Location: Takeda Grangecastle  
 Contact: Barry Sexton  
 EMT Job No: 22/1289

Report : CEN 10:1 1 Batch

Solids: V=60g VOC jar, J=250g glass jar, T=plastic tub

EMT Sample No.	1-4	5-8	9-12	13-16	17-20	21-24	25-28	29-32	33-36	37-40	Please see attached notes for all abbreviations and acronyms		
Sample ID	TP01	TP01	TP02	TP02	TP02	TP03	TP03	TP04	TP04	TP05			
Depth	0.10-1.00	1.00-2.00	0.10-1.00	1.00-2.00	2.50	0.10-1.00	2.00	0.10-1.00	1.40	0.00-1.00			
COC No / misc													
Containers	V J T	V J T	V J T	V J T	V J T	V J T	V J T	V J T	V J T	V J T			
Sample Date	25/01/2022	25/01/2022	25/01/2022	25/01/2022	25/01/2022	25/01/2022	25/01/2022	25/01/2022	25/01/2022	25/01/2022			
Sample Type	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil			
Batch Number	1	1	1	1	1	1	1	1	1	1			
Date of Receipt	27/01/2022	27/01/2022	27/01/2022	27/01/2022	27/01/2022	27/01/2022	27/01/2022	27/01/2022	27/01/2022	27/01/2022	LOD/LOR	Units	Method No.
Dissolved Antimony <sup>#</sup>	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	mg/l	TM30/PM17
Dissolved Antimony (A10) <sup>#</sup>	<0.02	0.03	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	mg/kg	TM30/PM17
Dissolved Arsenic <sup>#</sup>	0.0027	0.0027	<0.0025	<0.0025	<0.0025	0.0026	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	mg/l	TM30/PM17
Dissolved Arsenic (A10) <sup>#</sup>	0.027	0.027	<0.025	<0.025	<0.025	0.026	<0.025	<0.025	<0.025	<0.025	<0.025	mg/kg	TM30/PM17
Dissolved Barium <sup>#</sup>	0.007	0.020	<0.003	0.011	0.014	0.017	0.014	0.004	0.009	0.004	<0.003	mg/l	TM30/PM17
Dissolved Barium (A10) <sup>#</sup>	0.07	0.20	<0.03	0.11	0.14	0.17	0.14	0.04	0.09	0.04	<0.03	mg/kg	TM30/PM17
Dissolved Cadmium <sup>#</sup>	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	mg/l	TM30/PM17
Dissolved Cadmium (A10) <sup>#</sup>	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	mg/kg	TM30/PM17
Dissolved Chromium <sup>#</sup>	<0.0015	<0.0015	<0.0015	<0.0015	<0.0015	0.0017	<0.0015	<0.0015	<0.0015	<0.0015	<0.0015	mg/l	TM30/PM17
Dissolved Chromium (A10) <sup>#</sup>	<0.015	<0.015	<0.015	<0.015	<0.015	0.017	<0.015	<0.015	<0.015	<0.015	<0.015	mg/kg	TM30/PM17
Dissolved Copper <sup>#</sup>	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	mg/l	TM30/PM17
Dissolved Copper (A10) <sup>#</sup>	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	mg/kg	TM30/PM17
Dissolved Lead <sup>#</sup>	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	mg/l	TM30/PM17
Dissolved Lead (A10) <sup>#</sup>	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	mg/kg	TM30/PM17
Dissolved Molybdenum <sup>#</sup>	0.004	0.011	<0.002	0.005	0.007	0.004	0.010	0.004	<0.002	<0.002	<0.002	mg/l	TM30/PM17
Dissolved Molybdenum (A10) <sup>#</sup>	0.04	0.11	<0.02	0.05	0.07	0.04	0.10	0.04	<0.02	<0.02	<0.02	mg/kg	TM30/PM17
Dissolved Nickel <sup>#</sup>	<0.002	0.007	<0.002	<0.002	<0.002	0.003	0.003	<0.002	<0.002	<0.002	<0.002	mg/l	TM30/PM17
Dissolved Nickel (A10) <sup>#</sup>	<0.02	0.07	<0.02	<0.02	<0.02	0.03	0.03	<0.02	<0.02	<0.02	<0.02	mg/kg	TM30/PM17
Dissolved Selenium <sup>#</sup>	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	mg/l	TM30/PM17
Dissolved Selenium (A10) <sup>#</sup>	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	mg/kg	TM30/PM17
Dissolved Zinc <sup>#</sup>	<0.003	0.003	<0.003	<0.003	<0.003	0.003	<0.003	0.004	<0.003	<0.003	<0.003	mg/l	TM30/PM17
Dissolved Zinc (A10) <sup>#</sup>	<0.03	<0.03	<0.03	<0.03	<0.03	0.03	<0.03	0.04	<0.03	<0.03	<0.03	mg/kg	TM30/PM17
Mercury Dissolved by CVAF <sup>#</sup>	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	mg/l	TM61/PM0
Mercury Dissolved by CVAF <sup>#</sup>	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	mg/kg	TM61/PM0
Phenol	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	mg/l	TM26/PM0
Phenol	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	mg/kg	TM26/PM0
Fluoride	0.4	0.4	0.5	0.6	0.5	0.5	0.5	0.6	0.5	0.4	<0.3	mg/l	TM173/PM0
Fluoride	4	4	5	6	5	5	5	6	5	4	<3	mg/kg	TM173/PM0
Sulphate as SO4 <sup>#</sup>	11.4	9.5	14.3	61.6	53.8	48.4	38.3	6.4	26.6	19.3	<0.5	mg/l	TM38/PM0
Sulphate as SO4 <sup>#</sup>	114	95	143	616	538	484	383	64	266	193	<5	mg/kg	TM38/PM0
Chloride <sup>#</sup>	<0.3	0.5	0.9	<0.3	<0.3	0.5	<0.3	<0.3	<0.3	0.5	<0.3	mg/l	TM38/PM0
Chloride <sup>#</sup>	<3	5	9	<3	<3	5	<3	<3	<3	5	<3	mg/kg	TM38/PM0
Dissolved Organic Carbon	<2	3	3	<2	<2	<2	<2	2	<2	3	<2	mg/l	TM60/PM0
Dissolved Organic Carbon	<20	30	30	<20	<20	<20	<20	20	<20	30	<20	mg/kg	TM60/PM0
pH	7.97	8.08	8.13	8.03	7.93	8.04	8.14	8.08	8.21	8.11	<0.01	pH units	TM73/PM0
Total Dissolved Solids <sup>#</sup>	60	85	88	145	120	146	115	71	98	98	<35	mg/l	TM20/PM0
Total Dissolved Solids <sup>#</sup>	600	850	880	1450	1200	1461	1150	710	980	980	<350	mg/kg	TM20/PM0

Please include all sections of this report if it is reproduced





# Element Materials Technology

Client Name: Ground Investigations Ireland  
 Reference: 11310-11-21  
 Location: Takeda Grangecastle  
 Contact: Barry Sexton  
 EMT Job No: 22/1289

Report: EN12457\_2  
 Solids: V=60g VOC jar, J=250g glass jar, T=plastic tub

EMT Sample No.	1-4	5-8	9-12	13-16	17-20	21-24	25-28	29-32	33-36	37-40						
Sample ID	TP01	TP01	TP02	TP02	TP02	TP03	TP03	TP04	TP04	TP05						
Depth	0.10-1.00	1.00-2.00	0.10-1.00	1.00-2.00	2.50	0.10-1.00	2.00	0.10-1.00	1.40	0.00-1.00						
COC No / misc																
Containers	V J T	V J T	V J T	V J T	V J T	V J T	V J T	V J T	V J T	V J T						
Sample Date	25/01/2022	25/01/2022	25/01/2022	25/01/2022	25/01/2022	25/01/2022	25/01/2022	25/01/2022	25/01/2022	25/01/2022						
Sample Type	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil						
Batch Number	1	1	1	1	1	1	1	1	1	1						
Date of Receipt	27/01/2022	27/01/2022	27/01/2022	27/01/2022	27/01/2022	27/01/2022	27/01/2022	27/01/2022	27/01/2022	27/01/2022	Inert	Stable Non-reactive	Highly Reactive	LOD LOR	Units	Method No.
<b>Solid Waste Analysis</b>																
Total Organic Carbon *	0.57	0.48	1.05	0.64	0.47	1.02	0.49	0.53	0.96	0.82	3	5	6	<0.02	%	TM21/PM24
Sum of BTEX	<0.025	<0.025 <sup>SV</sup>	<0.025	<0.025 <sup>SV</sup>	<0.025 <sup>SV</sup>	<0.025	<0.025 <sup>SV</sup>	<0.025	<0.025 <sup>SV</sup>	<0.025	6	-	-	<0.025	mg/kg	TM36/PM12
Sum of 7 PCBs *	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035 <sup>SV</sup>	<0.035	<0.035	<0.035	1	-	-	<0.035	mg/kg	TM17/PM8
Mineral Oil	<30	<30	<30	<30	<30	<30	<30	<30	<30	<30	500	-	-	<30	mg/kg	TM5/PM6/PM9
PAH Sum of 6 *	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22 <sup>SV</sup>	<0.22	<0.22	<0.22	-	-	-	<0.22	mg/kg	TM4/PM8
PAH Sum of 17	<0.64	<0.64	<0.64	<0.64	<0.64	<0.64	<0.64 <sup>SV</sup>	<0.64	<0.64	<0.64	100	-	-	<0.64	mg/kg	TM4/PM8
<b>CEN 10:1 Leachate</b>																
Arsenic *	0.027	0.027	<0.025	<0.025	<0.025	0.026	<0.025	<0.025	<0.025	<0.025	0.5	2	25	<0.025	mg/kg	TM30/PM17
Barium *	0.07	0.20	<0.03	0.11	0.14	0.17	0.14	0.04	0.09	0.04	20	100	300	<0.03	mg/kg	TM30/PM17
Cadmium *	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.04	1	5	<0.005	mg/kg	TM30/PM17
Chromium *	<0.015	<0.015	<0.015	<0.015	<0.015	0.017	<0.015	<0.015	<0.015	<0.015	0.5	10	70	<0.015	mg/kg	TM30/PM17
Copper *	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	<0.07	2	50	100	<0.07	mg/kg	TM30/PM17
Mercury *	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.01	0.2	2	<0.0001	mg/kg	TM61/PM0
Molybdenum *	0.04	0.11	<0.02	0.05	0.07	0.04	0.10	0.04	<0.02	<0.02	0.5	10	30	<0.02	mg/kg	TM30/PM17
Nickel *	<0.02	0.07	<0.02	<0.02	<0.02	0.03	0.03	<0.02	<0.02	<0.02	0.4	10	40	<0.02	mg/kg	TM30/PM17
Lead *	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.5	10	50	<0.05	mg/kg	TM30/PM17
Antimony *	<0.02	0.03	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.06	0.7	5	<0.02	mg/kg	TM30/PM17
Selenium *	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	0.1	0.5	7	<0.03	mg/kg	TM30/PM17
Zinc *	<0.03	<0.03	<0.03	<0.03	<0.03	0.03	<0.03	0.04	<0.03	<0.03	4	50	200	<0.03	mg/kg	TM30/PM17
Total Dissolved Solids *	600	850	880	1450	1200	1461	1150	710	980	980	4000	60000	100000	<350	mg/kg	TM20/PM0
Dissolved Organic Carbon	<20	30	30	<20	<20	<20	<20	20	<20	30	500	800	1000	<20	mg/kg	TM60/PM0
Dry Matter Content Ratio	85.7	91.3	83.3	82.0	85.0	80.9	83.3	81.6	82.5	82.3	-	-	-	<0.1	%	NONE/PM4
pH *	7.98	7.88	7.81	7.83	7.84	7.71	7.82	8.10	7.80	7.90	-	-	-	<0.01	pH units	TM73/PM11
Phenol	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	1	-	-	<0.1	mg/kg	TM26/PM0
Fluoride	4	4	5	6	5	5	5	6	5	4	-	-	-	<3	mg/kg	TM173/PM0
Sulphate as SO4 *	114	95	143	616	538	484	383	64	266	193	1000	20000	50000	<5	mg/kg	TM38/PM0
Chloride *	<3	5	9	<3	<3	5	<3	<3	<3	5	800	15000	25000	<3	mg/kg	TM38/PM0

Please see attached notes for all abbreviations and acronyms

Please include all sections of this report if it is reproduced



**Element Materials Technology**

**Client Name:** Ground Investigations Ireland  
**Reference:** 11310-11-21  
**Location:** Takeda Grange castle  
**Contact:** Barry Sexton  
**EMT Job No:** 22/1289

**Report :** EN12457\_2  
**Solids:** V=60g VOC jar, J=250g glass jar, T=plastic tub

EMT Sample No.	41-44	45-48	49-52	53-56	Please see attached notes for all abbreviations and acronyms								
	Sample ID	TP05	TP06	TP06	WS01								
Depth	1.00-2.00	0.10-1.00	1.00-2.00	3.00									
COC No / misc													
Containers	V J T	V J T	V J T	V J T									
Sample Date	25/01/2022	25/01/2022	25/01/2022	25/01/2022									
Sample Type	Soil	Soil	Soil	Soil									
Batch Number	1	1	1	1									
Date of Receipt	27/01/2022	27/01/2022	27/01/2022	27/01/2022									
					Inert	Stable Non-reactive	Hazardous	LOD LOR	Units	Method No.			
<b>Solid Waste Analysis</b>													
Total Organic Carbon *	0.49	0.58	0.46	0.37	3	5	6	<0.02	%	TM21/PM24			
Sum of BTEX	<0.025 <sup>SV</sup>	<0.025	<0.025 <sup>SV</sup>	<0.025 <sup>SV</sup>	6	-	-	<0.025	mg/kg	TM36/PM12			
Sum of 7 PCBs *	<0.035	<0.035	<0.035	<0.035	1	-	-	<0.035	mg/kg	TM17/PM8			
Mineral Oil	<30	<30	<30	<30	500	-	-	<30	mg/kg	TM5/PM15			
PAH Sum of 6 *	<0.22	<0.22	<0.22	<0.22	-	-	-	<0.22	mg/kg	TM4/PM8			
PAH Sum of 17	<0.64	<0.64	<0.64	<0.64	100	-	-	<0.64	mg/kg	TM4/PM8			
<b>GEN 10:1 Leachate</b>													
Arsenic *	<0.025	<0.025	<0.025	<0.025	0.5	2	25	<0.025	mg/kg	TM30/PM17			
Barium *	0.20	<0.03	<0.03	<0.03	20	100	300	<0.03	mg/kg	TM30/PM17			
Cadmium *	<0.005	<0.005	<0.005	<0.005	0.04	1	5	<0.005	mg/kg	TM30/PM17			
Chromium *	<0.015	<0.015	<0.015	<0.015	0.5	10	70	<0.015	mg/kg	TM30/PM17			
Copper *	<0.07	<0.07	<0.07	<0.07	2	50	100	<0.07	mg/kg	TM30/PM17			
Mercury *	<0.0001	<0.0001	<0.0001	<0.0001	0.01	0.2	2	<0.0001	mg/kg	TM61/PM0			
Molybdenum *	0.04	<0.02	<0.02	0.05	0.5	10	30	<0.02	mg/kg	TM30/PM17			
Nickel *	<0.02	<0.02	<0.02	<0.02	0.4	10	40	<0.02	mg/kg	TM30/PM17			
Lead *	<0.05	<0.05	<0.05	<0.05	0.5	10	50	<0.05	mg/kg	TM30/PM17			
Antimony *	<0.02	<0.02	<0.02	<0.02	0.06	0.7	5	<0.02	mg/kg	TM30/PM17			
Selenium *	<0.03	<0.03	<0.03	<0.03	0.1	0.5	7	<0.03	mg/kg	TM30/PM17			
Zinc *	<0.03	<0.03	<0.03	<0.03	4	50	200	<0.03	mg/kg	TM30/PM17			
Total Dissolved Solids *	1641	630	860	1060	4000	60000	100000	<350	mg/kg	TM20/PM0			
Dissolved Organic Carbon	<20	60	30	30	500	800	1000	<20	mg/kg	TM60/PM0			
Dry Matter Content Ratio	86.1	86.3	85.8	80.8	-	-	-	<0.1	%	NONE/PM4			
pH *	7.71	8.02	7.96	8.03	-	-	-	<0.01	pH units	TM73/PM11			
Phenol	<0.1	<0.1	<0.1	<0.1	1	-	-	<0.1	mg/kg	TM26/PM0			
Fluoride	3	3	4	6	-	-	-	<3	mg/kg	TM173/PM0			
Sulphate as SO4 *	657	71	191	284	1000	20000	50000	<5	mg/kg	TM38/PM0			
Chloride *	<3	<3	<3	<3	800	15000	25000	<3	mg/kg	TM38/PM0			

**Client Name:** Ground Investigations Ireland  
**Reference:** 11310-11-21  
**Location:** Takeda Grangecastle  
**Contact:** Barry Sexton

**Matrix : Solid**

EMT Job No.	Batch	Sample ID	Depth	EMT Sample No.	EPH Interpretation
22/1289	1	TP01	0.10-1.00	1-4	No interpretation possible
22/1289	1	TP01	1.00-2.00	5-8	No interpretation possible
22/1289	1	TP02	0.10-1.00	9-12	No interpretation possible
22/1289	1	TP02	1.00-2.00	13-16	No interpretation possible
22/1289	1	TP02	2.50	17-20	No interpretation possible
22/1289	1	TP03	0.10-1.00	21-24	No interpretation possible
22/1289	1	TP03	2.00	25-28	No interpretation possible
22/1289	1	TP04	0.10-1.00	29-32	No interpretation possible
22/1289	1	TP04	1.40	33-36	No interpretation possible
22/1289	1	TP05	0.00-1.00	37-40	No interpretation possible
22/1289	1	TP05	1.00-2.00	41-44	No interpretation possible
22/1289	1	TP06	0.10-1.00	45-48	No interpretation possible
22/1289	1	TP06	1.00-2.00	49-52	No interpretation possible
22/1289	1	WS01	3.00	53-56	No interpretation possible



## Element Materials Technology

## Notification of Deviating Samples

**Client Name:** Ground Investigations Ireland  
**Reference:** 11310-11-21  
**Location:** Takeda Grangecastle  
**Contact:** Barry Sexton

EMT Job No.	Batch	Sample ID	Depth	EMT Sample No.	Analysis	Reason
No deviating sample report results for job 22/1289						

Please note that only samples that are deviating are mentioned in this report. If no samples are listed it is because none were deviating. Only analyses which are accredited are recorded as deviating if set criteria are not met.

## NOTES TO ACCOMPANY ALL SCHEDULES AND REPORTS

EMT Job No.: 22/1289

### SOILS and ASH

Please note we are only MCERTS accredited (UK soils only) for sand, loam and clay and any other matrix is outside our scope of accreditation.

Where an MCERTS report has been requested, you will be notified within 48 hours of any samples that have been identified as being outside our MCERTS scope. As validation has been performed on clay, sand and loam, only samples that are predominantly these matrices, or combinations of them will be within our MCERTS scope. If samples are not one of a combination of the above matrices they will not be marked as MCERTS accredited.

It is assumed that you have taken representative samples on site and require analysis on a representative subsample. Stones will generally be included unless we are requested to remove them.

All samples will be discarded one month after the date of reporting, unless we are instructed to the contrary. Asbestos samples are retained for 6 months.

If you have not already done so, please send us a purchase order if this is required by your company.

Where appropriate please make sure that our detection limits are suitable for your needs, if they are not, please notify us immediately.

All analysis is reported on a dry weight basis unless stated otherwise. Limits of detection for analyses carried out on as received samples are not moisture content corrected. Results are not surrogate corrected. Samples are dried at 35°C ±5°C unless otherwise stated. Moisture content for CEN Leachate tests are dried at 105°C ±5°C. Ash samples are dried at 37°C ±5°C.

Where Mineral Oil or Fats, Oils and Grease is quoted, this refers to Total Aliphatics C10-C40.

Where a CEN 10:1 ZERO Headspace VOC test has been carried out, a 10:1 ratio of water to wet (as received) soil has been used.

% Asbestos in Asbestos Containing Materials (ACMs) is determined by reference to HSG 264 The Survey Guide - Appendix 2 : ACMs in buildings listed in order of ease of fibre release.

Sufficient amount of sample must be received to carry out the testing specified. Where an insufficient amount of sample has been received the testing may not meet the requirements of our accredited methods, as such accreditation may be removed.

Negative Neutralization Potential (NP) values are obtained when the volume of NaOH (0.1N) titrated (pH 8.3) is greater than the volume of HCl (1N) to reduce the pH of the sample to 2.0 - 2.5. Any negative NP values are corrected to 0.

The calculation of Pyrite content assumes that all oxidisable sulphides present in the sample are pyrite. This may not be the case. The calculation may be an overestimate when other sulphides such as Barite (Barium Sulphate) are present.

### WATERS

Please note we are not a UK Drinking Water Inspectorate (DWI) Approved Laboratory .

ISO17025 accreditation applies to surface water and groundwater and usually one other matrix which is analysis specific, any other liquids are outside our scope of accreditation.

As surface waters require different sample preparation to groundwaters the laboratory must be informed of the water type when submitting samples.

Where Mineral Oil or Fats, Oils and Grease is quoted, this refers to Total Aliphatics C10-C40.

### STACK EMISSIONS

Where an MCERTS report has been requested, you will be notified within 48 hours of any samples that have been identified as being outside our MCERTS scope. As validation for Dioxins and Furans and Dioxin like PCBs has been performed on XAD-2 Resin, only samples which use this resin will be within our MCERTS scope.

Where appropriate please make sure that our detection limits are suitable for your needs, if they are not, please notify us immediately.

### DEVIATING SAMPLES

All samples should be submitted to the laboratory in suitable containers with sufficient ice packs to sustain an appropriate temperature for the requested analysis. The temperature of sample receipt is recorded on the confirmation schedules in order that the client can make an informed decision as to whether testing should still be undertaken.

### SURROGATES

Surrogate compounds are added during the preparation process to monitor recovery of analytes. However low recovery in soils is often due to peat, clay or other organic rich matrices. For waters this can be due to oxidants, surfactants, organic rich sediments or remediation fluids. Acceptable limits for most organic methods are 70 - 130% and for VOCs are 50 - 150%. When surrogate recoveries are outside the performance criteria but the associated AQC passes this is assumed to be due to matrix effect. Results are not surrogate corrected.

### DILUTIONS

A dilution suffix indicates a dilution has been performed and the reported result takes this into account. No further calculation is required.

### BLANKS

Where analytes have been found in the blank, the sample will be treated in accordance with our laboratory procedure for dealing with contaminated blanks.



**NOTE**

Data is only reported if the laboratory is confident that the data is a true reflection of the samples analysed. Data is only reported as accredited when the requirements of our Quality System have been met. In certain circumstances where all the requirements of the Quality System have not been met, for instance if the associated AQC has failed, the reason is fully investigated and documented. The sample data is then evaluated alongside the other quality control checks performed during analysis to determine its suitability. Following this evaluation, provided the sample results have not been effected, the data is reported but accreditation is removed. It is a UKAS requirement for data not reported as accredited to be considered indicative only, but this does not mean the data is not valid.

Where possible, and if requested, samples will be re-extracted and a revised report issued with accredited results. Please do not hesitate to contact the laboratory if further details are required of the circumstances which have led to the removal of accreditation.

Laboratory records are kept for a period of no less than 6 years.

**REPORTS FROM THE SOUTH AFRICA LABORATORY**

Any method number not prefixed with SA has been undertaken in our UK laboratory unless reported as subcontracted.

**Measurement Uncertainty**

Measurement uncertainty defines the range of values that could reasonably be attributed to the measured quantity. This range of values has not been included within the reported results. Uncertainty expressed as a percentage can be provided upon request.

**Customer Provided Information**

Sample ID and depth is information provided by the customer.

**ABBREVIATIONS and ACRONYMS USED**

#	ISO17025 (UKAS Ref No. 4225) accredited - UK.
SA	ISO17025 (SANAS Ref No.T0729) accredited - South Africa
B	Indicates analyte found in associated method blank.
DR	Dilution required.
M	MCERTS accredited.
NA	Not applicable
NAD	No Asbestos Detected.
ND	None Detected (usually refers to VOC and/SVOC TICs).
NDP	No Determination Possible
SS	Calibrated against a single substance
SV	Surrogate recovery outside performance criteria. This may be due to a matrix effect.
W	Results expressed on as received basis.
+	AQC failure, accreditation has been removed from this result, if appropriate, see 'Note' on previous page.
>>	Results above calibration range, the result should be considered the minimum value. The actual result could be significantly higher.
*	Analysis subcontracted to an Element Materials Technology approved laboratory.
AD	Samples are dried at 35°C ±5°C
CO	Suspected carry over
LOD/LOR	Limit of Detection (Limit of Reporting) in line with ISO 17025 and MCERTS
ME	Matrix Effect
NFD	No Fibres Detected
BS	AQC Sample
LB	Blank Sample
N	Client Sample
TB	Trip Blank Sample
OC	Outside Calibration Range



## HWOL ACRONYMS AND OPERATORS USED

HS	Headspace Analysis.
EH	Extractable Hydrocarbons - i.e. everything extracted by the solvent.
CU	Clean-up - e.g. by florisil, silica gel.
1D	GC - Single coil gas chromatography.
Total	Aliphatics & Aromatics.
AL	Aliphatics only.
AR	Aromatics only.
2D	GC-GC - Double coil gas chromatography.
#1	EH_Total but with humics mathematically subtracted
#2	EU_Total but with fatty acids mathematically subtracted
_	Operator - underscore to separate acronyms (exception for +).
+	Operator to indicate cumulative e.g. EH+HS_Total or EH_CU+HS_Total
MS	Mass Spectrometry.

EMT Job No: 22/1289

Test Method No.	Description	Prep Method No. (if appropriate)	Description	ISO 17025 (UKAS/S ANAS)	MCERTS (UK soils only)	Analysis done on As Received (AR) or Dried (AD)	Reported on dry weight basis
PM4	Gravimetric measurement of Natural Moisture Content and % Moisture Content at either 35°C or 105°C. Calculation based on ISO 11465:1993(E) and BS1377-2:1990.	PM0	No preparation is required.			AR	
TM4	Modified USEPA 8270D v5:2014 method for the solvent extraction and determination of PAHs by GC-MS.	PM8	End over end extraction of solid samples for organic analysis. The solvent mix varies depending on analysis required.			AR	Yes
TM4	Modified USEPA 8270D v5:2014 method for the solvent extraction and determination of PAHs by GC-MS.	PM8	End over end extraction of solid samples for organic analysis. The solvent mix varies depending on analysis required.	Yes		AR	Yes
TM5	Modified 8015B v2:1996 method for the determination of solvent Extractable Petroleum Hydrocarbons (EPH) within the range C8-C40 by GCFID. For waters the solvent extracts dissolved phase plus a sheen if present.	PM16	Fractionation into aliphatic and aromatic fractions using a Rapid Trace SPE.			AR	
TM5	Modified 8015B v2:1996 method for the determination of solvent Extractable Petroleum Hydrocarbons (EPH) within the range C8-C40 by GCFID. For waters the solvent extracts dissolved phase plus a sheen if present.	PM8/PM16	End over end extraction of solid samples for organic analysis. The solvent mix varies depending on analysis required/Fractionation into aliphatic and aromatic fractions using a Rapid Trace SPE.			AR	Yes
TM5	Modified 8015B v2:1996 method for the determination of solvent Extractable Petroleum Hydrocarbons (EPH) within the range C8-C40 by GCFID. For waters the solvent extracts dissolved phase plus a sheen if present.	PM8/PM16	End over end extraction of solid samples for organic analysis. The solvent mix varies depending on analysis required/Fractionation into aliphatic and aromatic fractions using a Rapid Trace SPE.	Yes		AR	Yes
TM5/TM36	please refer to TM5 and TM36 for method details	PM8/PM12/PM16	please refer to PM8/PM16 and PM12 for method details			AR	Yes
TM17	Modified US EPA method 8270D v5:2014. Determination of specific Polychlorinated Biphenyl congeners by GC-MS.	PM8	End over end extraction of solid samples for organic analysis. The solvent mix varies depending on analysis required.	Yes		AR	Yes
TM20	Modified BS 1377-3:1990/USEPA 160.1/3 (TDS/TS: 1971) Gravimetric determination of Total Dissolved Solids/Total Solids	PM0	No preparation is required.	Yes		AR	Yes
TM21	Modified BS 7755-3:1995, ISO10694:1995 Determination of Total Organic Carbon or Total Carbon by combustion in an Eltra TOC furnace/analyser in the presence of oxygen. The CO2 generated is quantified using infra-red detection. Organic Matter (SOM) calculated as per EA MCERTS Chemical Testing of Soil, March 2012 v4.	PM24	Dried and ground solid samples are washed with hydrochloric acid, then rinsed with deionised water to remove the mineral carbon before TOC analysis.	Yes		AD	Yes

EMT Job No: 22/1289

Test Method No.	Description	Prep Method No. (if appropriate)	Description	ISO 17025 (UKAS/S ANAS)	MCERTS (UK soils only)	Analysis done on As Received (AR) or Dried (AD)	Reported on dry weight basis
TM26	Determination of phenols by Reversed Phased High Performance Liquid Chromatography and Electro-Chemical Detection.	PM0	No preparation is required.			AR	Yes
TM30	Determination of Trace Metals by ICP-OES (Inductively Coupled Plasma – Optical Emission Spectrometry): WATERS by Modified USEPA Method 200.7, Rev. 4.4, 1994; Modified EPA Method 6010B, Rev.2, Dec 1996; Modified BS EN ISO 11885:2009; SOILS by Modified USEP 6010B, Rev.2, Dec.1996; Modified EPA Method 3050B, Rev.2, Dec.1996	PM15	Acid digestion of dried and ground solid samples using Aqua Regia refluxed at 112.5 °C. Samples containing asbestos are not dried and ground.			AD	Yes
TM30	Determination of Trace Metals by ICP-OES (Inductively Coupled Plasma – Optical Emission Spectrometry): WATERS by Modified USEPA Method 200.7, Rev. 4.4, 1994; Modified EPA Method 6010B, Rev.2, Dec 1996; Modified BS EN ISO 11885:2009; SOILS by Modified USEP 6010B, Rev.2, Dec.1996; Modified EPA Method 3050B, Rev.2, Dec.1996	PM15	Acid digestion of dried and ground solid samples using Aqua Regia refluxed at 112.5 °C. Samples containing asbestos are not dried and ground.	Yes		AD	Yes
TM30	Determination of Trace Metals by ICP-OES (Inductively Coupled Plasma – Optical Emission Spectrometry): WATERS by Modified USEPA Method 200.7, Rev. 4.4, 1994; Modified EPA Method 6010B, Rev.2, Dec 1996; Modified BS EN ISO 11885:2009; SOILS by Modified USEP 6010B, Rev.2, Dec.1996; Modified EPA Method 3050B, Rev.2, Dec.1996	PM17	Modified method BS EN12457-2:2002 As received solid samples are leached with water in a 10:1 water to soil ratio for 24 hours, the moisture content of the sample is included in the ratio.	Yes		AR	Yes
TM36	Modified US EPA method 8015B v2:1996. Determination of Gasoline Range Organics (GRO) in the carbon chain range of C4-12 by headspace GC-FID. MTBE by GCFID co-elutes with 3-methylpentane if present and therefore can give a false positive. Positive MTBE results will be re-run using GC-MS to double check, when requested.	PM12	Modified US EPA method 5021A v2:2014. Preparation of solid and liquid samples for GC headspace analysis.			AR	Yes
TM36	Modified US EPA method 8015B v2:1996. Determination of Gasoline Range Organics (GRO) in the carbon chain range of C4-12 by headspace GC-FID. MTBE by GCFID co-elutes with 3-methylpentane if present and therefore can give a false positive. Positive MTBE results will be re-run using GC-MS to double check, when requested.	PM12	Modified US EPA method 5021A v2:2014. Preparation of solid and liquid samples for GC headspace analysis.	Yes		AR	Yes
TM38	Soluble Ion analysis using Discrete Analyser. Modified US EPA methods: Chloride 325.2 (1978), Sulphate 375.4 (Rev.2 1993), o-Phosphate 365.2 (Rev.2 1993), TON 353.1 (Rev.2 1993), Nitrite 354.1 (1971), Hex Cr 7196A (1992), NH4+ 350.1 (Rev.2 1993) – All anions comparable to BS ISO 15923-1: 2013I	PM0	No preparation is required.	Yes		AR	Yes
TM38	Soluble Ion analysis using Discrete Analyser. Modified US EPA methods: Chloride 325.2 (1978), Sulphate 375.4 (Rev.2 1993), o-Phosphate 365.2 (Rev.2 1993), TON 353.1 (Rev.2 1993), Nitrite 354.1 (1971), Hex Cr 7196A (1992), NH4+ 350.1 (Rev.2 1993) – All anions comparable to BS ISO 15923-1: 2013I	PM20	Extraction of dried and ground or as received samples with deionised water in a 2:1 water to solid ratio using a reciprocal shaker for all analytes except hexavalent chromium. Extraction of as received sample using 10:1 ratio of 0.2M sodium hydroxide to soil for hexavalent chromium using a reciprocal shaker.	Yes		AD	Yes
TM38	Soluble Ion analysis using Discrete Analyser. Modified US EPA methods: Chloride 325.2 (1978), Sulphate 375.4 (Rev.2 1993), o-Phosphate 365.2 (Rev.2 1993), TON 353.1 (Rev.2 1993), Nitrite 354.1 (1971), Hex Cr 7196A (1992), NH4+ 350.1 (Rev.2 1993) – All anions comparable to BS ISO 15923-1: 2013I	PM20	Extraction of dried and ground or as received samples with deionised water in a 2:1 water to solid ratio using a reciprocal shaker for all analytes except hexavalent chromium. Extraction of as received sample using 10:1 ratio of 0.2M sodium hydroxide to soil for hexavalent chromium using a reciprocal shaker.	Yes		AR	Yes
TM60	TC/TOC analysis of Waters by High Temperature Combustion followed by NDIR detection. Based on the following modified standard methods: USEPA 9060A (2002), APHA SMEWW 5310B:1999 22nd Edition, ASTM D 7573, and USEPA 415.1.	PM0	No preparation is required.			AR	Yes



EMT Job No: 22/1289

Test Method No.	Description	Prep Method No. (if appropriate)	Description	ISO 17025 (UKAS/S ANAS)	MCERTS (UK soils only)	Analysis done on As Received (AR) or Dried (AD)	Reported on dry weight basis
TM61	Determination of Mercury by Cold Vapour Atomic Fluorescence - WATERS: Modified USEPA Method 245.7, Rev 2, Feb 2005. SOILS: Modified USEPA Method 7471B, Rev.2, Feb 2007	PM0	No preparation is required.	Yes		AR	Yes
TM73	Modified US EPA methods 150.1 (1982) and 9045D Rev. 4 - 2004) and BS1377-3:1990. Determination of pH by Metrohm automated probe analyser.	PM0	No preparation is required.			AR	Yes
TM73	Modified US EPA methods 150.1 (1982) and 9045D Rev. 4 - 2004) and BS1377-3:1990. Determination of pH by Metrohm automated probe analyser.	PM11	Extraction of as received solid samples using one part solid to 2.5 parts deionised water.	Yes		AR	No
TM173	Analysis of fluoride by ISE (Ion Selective Electrode) using modified ISE method 9214 - 340.2 (EPA 1998)	PM0	No preparation is required.			AR	Yes
NONE	No Method Code	NONE	No Method Code			AD	Yes
NONE	No Method Code	PM17	Modified method BS EN12457-2:2002 As received solid samples are leached with water in a 10:1 water to soil ratio for 24 hours, the moisture content of the sample is included in the ratio.			AR	
NONE	No Method Code	PM4	Gravimetric measurement of Natural Moisture Content and % Moisture Content at either 35°C or 105°C. Calculation based on ISO 11465:1993(E) and BS1377-2:1990.			AR	
Subcontracted	See attached subcontractor report for accreditation status and provider.					AR	



**GROUND INVESTIGATIONS IRELAND**  
Geotechnical & Environmental

Catherinstown House,  
Hazelhatch Road,  
Newcastle,  
Co. Dublin,  
D22 YD52

Tel: 01 601 5175 / 5176  
Email: [info@gii.ie](mailto:info@gii.ie)  
Web: [www.gii.ie](http://www.gii.ie)

Ground Investigations Ireland

Takeda

DPS

Waste Classification Report

February 2022





**GROUND INVESTIGATIONS IRELAND**  
Geotechnical & Environmental

Catherinestown House,  
Hazelhatch Road,  
Newcastle,  
Co. Dublin,  
D22 YD52

Tel: 01 601 5175 / 5176  
Email: [info@gii.ie](mailto:info@gii.ie)  
Web: [www.gii.ie](http://www.gii.ie)

## DOCUMENT CONTROL SHEET

Project Title	Takeda
Engineer	DPS
Project No	11310-11-21
Document Title	Waste Classification Report

Rev.	Status	Author(s)	Reviewed By	Approved By	Office of Origin	Issue Date
A	Final	B Sexton	J Cashen	B Sexton	Dublin	24 February 2022

*Ground Investigations Ireland Ltd. present the results of the fieldworks and laboratory testing in accordance with the specification and related documents provided by or on behalf of the client. The possibility of variation in the ground and/or groundwater conditions between or below exploratory locations or due to the investigation techniques employed must be taken into account when this report and the appendices inform designs or decisions where such variation may be considered relevant. Ground and/or groundwater conditions may vary due to seasonal, man-made or other activities not apparent during the fieldworks and no responsibility can be taken for such variation. The data presented and the recommendations included in this report and associated appendices are intended for the use of the client and the client's geotechnical representative only and any duty of care to others is excluded unless approved in writing.*



[www.gii.ie](http://www.gii.ie)





**GROUND INVESTIGATIONS IRELAND**  
Geotechnical & Environmental

Catherinestown House,  
Hazelhatch Road,  
Newcastle,  
Co. Dublin.  
D22 YD52

Tel: 01 601 5175 / 5176  
Email: [info@gii.ie](mailto:info@gii.ie)  
Web: [www.gii.ie](http://www.gii.ie)

## CONTENTS

1.0	Preamble.....	1
2.0	Purpose & Scope.....	1
3.0	Limitations.....	2
4.0	Site Location and Layout.....	2
5.0	Site History.....	2
6.0	Subsurface Exploration .....	3
6.1.	General .....	3
6.2.	Trial Pits.....	3
6.3.	Window Sampling.....	3
6.4.	Surveying .....	3
7.0	Ground Conditions.....	4
7.1.	General .....	4
8.0	Laboratory Analysis .....	5
8.1.	Analysis Suite .....	5
8.2.	Asbestos.....	5
9.0	Waste Classification.....	5
10.0	Conclusions & Recommendations .....	9
10.1.	Conclusions .....	9
10.1.1.	Waste Classification .....	9
10.1.2.	Asbestos .....	9
10.1.3.	Waste Categories .....	9
10.2.	Recommendations .....	9
10.2.1.	Waste Transfer .....	9
10.2.2.	Removal of Waste From Site.....	10
11.0	References .....	11



[www.gii.ie](http://www.gii.ie)



**GROUND INVESTIGATIONS IRELAND**  
Geotechnical & Environmental

Catherinestown House,  
Hazelhatch Road,  
Newcastle,  
Co. Dublin,  
D22 YD52

Tel: 01 601 5175 / 5176  
Email: [info@gii.ie](mailto:info@gii.ie)  
Web: [www.gii.ie](http://www.gii.ie)

## LIST OF TABLES

Table 1 Potential Waste Categories for Disposal/Recovery .....	7
Table 2 Individual Sample Waste Category .....	8

## APPENDICES

Appendix 1	Figures
Appendix 2	Trial Pit Records
Appendix 3	Window Sample Records
Appendix 4	Laboratory Testing
Appendix 5	HazWasteOnLine™ Report
Appendix 6	WAC Data Summary
Appendix 7	Potential Material Outlets



[www.gii.ie](http://www.gii.ie)

## 1.0 Preamble

Ground Investigations Ireland (GII) was appointed by DPS Consulting Engineers to carry out a Waste Classification Assessment for a proposed development in Takeda, Grange castle, Dublin 22.

All site investigation works were carried out under the supervision of a GII Geo-Environmental Engineer. The site investigation works were completed in January 2022.

## 2.0 Purpose & Scope

It is understood that as part of the proposed development there may be an excavation to accommodate foundations, services, pavements and carparking and as such the material which may be excavated and removed from site needs to be assessed in terms of waste disposal outlets. The waste classification was carried in parallel with a wider geotechnical site investigation.

The purpose of the waste classification exercise was as follows.

- Assess the site in terms of historical use; and
- Classification, in terms of waste management and final disposal outlets, of material that may require disposal following excavation during the construction phase.

The scope of the work undertaken to facilitate the waste classification exercise included the following:

- Site walkover;
- Desk study;
- Boring of one (1 No.) window sample borehole;
- Excavation of six (6 No.) trial pits;
- Collection of subsoil samples for chemical analysis;
- Environmental laboratory testing; and
- Waste classification.

The additional scope of the geotechnical investigation included the following:

- Completion of eight (8 No.) dynamic probes;

The geotechnical site investigation is discussed in the GII Ground Investigation Report Dated February 2022.<sup>1</sup>

---

<sup>1</sup> Ground Investigations Ireland, Takeda, Ground Investigation Report, February 2022.



### **3.0 Limitations**

GII has prepared this report for the sole use of DPS. No other warranty, express or implied, is made as to the professional advice included in this report or other services provided by GII.

The conclusions and recommendations contained in this report are based upon information provided by others and the assumption that all relevant information has been provided by those bodies from whom it has been requested. Information obtained from third parties has not been independently verified by GII, unless otherwise stated in this report.

This report has been prepared in line with best industry standards and within the project's budgetary and time constraints. The methodology adopted and the sources of information used by GII in providing its services are outlined in this report.

The work described was undertaken in January 2022, this report is based on the conditions encountered and the information available during that period. The scope of this Report and the services are accordingly factually limited by these circumstances.

GII disclaim any undertaking or obligation to advise any person of any change in any matter affecting the Report, which may come or be brought to GII's attention after the date of the Report.

The conclusions presented in this report represent GII's best professional judgement based on review of site conditions observed during any site visit and the relevant information available at the time of writing. The opinions and conclusions presented are valid only to the extent that the information provided was accurate and complete.

The investigation was focused on a broad assessment of the subsoil quality across the site. The assessment did not extend to the identification of asbestos containing materials associated with any on-site structures, ground gases or groundwater.

The waste classification exercise is reflective of and applicable to the ground conditions on site at the time of the site investigation and sampling. Alterations to the ground conditions or any further excavations carried out on site following the investigation are not reflected in this report.

### **4.0 Site Location and Layout**

The site is located at the Takeda Pharmaceutical Facility at Grange Castle International Business Park, New Nangor Rad, Grange, Dublin 22 (Figure 1 – Appendix 1). The study area within the Takeda site was a raised area of land which appeared to have been infilled with made ground deposits possibly resulting from local excavations from previous development on site.

### **5.0 Site History**

GII reviewed the aerial photographs and historical maps maintained by the Ordnance Survey of Ireland (OSI) and the google imagery records. These included the 6-inch maps that were produced between 1829

and 1842, the 25-inch maps that were produced between 1888 and 1913 and the 6-inch Cassini Maps that were produced between the 1830's and 1930's. The site is undeveloped on all historical maps reviewed. Based on a review of the OSI and Google Imagery aerial photograph records the site had been greenfield until the development of the Takeda site either in 2004 or 2005.

## **6.0 Subsurface Exploration**

### **6.1. General**

During the ground investigation a programme of intrusive investigation specified by the Consulting Engineer was undertaken to determine the sub surface conditions at the proposed site. Regular sampling and in-situ testing was undertaken in the exploratory holes to facilitate the geotechnical descriptions and to enable laboratory testing to be carried out on the soil samples recovered during excavation and drilling.

The procedures used in this site investigation are in accordance with Eurocode 7 Part 2: Ground Investigation and testing (ISEN 1997 – 2:2007) and B.S. 5930:2015.

### **6.2. Trial Pits**

The trial pits were excavated using a JCB 3CX excavator at the locations shown in Figure 5. The locations were checked using a CAT scan to minimise the potential for encountering services during the excavation. The trial pits were sampled, logged and photographed by a Geotechnical Engineer/Engineering Geologist prior to backfilling with arisings. Notes were made of any services, inclusions, pit stability, groundwater encountered and the characteristics of the strata encountered and are presented on the trial pit logs which are provided in Appendix 2 of this Report.

### **6.3. Window Sampling**

The window sampling was carried out at the locations shown in Figure 5 using a Tecop Tec 10 percussion drilling rig. The window sampling consists of a 1m long steel tube with a cutting edge and an internal plastic liner which is mechanically driven into the ground utilising a 50kg weight falling a height of 500mm. Upon completion of the 1m sample, the tube is withdrawn and the plastic liner removed and sealed for logging and sub sampling by a Geotechnical Engineer/Engineering Geologist. The tube is replaced in the borehole and a subsequent 1m sample can be recovered. Occasionally outer casing or a reduced diameter tube is utilised to enable the window sample to progress in difficult drilling conditions. Geotechnical or environmental soil samples can be recovered from each of the liners following logging. The window sample records are provided in Appendix 3 of this Report.

### **6.4. Surveying**

The exploratory hole locations have been recorded using a KQGeo M8 GNSS System which records the coordinates and elevation of the locations to ITM or Irish National Grid as required by the project



specification. The coordinates and elevations are provided on the exploratory hole logs in the appendices of this Report.

## 7.0 Ground Conditions

### 7.1. General

The ground conditions encountered during the investigation are summarised below with reference to insitu and laboratory test results. The full details of the strata encountered during the ground investigation are provided in the exploratory hole logs included in the appendices of this report. For full geotechnical descriptions of the ground conditions refer to the geotechnical site investigation report referenced in Section 2.0.

The sequence of strata encountered was consistent across the site and generally comprised;

- Topsoil
- Made Ground
- Cohesive Deposits
- Granular Deposits
- Possible Bedrock

**TOPSOIL:** Topsoil was encountered in all the exploratory holes and was present to a consistent depth of 0.10m BGL.

**MADE GROUND:** Made Ground deposits were encountered beneath the Topsoil and were present to a depth of between 0.80m and 2.40m BGL. These deposits were described generally as *slightly sandy slightly gravelly Clay with cobbles and boulders* and varying percentages of anthropogenic material including *cobbles and rare fragments of plastic, pipe, brick, concrete, timber and rags*. Made Ground deposits were encountered at several locations which were free of any anthropogenic material.

**COHESIVE DEPOSITS:** Cohesive deposits were encountered beneath the Made Ground and were described typically as *brownish grey slightly sandy slightly gravelly CLAY with some subangular to subrounded cobbles and boulders*. The secondary sand and gravel constituents varied across the site and with depth, with granular lenses occasionally present in the glacial till matrix. These deposits had some, occasional or frequent cobble and boulder content, where noted on the exploratory hole logs.

**GRANULAR DEPOSITS:** Granular deposits were encountered at the base of the made ground deposits are one location, TP-06 at a depth of 2.00m to 2.20m BGL. The deposits and were described as *black slightly sandy subangular fine to coarse GRAVEL*.



**POSSIBLE BEDROCK:** Refusal in several of the trial pits and the dynamic probes has been interpreted as possible bedrock or boulders.

## 8.0 Laboratory Analysis

### 8.1. Analysis Suite

In order to assess materials, which may be excavated and removed from site, in terms of waste classification, a selection of samples collected were analysed for a suite of parameters which allows for the assessment of the soils in terms of total pollutant content for classification of materials as *hazardous* or *non-hazardous* (RILTA Suite). The suite also allows for the assessment of the soils in terms of suitability for placement at various categories of landfill. The parameter list for the RILTA suite includes analysis of the solid samples for arsenic, barium, cadmium, chromium, copper, cyanide, lead, nickel, mercury, zinc, speciated aliphatic and aromatic petroleum hydrocarbons, pH, sulphate, sulphide, moisture content, soil organic matter and an asbestos screen.

The RILTA suite also includes those parameters specified in the EU Council Decision establishing criteria for the acceptance of waste at Landfills (Council Decision 2003/33/EC), which for the solid samples are pH, total organic carbon (TOC), speciated aliphatic and aromatic petroleum hydrocarbons, BTEX, phenol, polychlorinated biphenyls (PCB) and PAH.

In line with the requirement of Council Decision 2003/33/EC a leachate was generated from the solid samples which was in turn analysed for antimony, arsenic, barium, cadmium, chromium, copper, lead, mercury, molybdenum, nickel, selenium, zinc, chloride, fluoride, soluble sulphate, sulphide, phenols, dissolved organic carbon (DOC) and total dissolved solids (TDS). The suite was selected due to the unknown origin of the material underlying the site and no evidence of specific contaminants of concern highlighted in the site history.

The laboratory testing was completed by Element Materials Technology (EMT) in the UK; EMT is a UKAS accredited laboratory. The full laboratory reports are included in Appendix 4.

### 8.2. Asbestos

Asbestos fibres were not detected in the samples. The laboratory did not identify asbestos containing materials (ACMs) in the samples.

## 9.0 Waste Classification

GII understands that any materials which may be excavated and removed from site would meet the definition of waste under the Waste Framework Directive. Due to the varying levels of anthropogenic

materials encountered in the made ground there are potentially two sets of List of Waste (LoW)<sup>2</sup> codes with “mirror” entries which may be applied to excavated materials to be removed from site.

1. 17-05-03\* (soil and stone containing dangerous substances, classified as hazardous) or 17-05-04 (soil and stone other than those mentioned in 17-05-03, not hazardous); or
2. 17-09-03\* (other construction and demolition wastes (including mixed wastes) containing hazardous substances) or 17-09-04 (mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03).

Where waste is a mirror entry in the LoW, it can be classified via a process of analysis against standard criteria set out in the Waste Framework Directive. The assessment process is described in detail in guidance published by the Irish (EPA Waste Classification, List of Waste & Determining if Waste is Hazardous or Non-Hazardous, June 2015) and UK regulatory authorities (Guidance on the Classification and Assessment of Waste: Technical Guidance WM3, 2015). The assessment involves comparison of the concentration of various parameters against defined threshold values.

The specific LoW code which should be applied to the material at each sample location is summarised in Table 2 below. These codes are only applicable where the material is being removed from a site as a waste.

GII use HazWasteOnline™, a web-based commercial waste classification software tool which assists in the classification of potentially hazardous materials. This tool was used to determine whether the materials sampled are classified as hazardous or non-hazardous. The use of the online tool is accepted by the EPA (EPA 2014).

The conclusions presented in the report are based on GII’s professional opinion. **It should be noted that the environmental regulator (in this case the EPA) and the waste acceptor (in this case a landfill operator) shall decide whether a waste is hazardous or non-hazardous and suitable for disposal at their facility.**

### 9.1. HazWasteOnLine™ Results

In total, fourteen (14 No.) samples were assessed using the HazWasteOnLine™ Tool. All samples were classified as being non-hazardous. The complete HazWasteOnLine™ report for all samples is included in Appendix 5. The specific LoW code which should be applied to the material at each SI location is summarised in Table 2 below. The assigning of the LoW code is based on observations recorded in the window samples and trial, an estimation of the % of anthropogenic material present and the results of the HazWasteOnline™ output. The final LoW codes applied at the time of disposal may vary due to variations in % of anthropogenic material observed in the excavation phase. Where there is in excess of 2%<sup>3</sup> anthropogenic material observed the LoW code 17 09 04 may be applied.

<sup>2</sup> Formerly European Waste Catalogue Codes (EWC Codes)

<sup>3</sup> EPA (2020) - Guidance on Waste Acceptance Criteria at Authorised Soil Recovery Facilities.



## 9.2. Landfill Waste Acceptance Criteria

Waste Acceptance Criteria (WAC) have been agreed by the EU (Council Decision 2003/33/EC) and are only applicable to material if it is to be disposed of as a waste at a landfill facility. Each individual member state and licensed operators of landfills may apply more stringent WAC. WAC limits and the associated laboratory analysis are not suitable for use in the determination of whether a waste is hazardous or non-hazardous. The data have been compared to the WAC limits set out in Council Decision 2003/33/EC as well as the specific WAC which the EPA have applied to the Integrated Materials Solutions (IMS) Landfill in north County Dublin. The IMS landfill has higher limits for a range of parameters while still operating under an inert landfill licence. The WAC data considered in combination with the waste classification outlined in Section 9.0 allows the most suitable waste category to be applied to the material tested. The potentially applicable waste categories are summarised in Table 1. A summary of the WAC data is presented in Appendix 6. The waste category assigned to each sample is summarised in Table 2. All material samples satisfied the inert landfill criteria.

**Table 1 Potential Waste Categories for Disposal/Recovery**

Waste Category	Classification Criteria
Category A Unlined Soil Recovery Facilities	Soil and Stone only which are free from <sup>4</sup> anthropogenic materials such as concrete, brick, timber. Soil must be free from "contamination" e.g. PAHs, Hydrocarbons <sup>5</sup> .
Category B1 Inert Landfill	Reported concentrations within inert waste limits, which are set out by the adopted EU Council Decision 2003/33/EC establishing criteria and procedures for the acceptance of waste at landfills pursuant to Article 16 and Annex II of Directive 1999/31/EC (2002). Results also found to be non-hazardous using the HWOL <sup>6</sup> application.
Category B2 Inert Landfill	Reported concentrations greater than Category B1 criteria but less than IMS Hollywood Landfill acceptance criteria, as set out in their Waste Licence W0129-02. Results also found to be non-hazardous using the HWOL application.
Category C Non-Haz Landfill	Reported concentrations greater than Category B2 criteria but within non-haz landfill waste acceptance limits set out by the adopted EU Council Decision 2003/33/EC establishing criteria and procedures for the acceptance of waste at landfills pursuant to Article 16 and Annex II of Directive 1999/31/EC (2002). Results also found to be non-hazardous using the HWOL application.
Category C 1 Non-Haz Landfill	As Category C but containing < 0.001% w/w asbestos fibres.

<sup>4</sup> Free from equates to less than 2%.

<sup>5</sup> Total BTEX 0.05mg/kg, Mineral Oil 50mg/kg, Total PAHs 1mg/kg, Total PCBs 0.05mg/kg and Asbestos No Asbestos Detected – EPA Guidance on Waste Acceptance Criteria at Authorised Soil Recovery Facilities, 2020.

<sup>6</sup> HazWasteOnLine™ Tool.



Waste Category	Classification Criteria
Category C 2 Non-Haz Landfill	As Category C but containing >0.001% and <0.01% w/w asbestos fibres
Category C 3 Non-Haz Landfill	As Category C but containing >0.01% and <0.1% w/w asbestos fibres.
Category D Hazardous Treatment	Results found to be hazardous using HWOL Application.
Category D 1 Hazardous Disposal	Results found to be hazardous due to the presence of asbestos (>0.1%).

### 9.3. Final Waste Categorisation

All samples were assessed in terms of waste classification using the HazWasteOnLine™ tool and also the WAC set out in Council Decision 2003/33/EC and the IMS specific WAC to give a final waste categorisation to determine the most appropriate disposal route for any waste generated. The final and most applicable waste category for each sample is summarised in Table 4 and Figures 6 and 7. With the exception of the made ground deposits encountered at TP-06 all material sampled satisfied the Category A criteria. The material at TP-06 was classified as Category B1 due to the level of anthropogenic material encountered during excavation. If these anthropogenic materials are removed from the soil matrix, then the soil may be considered to comply with the Category A criteria.

**Table 2 Individual Sample Waste Category**

Sample ID	Sample Depth (m)	Material Type	Sample Date	LoW Code	Waste Category
TP01	0.10-1.00	Made Ground	25/01/2022	17 05 04	Category A
TP01	1.00-2.00	Made Ground	25/01/2022	17 05 04	Category A
TP02	0.10-1.00	Made Ground	25/01/2022	17 05 04	Category A
TP02	1.00-2.00	Made Ground	25/01/2022	17 05 04	Category A
TP02	2.50	Clay	25/01/2022	17 05 04	Category A
TP03	0.10-1.00	Made Ground	25/01/2022	17 05 04	Category A
TP03	2.00	Clay	25/01/2022	17 05 04	Category A
TP04	0.10-1.00	Made Ground	25/01/2022	17 05 04	Category A
TP04	1.40	Clay	25/01/2022	17 05 04	Category A
TP05	0.00-1.00	Made Ground	25/01/2022	17 05 04	Category A
TP05	1.00-2.00	Made Ground	25/01/2022	17 05 04	Category A
TP06	0.10-1.00	Made Ground	25/01/2022	17 05 04	Category B1
TP06	1.00-2.00	Made Ground	25/01/2022	17 05 04	Category B1
WS01	3.00	Clay	25/01/2022	17 05 04	Category A

## 10.0 Conclusions & Recommendations

The conclusions and recommendations given and opinions expressed in this report are based on the findings of the site investigation works and laboratory testing undertaken. Where any opinion is expressed on the classification of material between site investigation locations, this is for guidance only and no liability can be accepted for its accuracy. No responsibility can be accepted for conditions which have not been revealed by the findings at the site investigation locations.

### 10.1. Conclusions

#### 10.1.1. Waste Classification

Based on the results of the HazWasteOnLine™ tool the material sampled across the site if being considered a waste can be classified as non-hazardous.

#### 10.1.2. Asbestos

Asbestos was **not** detected in the soil samples.

#### 10.1.3. Waste Categories

The most applicable waste categories for each of the samples if being considered a waste have been presented in Table 2.

### 10.2. Recommendations

#### 10.2.1. Waste Transfer

In the event that material is excavated for removal from site, any firm engaged to transport waste material from site and the operator of any waste facility that will accept subsoils excavated from this site should be furnished with, at a minimum, copies of the **full unabridged** laboratory reports and HazWasteOnLine™ report for all samples presented in this report.

The material on site if excavated should be removed to the most appropriate facility under the waste categories and LoW codes identified in Table 2 and Figures 6 and 7. Potential outlets for the various waste categories are presented in Appendix 7, this list is not exhaustive and applicable at the time of the writing this report.



The non-hazardous material across the site if excavated should be removed from site to an appropriate facility under either the LoW codes 17 05 04 or 17 09 04. Where during excavation there is noted to be in excess of 2% anthropogenic material the appropriate LoW code which should be applied is 17 09 04.

### 10.2.2. Removal of Waste from Site

Prior to the transfer of material from the site for export or to a specific waste permitted/licensed site, the appropriate waste classification data should be submitted to the permit/licence holder to confirm the suitability of the material in writing for the transfer to their facility.

In order to control off-site soil movements and undertaken appropriate waste disposal/recovery, a comprehensive docketing system should be detailed in the site construction waste management plan and implemented on the site. A daily record (including preparing and reconciling waste transfer notes) of soil excavation at the site should be maintained by the appointed contractor. The documentation to be maintained in relation to soil wastes includes the following:

- The names of the agent(s) and the transporter(s) of the wastes;
- The name(s) of the person(s) responsible for the ultimate recovery or disposal of the wastes;
- The ultimate destination(s) of the wastes;
- Written confirmation of the acceptance and recovery or disposal of any hazardous waste consignments;
- The tonnages and LOW (List of Waste) Code for the waste soil materials;
- Details of each individual consignment dispatched from site:
  - Description of waste (source description, stockpile number or type and origin of soil);
  - Date and time of dispatch from site;
  - Name of haulage company;
  - Details of Contractor and Haulier docket numbers;
  - Vehicle registration number and driver name;
  - Volume/weight of waste removed;
  - Name of waste receiving facility;
  - Date and time of arrival at waste receiving facility.
- Details of any rejected consignments;
- The Waste Transfer Forms for hazardous soil wastes transferred from the site (stamped at receiving facility);
- The Trans-frontier Shipment of Waste forms for hazardous soil wastes transferred abroad; and
- The results of any analysis conducted on excavated soil.

It is recommended that waste transfer notes are issued in triplicate. On dispatch, the note should be signed by the issuing operative and one copy retained at the site office. The remaining two copies should accompany the load and signed or stamped by the receiving facility. One of these signed copies should be returned to the site office for reconciliation. It is noted that a suitably licensed hauler should be appointed to transfer waste soil from site.



## 11.0 References

Environment Agency (2013). *Waste Sampling and Testing for Disposal to Landfill*.

Environment Agency (2015). *Technical Guidance WM3 - Guidance on the classification and assessment of waste (1st edition 2015) Technical Guidance WM3*.

Environmental Protection Agency (EPA) (2014). Letter to Licences *Re: Waste Classification & Haz Waste On-Line™*.

Environmental Protection Agency (EPA) (2015). *Waste Classification List of Waste & Determining if Waste is Hazardous or Non-hazardous*.

Environmental Protection Agency (EPA) (2020). *Guidance on Waste Acceptance Criteria at Authorised Soil Recovery Facilities*.

Environmental Protection Agency (EPA) (June 2019). *Guidance on Soil and Stone By-products in the context of article 27 of the European Communities (Waste Directive) Regulations 2011 Version 3*.

Association of Geotechnical and Geoenvironmental Specialists (2019). *Waste Classification for Soils – A Practitioners Guide*.

# APPENDIX 1 - Figures



[www.gii.ie](http://www.gii.ie)





732300N  
732150N  
732000N  
731850N  
731700N

702750E 702900E 703050E 703200E 703350E

702000E 705000E 708000E

702750E 702900E 703050E 703200E 703350E

- Site Location
- Indicative Site Boundary

**Client:**



**Project Code:**  
11310-11-21


**Project Title:**  
Takeda

**Drawing Title:**  
Figure 1 Site Location



**GROUND INVESTIGATIONS IRELAND**  
Geotechnical & Environmental


Ground Investigations Ireland Ltd.  
Catherinstown House,  
Hazelhatch Road,  
Newcastle, Co. Dublin  
www.gii.ie 01-6015175/5176




**Drawn By:**  
BS

**Date:**  
15-02-2022





 Indicative Site Location

Client:



Project Code:

11310-11-21

Project Title:

Takeda

Drawing Title:

Figure 2 OSI 6-Inch Map




**GROUND INVESTIGATIONS IRELAND**  
Geotechnical & Environmental

Ground Investigations Ireland Ltd.  
Catherinstown House,  
Hazelhatch Road,  
Newcastle, Co. Dublin  
www.gii.ie 01-6015175/5176

Drawn By:  
BS

Date:  
15-07-2022



 Indicative Site Location

**Client:**



**Project Code:**

11310-11-21

**Project Title:**

Takeda

**Drawing Title:**

Figure 3 OSI 25-Inch Map




**GROUND INVESTIGATIONS IRELAND**  
Geotechnical & Environmental

Ground Investigations Ireland Ltd.  
Catherinstown House,  
Hazelhatch Road,  
Newcastle, Co. Dublin  
www.gii.ie 01-6015175/5176

**Drawn By:**  
BS

**Date:**  
15-02-2022





 Indicative Site Location

Client:



Project Code:

11310-11-21

Project Title:

Takeda

Drawing Title:

Figure 4 OSI Cassini Map



**GROUND INVESTIGATIONS IRELAND**  
Geotechnical & Environmental

Ground Investigations Ireland Ltd.  
Catherinstown House,  
Hazelhatch Road,  
Newcastle, Co. Dublin  
www.gii.ie 01-6015175/5176

Drawn By:  
BS

Date:  
15-07-2022





- Indicative Site Boundary
- + Dynamic Probe and Trial Pit



**Client:**



**Project Code:**

11310-11-21

**Project Title:**

Takeda

**Drawing Title:**

Figure 5 Dynamic Probe and Trial Pit Locations



GROUND INVESTIGATIONS IRELAND  
Geotechnical & Environmental

Ground Investigations Ireland Ltd.  
Catherinstown House,  
Hazelhatch Road,  
Newcastle, Co. Dublin  
www.gii.ie 01-6015175/5176



**Drawn By:**  
BS

**Date:**  
15-02-2022

732000N  
731960N  
731920N

703040E 703080E 703120E 703160E



703040E

703080E

703120E

703160E

732000N

731960N


731920N

703040E

703080E

703120E

703160E



-  Indicative Site Boundary
-  Dynamic Probe and Trial Pit
-  Category A
-  Category B1

Client:



Project Code:  
11310-11-21

Project Title:  
Takeda

Drawing Title:  
Figure 6 Made Ground Deposits  
Waste Categories



GROUND INVESTIGATIONS IRELAND  
Geotechnical & Environmental


Ground Investigations Ireland Ltd.  
Catherinstown House,  
Hazelhatch Road,  
Newcastle, Co. Dublin  
www.gii.ie 01-6015175/5176




0 5 10 15 20 25 m

Drawn By:  
BS

11/02/2022





-  Indicative Site Boundary
-  Dynamic Probe and Trial Pit
-  Category A

**Client:**



**Project Code:**

11310-11-21

**Project Title:**

Takeda


**Drawing Title:**

Figure 7 Natural Ground Deposits Waste Categories



GROUND INVESTIGATIONS IRELAND  
Geotechnical & Environmental

Ground Investigations Ireland Ltd.  
Catherinstown House,  
Hazelhatch Road,  
Newcastle, Co. Dublin  
www.gii.ie 01-6015175/5176



**Drawn By:**  
BS

**Date:**  
17-02-2022

732000N  
731960N  
731920N

703040E 703080E 703120E 703160E

703040E 703080E 703120E 703160E





**APPENDIX 2 (Trial Pit Records), APPENDIX 3 (Window Sampling Records) and APPENDIX 4 (Laboratory Testing) of the Waste Classification Report are already included as part of the Site Investigation Report. (They have not been included again here to avoid unnecessary duplication of information)**





# APPENDIX 5 – HazWasteOnLine™ Report



[www.gii.ie](http://www.gii.ie)



## Waste Classification Report

HazWasteOnline™ classifies waste as either **hazardous** or **non-hazardous** based on its chemical composition, related legislation and the rules and data defined in the current UK or EU technical guidance (Appendix C) (note that HP 9 Infectious is not assessed). It is the responsibility of the classifier named below to:

- understand the origin of the waste
- select the correct List of Waste code(s)
- confirm that the list of determinands, results and sampling plan are fit for purpose
- select and justify the chosen metal species (Appendix B)
- correctly apply moisture correction and other available corrections
- add the meta data for their user-defined substances (Appendix A)
- check that the classification engine is suitable with respect to the national destination of the waste (Appendix C)



WA9DN-ZZ9CP-6PE0N

To aid the reviewer, the laboratory results, assumptions and justifications managed by the classifier are highlighted in pale yellow.

### Job name

Takeda

### Description/Comments

### Project

11310-11-21

### Site

Takeda

### Classified by

Name:

Barry Sexton

Date:

15 Feb 2022 10:39 GMT

Telephone:

353 (01) 601 5175 / 5176

Company:

Ground Investigations Ireland Ltd

Catherinstown House, Hazelhatch Road,

Newcastle, Co. Dublin.

HazWasteOnline™ provides a two day, hazardous waste classification course that covers the use of the software and both basic and advanced waste classification techniques. Certification has to be renewed every 3 years.

**HazWasteOnline™ Certification:**

**CERTIFIED**

**Course**

Hazardous Waste Classification

Most recent 3 year Refresher

**Date**

10 Apr 2019

19 Apr 2022 \*

Next 3 year Refresher due by Apr 2022  
\* training course booked

### Job summary

#	Sample name	Depth [m]	Classification Result	Hazard properties	Page
1	TP01-25/01/2022-0.10-1.00m		Non Hazardous		3
2	TP01-25/01/2022-1.00-2.00m		Non Hazardous		5
3	TP02-25/01/2022-0.10-1.00m		Non Hazardous		8
4	TP02-25/01/2022-1.00-2.00m		Non Hazardous		10
5	TP02-25/01/2022-2.50m		Non Hazardous		12
6	TP03-25/01/2022-0.10-1.00m		Non Hazardous		14
7	TP03-25/01/2022-2.00m		Non Hazardous		16
8	TP04-25/01/2022-0.10-1.00m		Non Hazardous		18
9	TP04-25/01/2022-1.40m		Non Hazardous		20
10	TP05-25/01/2022-0.00-1.00m		Non Hazardous		22
11	TP05-25/01/2022-1.00-2.00m		Non Hazardous		24
12	TP06-25/01/2022-0.10-1.00m		Non Hazardous		27
13	TP06-25/01/2022-1.00-2.00m		Non Hazardous		30
14	WS01-25/01/2022-3.00m		Non Hazardous		32

### Related documents

#	Name	Description
1	Takeda.HWOL	.hwol file used to create the Job
2	Example waste stream template for contaminated soils	waste stream template used to create this Job

### Report

Created by: Barry Sexton

Created date: 15 Feb 2022 10:39 GMT

Appendices	Page
Appendix A: Classifier defined and non EU CLP determinands	35
Appendix B: Rationale for selection of metal species	36





**GROUND INVESTIGATIONS IRELAND**  
Geotechnical & Environmental

**HazWasteOnline™**


Report created by Barry Sexton on 15 Feb 2022

---

Appendices	Page
Appendix C: Version	37

---

Classification of sample: TP01-25/01/2022-0.10-1.00m

 **Non Hazardous Waste**  
Classified as **17 05 04**  
in the List of Waste

### Sample details

Sample name:	LoW Code:
<b>TP01-25/01/2022-0.10-1.00m</b>	Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Moisture content:	Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)
<b>10.3%</b> (wet weight correction)	

### Hazard properties

None identified

### Determinands

Moisture content: 10.3% Wet Weight Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	antimony { antimony trioxide }				2	mg/kg	1.197	2.148	mg/kg	0.000215 %	✓	
	051-005-00-X	215-175-0	1309-64-4									
2	arsenic { arsenic trioxide }				34.8	mg/kg	1.32	41.215	mg/kg	0.00412 %	✓	
	033-003-00-0	215-481-4	1327-53-3									
3	cadmium { cadmium oxide }				0.9	mg/kg	1.142	0.922	mg/kg	0.0000922 %	✓	
	048-002-00-0	215-146-2	1306-19-0									
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }				68.5	mg/kg	1.462	89.805	mg/kg	0.00898 %	✓	
		215-160-9	1308-38-9									
5	chromium in chromium(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<0.3	mg/kg	2.27	<0.681	mg/kg	<0.0000681 %		<LOD
	024-017-00-8											
6	copper { dicopper oxide; copper (I) oxide }				32	mg/kg	1.126	32.317	mg/kg	0.00323 %	✓	
	029-002-00-X	215-270-7	1317-39-1									
7	lead { lead chromate }			1	20	mg/kg	1.56	27.983	mg/kg	0.00179 %	✓	
	082-004-00-2	231-846-0	7758-97-6									
8	mercury { mercury dichloride }				<0.1	mg/kg	1.353	<0.135	mg/kg	<0.0000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7									
9	molybdenum { molybdenum(VI) oxide }				3.3	mg/kg	1.5	4.441	mg/kg	0.000444 %	✓	
	042-001-00-9	215-204-7	1313-27-5									
10	nickel { nickel chromate }				36.2	mg/kg	2.976	96.643	mg/kg	0.00966 %	✓	
	028-035-00-7	238-766-5	14721-18-7									
11	selenium { nickel selenate }				<1	mg/kg	2.554	<2.554	mg/kg	<0.000255 %		<LOD
	028-031-00-5	239-125-2	15060-62-5									
12	zinc { zinc chromate }				102	mg/kg	2.774	253.818	mg/kg	0.0254 %	✓	
	024-007-00-3	236-878-9	13530-65-9									
13	TPH (C6 to C40) petroleum group				<52	mg/kg		<52	mg/kg	<0.0052 %		<LOD
			TPH									
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	603-181-00-X	216-653-1	1634-04-4									
15	benzene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-020-00-8	200-753-7	71-43-2									
16	toluene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-021-00-3	203-625-9	108-88-3									






#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number								
17	ethylbenzene 601-023-00-4	202-849-4	100-41-4		<0.005 mg/kg		<0.005 mg/kg	<0.0000005 %			<LOD
18	xylene 601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]		<0.01 mg/kg		<0.01 mg/kg	<0.000001 %			<LOD
19	pH		PH		7.98 pH		7.98 pH	7.98 pH			
20	naphthalene 601-052-00-2	202-049-5	91-20-3		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
21	acenaphthylene 205-917-1	208-96-8			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
22	acenaphthene 201-469-6	83-32-9			<0.05 mg/kg		<0.05 mg/kg	<0.000005 %			<LOD
23	fluorene 201-695-5	86-73-7			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
24	phenanthrene 201-581-5	85-01-8			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
25	anthracene 204-371-1	120-12-7			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
26	fluoranthene 205-912-4	206-44-0			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
27	pyrene 204-927-3	129-00-0			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
28	benzo[a]anthracene 601-033-00-9	200-280-6	56-55-3		<0.06 mg/kg		<0.06 mg/kg	<0.000006 %			<LOD
29	chrysene 601-048-00-0	205-923-4	218-01-9		<0.02 mg/kg		<0.02 mg/kg	<0.000002 %			<LOD
30	benzo[b]fluoranthene 601-034-00-4	205-911-9	205-99-2		<0.05 mg/kg		<0.05 mg/kg	<0.000005 %			<LOD
31	benzo[k]fluoranthene 601-036-00-5	205-916-6	207-08-9		<0.02 mg/kg		<0.02 mg/kg	<0.000002 %			<LOD
32	benzo[a]pyrene; benzo[def]chrysene 601-032-00-3	200-028-5	50-32-8		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
33	indeno[123-cd]pyrene 205-893-2	193-39-5			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
34	dibenz[a,h]anthracene 601-041-00-2	200-181-8	53-70-3		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
35	benzo[ghi]perylene 205-883-8	191-24-2			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
36	polychlorobiphenyls; PCB 602-039-00-4	215-648-1	1336-36-3		<0.035 mg/kg		<0.035 mg/kg	<0.0000035 %			<LOD
37	barium ( barium oxide ) 215-127-9	1304-28-5			100 mg/kg	1.117	100.151 mg/kg	0.01 %	✓		
38	coronene 205-881-7	191-07-1			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
39	benzo[j]fluoranthene 601-035-00-X	205-910-3	205-82-3		<1 mg/kg		<1 mg/kg	<0.0001 %			<LOD
Total:									0.0696 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- Determinand defined or amended by HazWasteOnline (see Appendix A)
- ⚡ Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD** Below limit of detection
- ND** Not detected
- CLP: Note 1 Only the metal concentration has been used for classification



**Classification of sample: TP01-25/01/2022-1.00-2.00m**

 **Non Hazardous Waste**  
Classified as **17 05 04**  
in the List of Waste

**Sample details**

Sample name:	LoW Code:	
<b>TP01-25/01/2022-1.00-2.00m</b>	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Moisture content:	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)
<b>13.2%</b> (wet weight correction)		

**Hazard properties**

None identified

**Determinands**

Moisture content: 13.2% Wet Weight Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	antimony { antimony trioxide }				2	mg/kg	1.197	2.078	mg/kg	0.000208 %	✓	
	051-005-00-X	215-175-0	1309-64-4									
2	arsenic { arsenic trioxide }				9.4	mg/kg	1.32	10.773	mg/kg	0.00108 %	✓	
	033-003-00-0	215-481-4	1327-53-3									
3	cadmium { cadmium oxide }				1.2	mg/kg	1.142	1.19	mg/kg	0.000119 %	✓	
	048-002-00-0	215-146-2	1306-19-0									
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }				42.2	mg/kg	1.462	53.536	mg/kg	0.00535 %	✓	
		215-160-9	1308-38-9									
5	chromium in chromium(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<0.3	mg/kg	2.27	<0.681	mg/kg	<0.0000681 %		<LOD
	024-017-00-8											
6	copper { dicopper oxide; copper (I) oxide }				29	mg/kg	1.126	28.341	mg/kg	0.00283 %	✓	
	029-002-00-X	215-270-7	1317-39-1									
7	lead { lead chromate }			1	13	mg/kg	1.56	17.601	mg/kg	0.00113 %	✓	
	082-004-00-2	231-846-0	7758-97-6									
8	mercury { mercury dichloride }				<0.1	mg/kg	1.353	<0.135	mg/kg	<0.0000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7									
9	molybdenum { molybdenum(VI) oxide }				3.1	mg/kg	1.5	4.037	mg/kg	0.000404 %	✓	
	042-001-00-9	215-204-7	1313-27-5									
10	nickel { nickel chromate }				40.4	mg/kg	2.976	104.369	mg/kg	0.0104 %	✓	
	028-035-00-7	238-766-5	14721-18-7									
11	selenium { nickel selenate }				<1	mg/kg	2.554	<2.554	mg/kg	<0.000255 %		<LOD
	028-031-00-5	239-125-2	15060-62-5									
12	zinc { zinc chromate }				66	mg/kg	2.774	158.925	mg/kg	0.0159 %	✓	
	024-007-00-3	236-878-9	13530-65-9									
13	TPH (C6 to C40) petroleum group				<52	mg/kg		<52	mg/kg	<0.0052 %		<LOD
			TPH									
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	603-181-00-X	216-653-1	1634-04-4									
15	benzene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-020-00-8	200-753-7	71-43-2									
16	toluene				0.022	mg/kg		0.0191	mg/kg	0.00000191 %	✓	
	601-021-00-3	203-625-9	108-88-3									



#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
17	ethylbenzene 601-023-00-4	202-849-4	100-41-4		<0.005 mg/kg		<0.005 mg/kg	<0.0000005 %		<LOD
18	xylene 601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]		<0.01 mg/kg		<0.01 mg/kg	<0.000001 %		<LOD
19	pH		PH		7.88 pH		7.88 pH	7.88 pH		
20	naphthalene 601-052-00-2	202-049-5	91-20-3		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
21	acenaphthylene 205-917-1	208-96-8			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
22	acenaphthene 201-469-6	83-32-9			<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
23	fluorene 201-695-5	86-73-7			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
24	phenanthrene 201-581-5	85-01-8			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
25	anthracene 204-371-1	120-12-7			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
26	fluoranthene 205-912-4	206-44-0			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
27	pyrene 204-927-3	129-00-0			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
28	benzo[a]anthracene 601-033-00-9	200-280-6	56-55-3		<0.06 mg/kg		<0.06 mg/kg	<0.000006 %		<LOD
29	chrysene 601-048-00-0	205-923-4	218-01-9		<0.02 mg/kg		<0.02 mg/kg	<0.000002 %		<LOD
30	benzo[b]fluoranthene 601-034-00-4	205-911-9	205-99-2		<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
31	benzo[k]fluoranthene 601-036-00-5	205-916-6	207-08-9		<0.02 mg/kg		<0.02 mg/kg	<0.000002 %		<LOD
32	benzo[a]pyrene; benzo[def]chrysene 601-032-00-3	200-028-5	50-32-8		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
33	indeno[123-cd]pyrene 205-893-2	193-39-5			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
34	dibenz[a,h]anthracene 601-041-00-2	200-181-8	53-70-3		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
35	benzo[ghi]perylene 205-883-8	191-24-2			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
36	polychlorobiphenyls; PCB 602-039-00-4	215-648-1	1336-36-3		<0.035 mg/kg		<0.035 mg/kg	<0.0000035 %		<LOD
37	barium { * barium oxide } 215-127-9	1304-28-5			61 mg/kg	1.117	59.117 mg/kg	0.00591 %	✓	
38	coronene 205-881-7	191-07-1			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
39	benzo[j]fluoranthene 601-035-00-X	205-910-3	205-82-3		<1 mg/kg		<1 mg/kg	<0.0001 %		<LOD
Total:								0.0491 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- \* Determinand defined or amended by HazWasteOnline (see Appendix A)
- \* Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD** Below limit of detection
- ND** Not detected
- CLP: Note 1 Only the metal concentration has been used for classification



---

### Supplementary Hazardous Property Information

---

**HP 3(j): Flammable** "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because Solid waste without liquid phase

Hazard Statements hit:

---

**Flam. Liq. 2; H225** "Highly flammable liquid and vapour."

Because of determinand:

---

toluene: (conc.: 1.91e-06%)





Classification of sample: TP02-25/01/2022-0.10-1.00m

**Non Hazardous Waste**  
Classified as **17 05 04**  
in the List of Waste

### Sample details

Sample name: <b>TP02-25/01/2022-0.10-1.00m</b>	LoW Code: Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Moisture content: <b>16.5%</b> (wet weight correction)	Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

### Hazard properties

None identified

### Determinands

Moisture content: 16.5% Wet Weight Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	antimony { antimony trioxide } 051-005-00-X	215-175-0	1309-64-4		2	mg/kg	1.197	1.999	mg/kg	0.0002 %	✓	
2	arsenic { arsenic trioxide } 033-003-00-0	215-481-4	1327-53-3		19.6	mg/kg	1.32	21.608	mg/kg	0.00216 %	✓	
3	cadmium { cadmium oxide } 048-002-00-0	215-146-2	1306-19-0		1.7	mg/kg	1.142	1.622	mg/kg	0.000162 %	✓	
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) } 215-160-9		1308-38-9		54.5	mg/kg	1.462	66.512	mg/kg	0.00665 %	✓	
5	chromium in chromium(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex } 024-017-00-8				<0.3	mg/kg	2.27	<0.681	mg/kg	<0.0000681 %		<LOD
6	copper { dicopper oxide; copper (I) oxide } 029-002-00-X	215-270-7	1317-39-1		33	mg/kg	1.126	31.024	mg/kg	0.0031 %	✓	
7	lead { lead chromate } 082-004-00-2	231-846-0	7758-97-6	1	23	mg/kg	1.56	29.956	mg/kg	0.00192 %	✓	
8	mercury { mercury dichloride } 080-010-00-X	231-299-8	7487-94-7		<0.1	mg/kg	1.353	<0.135	mg/kg	<0.0000135 %		<LOD
9	molybdenum { molybdenum(VI) oxide } 042-001-00-9	215-204-7	1313-27-5		3.7	mg/kg	1.5	4.635	mg/kg	0.000463 %	✓	
10	nickel { nickel chromate } 028-035-00-7	238-766-5	14721-18-7		48.3	mg/kg	2.976	120.034	mg/kg	0.012 %	✓	
11	selenium { nickel selenate } 028-031-00-5	239-125-2	15060-62-5		2	mg/kg	2.554	4.265	mg/kg	0.000426 %	✓	
12	zinc { zinc chromate } 024-007-00-3	236-878-9	13530-65-9		105	mg/kg	2.774	243.223	mg/kg	0.0243 %	✓	
13	TPH (C6 to C40) petroleum group TPH				<52	mg/kg		<52	mg/kg	<0.0052 %		<LOD
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane 603-181-00-X	216-653-1	1634-04-4		<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
15	benzene 601-020-00-8	200-753-7	71-43-2		<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
16	toluene 601-021-00-3	203-625-9	108-88-3		<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD



#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number								
17	ethylbenzene 601-023-00-4	202-849-4	100-41-4		<0.005 mg/kg		<0.005 mg/kg	<0.0000005 %			<LOD
18	xylene 601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]		<0.01 mg/kg		<0.01 mg/kg	<0.000001 %			<LOD
19	pH		PH		7.81 pH		7.81 pH	7.81 pH			
20	naphthalene 601-052-00-2	202-049-5	91-20-3		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
21	acenaphthylene 205-917-1	208-96-8			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
22	acenaphthene 201-469-6	83-32-9			<0.05 mg/kg		<0.05 mg/kg	<0.000005 %			<LOD
23	fluorene 201-695-5	86-73-7			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
24	phenanthrene 201-581-5	85-01-8			0.06 mg/kg		0.0501 mg/kg	0.00000501 %		✓	
25	anthracene 204-371-1	120-12-7			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
26	fluoranthene 205-912-4	206-44-0			0.06 mg/kg		0.0501 mg/kg	0.00000501 %		✓	
27	pyrene 204-927-3	129-00-0			0.06 mg/kg		0.0501 mg/kg	0.00000501 %		✓	
28	benzo[a]anthracene 601-033-00-9	200-280-6	56-55-3		0.07 mg/kg		0.0585 mg/kg	0.00000585 %		✓	
29	chrysene 601-048-00-0	205-923-4	218-01-9		0.04 mg/kg		0.0334 mg/kg	0.00000334 %		✓	
30	benzo[b]fluoranthene 601-034-00-4	205-911-9	205-99-2		<0.05 mg/kg		<0.05 mg/kg	<0.000005 %			<LOD
31	benzo[k]fluoranthene 601-036-00-5	205-916-6	207-08-9		<0.02 mg/kg		<0.02 mg/kg	<0.000002 %			<LOD
32	benzo[a]pyrene; benzo[def]chrysene 601-032-00-3	200-028-5	50-32-8		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
33	indeno[123-cd]pyrene 205-893-2	193-39-5			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
34	dibenz[a,h]anthracene 601-041-00-2	200-181-8	53-70-3		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
35	benzo[ghi]perylene 205-883-8	191-24-2			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
36	polychlorobiphenyls; PCB 602-039-00-4	215-648-1	1336-36-3		<0.035 mg/kg		<0.035 mg/kg	<0.0000035 %			<LOD
37	barium { barium oxide } 215-127-9	1304-28-5			96 mg/kg	1.117	89.499 mg/kg	0.00895 %		✓	
38	coronene 205-881-7	191-07-1			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
39	benzo[j]fluoranthene 601-035-00-X	205-910-3	205-82-3		<1 mg/kg		<1 mg/kg	<0.0001 %			<LOD
Total:									0.0658 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- Determinand defined or amended by HazWasteOnline (see Appendix A)
- Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD** Below limit of detection
- ND** Not detected
- CLP: Note 1 Only the metal concentration has been used for classification





Classification of sample: TP02-25/01/2022-1.00-2.00m

**Non Hazardous Waste**  
Classified as **17 05 04**  
in the List of Waste

**Sample details**

Sample name: <b>TP02-25/01/2022-1.00-2.00m</b>	LoW Code: Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Moisture content: <b>11.1%</b> (wet weight correction)	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

**Hazard properties**

None identified

**Determinands**

Moisture content: 11.1% Wet Weight Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	antimony { antimony trioxide } 051-005-00-X	215-175-0	1309-64-4		1	mg/kg	1.197	1.064	mg/kg	0.000106 %	✓	
2	arsenic { arsenic trioxide } 033-003-00-0	215-481-4	1327-53-3		10.6	mg/kg	1.32	12.442	mg/kg	0.00124 %	✓	
3	cadmium { cadmium oxide } 048-002-00-0	215-146-2	1306-19-0		1.4	mg/kg	1.142	1.422	mg/kg	0.000142 %	✓	
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) } 215-160-9		1308-38-9		43.9	mg/kg	1.462	57.04	mg/kg	0.0057 %	✓	
5	chromium in chromium(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex } 024-017-00-8				<0.3	mg/kg	2.27	<0.681	mg/kg	<0.0000681 %		<LOD
6	copper { dicopper oxide; copper (I) oxide } 029-002-00-X	215-270-7	1317-39-1		20	mg/kg	1.126	20.018	mg/kg	0.002 %	✓	
7	lead { lead chromate } 082-004-00-2	231-846-0	7758-97-6	1	12	mg/kg	1.56	16.64	mg/kg	0.00107 %	✓	
8	mercury { mercury dichloride } 080-010-00-X	231-299-8	7487-94-7		<0.1	mg/kg	1.353	<0.135	mg/kg	<0.0000135 %		<LOD
9	molybdenum { molybdenum(VI) oxide } 042-001-00-9	215-204-7	1313-27-5		3.2	mg/kg	1.5	4.268	mg/kg	0.000427 %	✓	
10	nickel { nickel chromate } 028-035-00-7	238-766-5	14721-18-7		31.6	mg/kg	2.976	83.61	mg/kg	0.00836 %	✓	
11	selenium { nickel selenate } 028-031-00-5	239-125-2	15060-62-5		2	mg/kg	2.554	4.541	mg/kg	0.000454 %	✓	
12	zinc { zinc chromate } 024-007-00-3	236-878-9	13530-65-9		51	mg/kg	2.774	125.777	mg/kg	0.0126 %	✓	
13	TPH (C6 to C40) petroleum group TPH				<52	mg/kg		<52	mg/kg	<0.0052 %		<LOD
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane 603-181-00-X	216-653-1	1634-04-4		<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
15	benzene 601-020-00-8	200-753-7	71-43-2		<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
16	toluene 601-021-00-3	203-625-9	108-88-3		<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD





#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
17	ethylbenzene 601-023-00-4	202-849-4	100-41-4		<0.005 mg/kg		<0.005 mg/kg	<0.0000005 %		<LOD
18	xylene 601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]		<0.01 mg/kg		<0.01 mg/kg	<0.000001 %		<LOD
19	pH		PH		7.83 pH		7.83 pH	7.83 pH		
20	naphthalene 601-052-00-2	202-049-5	91-20-3		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
21	acenaphthylene 205-917-1	208-96-8			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
22	acenaphthene 201-469-6	83-32-9			<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
23	fluorene 201-695-5	86-73-7			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
24	phenanthrene 201-581-5	85-01-8			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
25	anthracene 204-371-1	120-12-7			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
26	fluoranthene 205-912-4	206-44-0			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
27	pyrene 204-927-3	129-00-0			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
28	benzo[a]anthracene 601-033-00-9	200-280-6	56-55-3		<0.06 mg/kg		<0.06 mg/kg	<0.000006 %		<LOD
29	chrysene 601-048-00-0	205-923-4	218-01-9		<0.02 mg/kg		<0.02 mg/kg	<0.000002 %		<LOD
30	benzo[b]fluoranthene 601-034-00-4	205-911-9	205-99-2		<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
31	benzo[k]fluoranthene 601-036-00-5	205-916-6	207-08-9		<0.02 mg/kg		<0.02 mg/kg	<0.000002 %		<LOD
32	benzo[a]pyrene; benzo[de]chrysene 601-032-00-3	200-028-5	50-32-8		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
33	indeno[123-cd]pyrene 205-893-2	193-39-5			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
34	dibenz[a,h]anthracene 601-041-00-2	200-181-8	53-70-3		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
35	benzo[ghi]perylene 205-883-8	191-24-2			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
36	polychlorobiphenyls; PCB 602-039-00-4	215-648-1	1336-36-3		<0.035 mg/kg		<0.035 mg/kg	<0.0000035 %		<LOD
37	barium { barium oxide } 215-127-9	1304-28-5			102 mg/kg	1.117	101.243 mg/kg	0.0101 %	✓	
38	coronene 205-881-7	191-07-1			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
39	benzo[ghi]fluoranthene 601-035-00-X	205-910-3	205-82-3		<1 mg/kg		<1 mg/kg	<0.0001 %		<LOD
Total:								0.0477 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- ♦ Determinand defined or amended by HazWasteOnline (see Appendix A)
- ♣ Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD** Below limit of detection
- ND** Not detected
- CLP: Note 1 Only the metal concentration has been used for classification



Classification of sample: TP02-25/01/2022-2.50m

✔ **Non Hazardous Waste**  
Classified as **17 05 04**  
in the List of Waste

**Sample details**

Sample name: <b>TP02-25/01/2022-2.50m</b>	LoW Code: Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Moisture content: <b>13.1%</b> (wet weight correction)	Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

**Hazard properties**

None identified

**Determinands**

Moisture content: 13.1% Wet Weight Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	antimony { antimony trioxide } 051-005-00-X	215-175-0	1309-64-4		1	mg/kg	1.197	1.04	mg/kg	0.000104 %	✓	
2	arsenic { arsenic trioxide } 033-003-00-0	215-481-4	1327-53-3		5.9	mg/kg	1.32	6.769	mg/kg	0.000677 %	✓	
3	cadmium { cadmium oxide } 048-002-00-0	215-146-2	1306-19-0		0.8	mg/kg	1.142	0.794	mg/kg	0.0000794 %	✓	
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) } 215-160-9		1308-38-9		20.1	mg/kg	1.462	25.529	mg/kg	0.00255 %	✓	
5	chromium in chromium(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex } 024-017-00-8				<0.3	mg/kg	2.27	<0.681	mg/kg	<0.0000681 %		<LOD
6	copper { dicopper oxide; copper (I) oxide } 029-002-00-X	215-270-7	1317-39-1		26	mg/kg	1.126	25.438	mg/kg	0.00254 %	✓	
7	lead { lead chromate } 082-004-00-2	231-846-0	7758-97-6	1	11	mg/kg	1.56	14.91	mg/kg	0.000956 %	✓	
8	mercury { mercury dichloride } 080-010-00-X	231-299-8	7487-94-7		<0.1	mg/kg	1.353	<0.135	mg/kg	<0.0000135 %		<LOD
9	molybdenum { molybdenum(VI) oxide } 042-001-00-9	215-204-7	1313-27-5		2.6	mg/kg	1.5	3.39	mg/kg	0.000339 %	✓	
10	nickel { nickel chromate } 028-035-00-7	238-766-5	14721-18-7		43.8	mg/kg	2.976	113.283	mg/kg	0.0113 %	✓	
11	selenium { nickel selenate } 028-031-00-5	239-125-2	15060-62-5		1	mg/kg	2.554	2.219	mg/kg	0.000222 %	✓	
12	zinc { zinc chromate } 024-007-00-3	236-878-9	13530-65-9		50	mg/kg	2.774	120.537	mg/kg	0.0121 %	✓	
13	TPH (C6 to C40) petroleum group TPH				<52	mg/kg		<52	mg/kg	<0.0052 %		<LOD
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane 603-181-00-X	216-653-1	1634-04-4		<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
15	benzene 601-020-00-8	200-753-7	71-43-2		<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
16	toluene 601-021-00-3	203-625-9	108-88-3		<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD





#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number								
17	ethylbenzene				<0.005 mg/kg		<0.005 mg/kg	<0.0000005 %			<LOD
	601-023-00-4	202-849-4	100-41-4								
18	xylene				<0.01 mg/kg		<0.01 mg/kg	<0.000001 %			<LOD
	601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]								
19	pH				7.94 pH		7.94 pH	7.94 pH			
			PH								
20	naphthalene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
	601-052-00-2	202-049-5	91-20-3								
21	acenaphthylene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
		205-917-1	208-96-8								
22	acenaphthene				<0.05 mg/kg		<0.05 mg/kg	<0.000005 %			<LOD
		201-469-6	83-32-9								
23	fluorene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
		201-695-5	86-73-7								
24	phenanthrene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
		201-581-5	85-01-8								
25	anthracene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
		204-371-1	120-12-7								
26	fluoranthene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
		205-912-4	206-44-0								
27	pyrene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
		204-927-3	129-00-0								
28	benzo[a]anthracene				<0.06 mg/kg		<0.06 mg/kg	<0.000006 %			<LOD
	601-033-00-9	200-280-6	56-55-3								
29	chrysene				<0.02 mg/kg		<0.02 mg/kg	<0.000002 %			<LOD
	601-048-00-0	205-923-4	218-01-9								
30	benzo[b]fluoranthene				<0.05 mg/kg		<0.05 mg/kg	<0.000005 %			<LOD
	601-034-00-4	205-911-9	205-99-2								
31	benzo[k]fluoranthene				<0.02 mg/kg		<0.02 mg/kg	<0.000002 %			<LOD
	601-036-00-5	205-916-6	207-08-9								
32	benzo[a]pyrene; benzo[de]chrysene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
	601-032-00-3	200-028-5	50-32-8								
33	indeno[123-cd]pyrene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
		205-893-2	193-39-5								
34	dibenz[a,h]anthracene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
	601-041-00-2	200-181-8	53-70-3								
35	benzo[ghi]perylene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
		205-883-8	191-24-2								
36	polychlorobiphenyls; PCB				<0.035 mg/kg		<0.035 mg/kg	<0.0000035 %			<LOD
	602-039-00-4	215-648-1	1336-36-3								
37	barium { barium oxide }				78 mg/kg	1.117	75.679 mg/kg	0.00757 %	✓		
		215-127-9	1304-28-5								
38	coronene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
		205-881-7	191-07-1								
39	benzo[j]fluoranthene				<1 mg/kg		<1 mg/kg	<0.0001 %			<LOD
	601-035-00-X	205-910-3	205-82-3								
Total:									0.0439 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- Determinand defined or amended by HazWasteOnline (see Appendix A)
- Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD** Below limit of detection
- ND** Not detected
- CLP: Note 1 Only the metal concentration has been used for classification



Classification of sample: TP03-25/01/2022-0.10-1.00m

✔ **Non Hazardous Waste**  
Classified as **17 05 04**  
in the List of Waste

Sample details

Sample name:	LoW Code:
<b>TP03-25/01/2022-0.10-1.00m</b>	Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Moisture content:	Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)
<b>16.4%</b> (wet weight correction)	

Hazard properties

None identified

Determinands

Moisture content: 16.4% Wet Weight Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	antimony { antimony trioxide }				2	mg/kg	1.197	2.002	mg/kg	0.0002 %	✓	
	051-005-00-X	215-175-0	1309-64-4									
2	arsenic { arsenic trioxide }				18.6	mg/kg	1.32	20.531	mg/kg	0.00205 %	✓	
	033-003-00-0	215-481-4	1327-53-3									
3	cadmium { cadmium oxide }				1.3	mg/kg	1.142	1.241	mg/kg	0.000124 %	✓	
	048-002-00-0	215-146-2	1306-19-0									
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }				62.2	mg/kg	1.462	76	mg/kg	0.0076 %	✓	
		215-160-9	1308-38-9									
5	chromium in chromium(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<0.3	mg/kg	2.27	<0.681	mg/kg	<0.0000681 %		<LOD
		024-017-00-8										
6	copper { dicopper oxide; copper (I) oxide }				32	mg/kg	1.126	30.12	mg/kg	0.00301 %	✓	
	029-002-00-X	215-270-7	1317-39-1									
7	lead { lead chromate }			1	20	mg/kg	1.56	26.08	mg/kg	0.00167 %	✓	
	082-004-00-2	231-846-0	7758-97-6									
8	mercury { mercury dichloride }				<0.1	mg/kg	1.353	<0.135	mg/kg	<0.0000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7									
9	molybdenum { molybdenum(VI) oxide }				3.9	mg/kg	1.5	4.891	mg/kg	0.000489 %	✓	
	042-001-00-9	215-204-7	1313-27-5									
10	nickel { nickel chromate }				38.6	mg/kg	2.976	96.043	mg/kg	0.0096 %	✓	
	028-035-00-7	238-766-5	14721-18-7									
11	selenium { nickel selenate }				1	mg/kg	2.554	2.135	mg/kg	0.000214 %	✓	
	028-031-00-5	239-125-2	15060-62-5									
12	zinc { zinc chromate }				87	mg/kg	2.774	201.769	mg/kg	0.0202 %	✓	
	024-007-00-3	236-878-9	13530-65-9									
13	TPH (C6 to C40) petroleum group				<52	mg/kg		<52	mg/kg	<0.0052 %		<LOD
			TPH									
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	603-181-00-X	216-653-1	1634-04-4									
15	benzene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-020-00-8	200-753-7	71-43-2									
16	toluene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-021-00-3	203-625-9	108-88-3									





#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
17	ethylbenzene				<0.005 mg/kg		<0.005 mg/kg	<0.0000005 %		<LOD
	601-023-00-4	202-849-4	100-41-4							
18	xylene				<0.01 mg/kg		<0.01 mg/kg	<0.000001 %		<LOD
	601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]							
19	pH				7.71 pH		7.71 pH	7.71 pH		
			PH							
20	naphthalene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
	601-052-00-2	202-049-5	91-20-3							
21	acenaphthylene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
		205-917-1	208-96-8							
22	acenaphthene				<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
		201-469-6	83-32-9							
23	fluorene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
		201-695-5	86-73-7							
24	phenanthrene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
		201-581-5	85-01-8							
25	anthracene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
		204-371-1	120-12-7							
26	fluoranthene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
		205-912-4	206-44-0							
27	pyrene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
		204-927-3	129-00-0							
28	benzo[a]anthracene				<0.06 mg/kg		<0.06 mg/kg	<0.000006 %		<LOD
	601-033-00-9	200-280-6	56-55-3							
29	chrysene				<0.02 mg/kg		<0.02 mg/kg	<0.000002 %		<LOD
	601-048-00-0	205-923-4	218-01-9							
30	benzo[b]fluoranthene				<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
	601-034-00-4	205-911-9	205-99-2							
31	benzo[k]fluoranthene				<0.02 mg/kg		<0.02 mg/kg	<0.000002 %		<LOD
	601-036-00-5	205-916-6	207-08-9							
32	benzo[a]pyrene; benzo[de]chrysene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
	601-032-00-3	200-028-5	50-32-8							
33	indeno[123-cd]pyrene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
		205-893-2	193-39-5							
34	dibenz[a,h]anthracene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
	601-041-00-2	200-181-8	53-70-3							
35	benzo[ghi]perylene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
		205-883-8	191-24-2							
36	polychlorobiphenyls; PCB				<0.035 mg/kg		<0.035 mg/kg	<0.0000035 %		<LOD
	602-039-00-4	215-648-1	1336-36-3							
37	barium { barium oxide }				98 mg/kg	1.117	91.473 mg/kg	0.00915 %	✓	
		215-127-9	1304-28-5							
38	coronene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
		205-881-7	191-07-1							
39	benzo[j]fluoranthene				<1 mg/kg		<1 mg/kg	<0.0001 %		<LOD
	601-035-00-X	205-910-3	205-82-3							
Total:								0.0597 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- Determinand defined or amended by HazWasteOnline (see Appendix A)
- ⚡ Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD** Below limit of detection
- ND** Not detected
- CLP: Note 1 Only the metal concentration has been used for classification



Classification of sample: TP03-25/01/2022-2.00m

✔ **Non Hazardous Waste**  
Classified as **17 05 04**  
in the List of Waste

Sample details

Sample name:	LoW Code:
<b>TP03-25/01/2022-2.00m</b>	Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Moisture content:	Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)
<b>15.9%</b> (wet weight correction)	

Hazard properties

None identified

Determinands

Moisture content: 15.9% Wet Weight Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	antimony { antimony trioxide }				2	mg/kg	1.197	2.014	mg/kg	0.000201 %	✓	
	051-005-00-X	215-175-0	1309-64-4									
2	arsenic { arsenic trioxide }				8.5	mg/kg	1.32	9.438	mg/kg	0.000944 %	✓	
	033-003-00-0	215-481-4	1327-53-3									
3	cadmium { cadmium oxide }				0.9	mg/kg	1.142	0.865	mg/kg	0.0000865 %	✓	
	048-002-00-0	215-146-2	1306-19-0									
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }				32.9	mg/kg	1.462	40.44	mg/kg	0.00404 %	✓	
		215-160-9	1308-38-9									
5	chromium in chromium(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<0.3	mg/kg	2.27	<0.681	mg/kg	<0.0000681 %		<LOD
	024-017-00-8											
6	copper { dicopper oxide; copper (I) oxide }				23	mg/kg	1.126	21.778	mg/kg	0.00218 %	✓	
	029-002-00-X	215-270-7	1317-39-1									
7	lead { lead chromate }			1	16	mg/kg	1.56	20.989	mg/kg	0.00135 %	✓	
	082-004-00-2	231-846-0	7758-97-6									
8	mercury { mercury dichloride }				<0.1	mg/kg	1.353	<0.135	mg/kg	<0.0000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7									
9	molybdenum { molybdenum(VI) oxide }				2.6	mg/kg	1.5	3.28	mg/kg	0.000328 %	✓	
	042-001-00-9	215-204-7	1313-27-5									
10	nickel { nickel chromate }				38.7	mg/kg	2.976	96.868	mg/kg	0.00969 %	✓	
	028-035-00-7	238-766-5	14721-18-7									
11	selenium { nickel selenate }				<1	mg/kg	2.554	<2.554	mg/kg	<0.000255 %		<LOD
	028-031-00-5	239-125-2	15060-62-5									
12	zinc { zinc chromate }				48	mg/kg	2.774	111.987	mg/kg	0.0112 %	✓	
	024-007-00-3	236-878-9	13530-65-9									
13	TPH (C6 to C40) petroleum group				<52	mg/kg		<52	mg/kg	<0.0052 %		<LOD
			TPH									
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	603-181-00-X	216-653-1	1634-04-4									
15	benzene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-020-00-8	200-753-7	71-43-2									
16	toluene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-021-00-3	203-625-9	108-88-3									





#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
17	ethylbenzene				<0.005 mg/kg		<0.005 mg/kg	<0.0000005 %		<LOD
	601-023-00-4	202-849-4	100-41-4							
18	xylene				<0.01 mg/kg		<0.01 mg/kg	<0.000001 %		<LOD
	601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]							
19	pH				7.82 pH		7.82 pH	7.82 pH		
			PH							
20	naphthalene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
	601-052-00-2	202-049-5	91-20-3							
21	acenaphthylene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
		205-917-1	208-96-8							
22	acenaphthene				<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
		201-469-6	83-32-9							
23	fluorene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
		201-695-5	86-73-7							
24	phenanthrene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
		201-581-5	85-01-8							
25	anthracene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
		204-371-1	120-12-7							
26	fluoranthene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
		205-912-4	206-44-0							
27	pyrene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
		204-927-3	129-00-0							
28	benzo[a]anthracene				<0.06 mg/kg		<0.06 mg/kg	<0.000006 %		<LOD
	601-033-00-9	200-280-6	56-55-3							
29	chrysene				<0.02 mg/kg		<0.02 mg/kg	<0.000002 %		<LOD
	601-048-00-0	205-923-4	218-01-9							
30	benzo[b]fluoranthene				<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
	601-034-00-4	205-911-9	205-99-2							
31	benzo[k]fluoranthene				<0.02 mg/kg		<0.02 mg/kg	<0.000002 %		<LOD
	601-036-00-5	205-916-6	207-08-9							
32	benzo[a]pyrene; benzo[def]chrysene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
	601-032-00-3	200-028-5	50-32-8							
33	indeno[123-cd]pyrene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
		205-893-2	193-39-5							
34	dibenz[a,h]anthracene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
	601-041-00-2	200-181-8	53-70-3							
35	benzo[ghi]perylene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
		205-883-8	191-24-2							
36	polychlorobiphenyls; PCB				<0.035 mg/kg		<0.035 mg/kg	<0.0000035 %		<LOD
	602-039-00-4	215-648-1	1336-36-3							
37	barium { barium oxide }				55 mg/kg	1.117	51.644 mg/kg	0.00516 %	✓	
		215-127-9	1304-28-5							
38	coronene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
		205-881-7	191-07-1							
39	benzo[j]fluoranthene				<1 mg/kg		<1 mg/kg	<0.0001 %		<LOD
	601-035-00-X	205-910-3	205-82-3							
Total:								0.0409 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- ◆ Determinand defined or amended by HazWasteOnline (see Appendix A)
- ⚡ Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD Below limit of detection
- ND Not detected
- CLP: Note 1 Only the metal concentration has been used for classification



Classification of sample: TP04-25/01/2022-0.10-1.00m

✔ **Non Hazardous Waste**  
Classified as **17 05 04**  
in the List of Waste

**Sample details**

Sample name:	LoW Code:
<b>TP04-25/01/2022-0.10-1.00m</b>	Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Moisture content:	Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)
<b>11.3%</b> (wet weight correction)	

**Hazard properties**

None identified

**Determinands**

Moisture content: 11.3% Wet Weight Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	antimony { antimony trioxide }				2	mg/kg	1.197	2.124	mg/kg	0.000212 %	✓	
	051-005-00-X	215-175-0	1309-64-4									
2	arsenic { arsenic trioxide }				24	mg/kg	1.32	28.107	mg/kg	0.00281 %	✓	
	033-003-00-0	215-481-4	1327-53-3									
3	cadmium { cadmium oxide }				1.5	mg/kg	1.142	1.52	mg/kg	0.000152 %	✓	
	048-002-00-0	215-146-2	1306-19-0									
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }				72.8	mg/kg	1.462	94.378	mg/kg	0.00944 %	✓	
		215-160-9	1308-38-9									
5	chromium in chromium(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<0.3	mg/kg	2.27	<0.681	mg/kg	<0.0000681 %		<LOD
		024-017-00-8										
6	copper { dicopper oxide; copper (I) oxide }				24	mg/kg	1.126	23.968	mg/kg	0.0024 %	✓	
	029-002-00-X	215-270-7	1317-39-1									
7	lead { lead chromate }			1	15	mg/kg	1.56	20.753	mg/kg	0.00133 %	✓	
	082-004-00-2	231-846-0	7758-97-6									
8	mercury { mercury dichloride }				<0.1	mg/kg	1.353	<0.135	mg/kg	<0.0000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7									
9	molybdenum { molybdenum(VI) oxide }				3.9	mg/kg	1.5	5.19	mg/kg	0.000519 %	✓	
	042-001-00-9	215-204-7	1313-27-5									
10	nickel { nickel chromate }				39.5	mg/kg	2.976	104.278	mg/kg	0.0104 %	✓	
	028-035-00-7	238-766-5	14721-18-7									
11	selenium { nickel selenate }				<1	mg/kg	2.554	<2.554	mg/kg	<0.000255 %		<LOD
	028-031-00-5	239-125-2	15060-62-5									
12	zinc { zinc chromate }				83	mg/kg	2.774	204.235	mg/kg	0.0204 %	✓	
	024-007-00-3	236-878-9	13530-65-9									
13	TPH (C6 to C40) petroleum group				<52	mg/kg		<52	mg/kg	<0.0052 %		<LOD
			TPH									
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	603-181-00-X	216-653-1	1634-04-4									
15	benzene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-020-00-8	200-753-7	71-43-2									
16	toluene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-021-00-3	203-625-9	108-88-3									





#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
17	ethylbenzene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-023-00-4	202-849-4	100-41-4									
18	xylene				<0.01	mg/kg		<0.01	mg/kg	<0.000001 %		<LOD
	601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]									
19	pH				8.1	pH		8.1	pH	8.1 pH		
			PH									
20	naphthalene				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
	601-052-00-2	202-049-5	91-20-3									
21	acenaphthylene				<0.03	mg/kg		<0.03	mg/kg	<0.000003 %		<LOD
		205-917-1	208-96-8									
22	acenaphthene				<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
		201-469-6	83-32-9									
23	fluorene				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
		201-695-5	86-73-7									
24	phenanthrene				<0.03	mg/kg		<0.03	mg/kg	<0.000003 %		<LOD
		201-581-5	85-01-8									
25	anthracene				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
		204-371-1	120-12-7									
26	fluoranthene				<0.03	mg/kg		<0.03	mg/kg	<0.000003 %		<LOD
		205-912-4	206-44-0									
27	pyrene				<0.03	mg/kg		<0.03	mg/kg	<0.000003 %		<LOD
		204-927-3	129-00-0									
28	benzo[a]anthracene				<0.06	mg/kg		<0.06	mg/kg	<0.000006 %		<LOD
	601-033-00-9	200-280-6	56-55-3									
29	chrysene				<0.02	mg/kg		<0.02	mg/kg	<0.000002 %		<LOD
	601-048-00-0	205-923-4	218-01-9									
30	benzo[b]fluoranthene				<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
	601-034-00-4	205-911-9	205-99-2									
31	benzo[k]fluoranthene				<0.02	mg/kg		<0.02	mg/kg	<0.000002 %		<LOD
	601-036-00-5	205-916-6	207-08-9									
32	benzo[a]pyrene; benzo[def]chrysene				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
	601-032-00-3	200-028-5	50-32-8									
33	indeno[123-cd]pyrene				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
		205-893-2	193-39-5									
34	dibenz[a,h]anthracene				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
	601-041-00-2	200-181-8	53-70-3									
35	benzo[ghi]perylene				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
		205-883-8	191-24-2									
36	polychlorobiphenyls; PCB				<0.035	mg/kg		<0.035	mg/kg	<0.0000035 %		<LOD
	602-039-00-4	215-648-1	1336-36-3									
37	barium { barium oxide }				172	mg/kg	1.117	170.339	mg/kg	0.017 %	✓	
		215-127-9	1304-28-5									
38	coronene				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
		205-881-7	191-07-1									
39	benzo[j]fluoranthene				<1	mg/kg		<1	mg/kg	<0.0001 %		<LOD
	601-035-00-X	205-910-3	205-82-3									
Total:										0.0705 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- ♦ Determinand defined or amended by HazWasteOnline (see Appendix A)
- ⚡ Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD** Below limit of detection
- ND** Not detected
- CLP: Note 1 Only the metal concentration has been used for classification



Classification of sample: TP04-25/01/2022-1.40m

**Non Hazardous Waste**  
Classified as **17 05 04**  
in the List of Waste

Sample details

Sample name: <b>TP04-25/01/2022-1.40m</b>	LoW Code: Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Moisture content: <b>17.7%</b> (wet weight correction)	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17.7% Wet Weight Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	antimony { antimony trioxide }				2	mg/kg	1.197	1.97	mg/kg	0.000197 %	✓	
	051-005-00-X	215-175-0	1309-64-4									
2	arsenic { arsenic trioxide }				21.6	mg/kg	1.32	23.471	mg/kg	0.00235 %	✓	
	033-003-00-0	215-481-4	1327-53-3									
3	cadmium { cadmium oxide }				1.7	mg/kg	1.142	1.598	mg/kg	0.00016 %	✓	
	048-002-00-0	215-146-2	1306-19-0									
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }				56.5	mg/kg	1.462	67.962	mg/kg	0.0068 %	✓	
		215-160-9	1308-38-9									
5	chromium in chromium(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<0.3	mg/kg	2.27	<0.681	mg/kg	<0.0000681 %		<LOD
	024-017-00-8											
6	copper { dicopper oxide; copper (I) oxide }				27	mg/kg	1.126	25.018	mg/kg	0.0025 %	✓	
	029-002-00-X	215-270-7	1317-39-1									
7	lead { lead chromate }			1	21	mg/kg	1.56	26.958	mg/kg	0.00173 %	✓	
	082-004-00-2	231-846-0	7758-97-6									
8	mercury { mercury dichloride }				<0.1	mg/kg	1.353	<0.135	mg/kg	<0.0000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7									
9	molybdenum { molybdenum(VI) oxide }				3.6	mg/kg	1.5	4.445	mg/kg	0.000444 %	✓	
	042-001-00-9	215-204-7	1313-27-5									
10	nickel { nickel chromate }				38.9	mg/kg	2.976	95.284	mg/kg	0.00953 %	✓	
	028-035-00-7	238-766-5	14721-18-7									
11	selenium { nickel selenate }				2	mg/kg	2.554	4.204	mg/kg	0.00042 %	✓	
	028-031-00-5	239-125-2	15060-62-5									
12	zinc { zinc chromate }				99	mg/kg	2.774	226.029	mg/kg	0.0226 %	✓	
	024-007-00-3	236-878-9	13530-65-9									
13	TPH (C6 to C40) petroleum group				<52	mg/kg		<52	mg/kg	<0.0052 %		<LOD
			TPH									
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	603-181-00-X	216-653-1	1634-04-4									
15	benzene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-020-00-8	200-753-7	71-43-2									
16	toluene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-021-00-3	203-625-9	108-88-3									





#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
17	ethylbenzene 601-023-00-4	202-849-4	100-41-4		<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
18	xylene 601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]		<0.01	mg/kg		<0.01	mg/kg	<0.000001 %		<LOD
19	pH		PH		7.8	pH		7.8	pH	7.8 pH		
20	naphthalene 601-052-00-2	202-049-5	91-20-3		<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
21	acenaphthylene 205-917-1	208-96-8			<0.03	mg/kg		<0.03	mg/kg	<0.000003 %		<LOD
22	acenaphthene 201-469-6	83-32-9			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
23	fluorene 201-695-5	86-73-7			<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
24	phenanthrene 201-581-5	85-01-8			<0.03	mg/kg		<0.03	mg/kg	<0.000003 %		<LOD
25	anthracene 204-371-1	120-12-7			<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
26	fluoranthene 205-912-4	206-44-0			<0.03	mg/kg		<0.03	mg/kg	<0.000003 %		<LOD
27	pyrene 204-927-3	129-00-0			<0.03	mg/kg		<0.03	mg/kg	<0.000003 %		<LOD
28	benzo[a]anthracene 601-033-00-9	200-280-6	56-55-3		<0.06	mg/kg		<0.06	mg/kg	<0.000006 %		<LOD
29	chrysene 601-048-00-0	205-923-4	218-01-9		<0.02	mg/kg		<0.02	mg/kg	<0.000002 %		<LOD
30	benzo[b]fluoranthene 601-034-00-4	205-911-9	205-99-2		<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
31	benzo[k]fluoranthene 601-036-00-5	205-916-6	207-08-9		<0.02	mg/kg		<0.02	mg/kg	<0.000002 %		<LOD
32	benzo[a]pyrene; benzo[def]chrysene 601-032-00-3	200-028-5	50-32-8		<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
33	indeno[123-cd]pyrene 205-893-2	193-39-5			<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
34	dibenz[a,h]anthracene 601-041-00-2	200-181-8	53-70-3		<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
35	benzo[ghi]perylene 205-883-8	191-24-2			<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
36	polychlorobiphenyls; PCB 602-039-00-4	215-648-1	1336-36-3		<0.035	mg/kg		<0.035	mg/kg	<0.0000035 %		<LOD
37	barium { barium oxide } 215-127-9	1304-28-5			119	mg/kg	1.117	109.347	mg/kg	0.0109 %	✓	
38	coronene 205-881-7	191-07-1			<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
39	benzo[j]fluoranthene 601-035-00-X	205-910-3	205-82-3		<1	mg/kg		<1	mg/kg	<0.0001 %		<LOD
Total:										0.0631 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- Determinand defined or amended by HazWasteOnline (see Appendix A)
- Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD** Below limit of detection
- ND** Not detected
- CLP: Note 1 Only the metal concentration has been used for classification



Classification of sample: TP05-25/01/2022-0.00-1.00m

**Non Hazardous Waste**  
Classified as **17 05 04**  
in the List of Waste

Sample details

Sample name:	LoW Code:	
<b>TP05-25/01/2022-0.00-1.00m</b>	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Moisture content:	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)
<b>15.8%</b> (wet weight correction)		

Hazard properties

None identified

Determinands

Moisture content: 15.8% Wet Weight Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	antimony { antimony trioxide }				2	mg/kg	1.197	2.016	mg/kg	0.000202 %	✓	
	051-005-00-X	215-175-0	1309-64-4									
2	arsenic { arsenic trioxide }				20.4	mg/kg	1.32	22.679	mg/kg	0.00227 %	✓	
	033-003-00-0	215-481-4	1327-53-3									
3	cadmium { cadmium oxide }				1.6	mg/kg	1.142	1.539	mg/kg	0.000154 %	✓	
	048-002-00-0	215-146-2	1306-19-0									
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }				53.6	mg/kg	1.462	65.962	mg/kg	0.0066 %	✓	
		215-160-9	1308-38-9									
5	chromium in chromium(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<0.3	mg/kg	2.27	<0.681	mg/kg	<0.0000681 %		<LOD
	024-017-00-8											
6	copper { dicopper oxide; copper (I) oxide }				29	mg/kg	1.126	27.492	mg/kg	0.00275 %	✓	
	029-002-00-X	215-270-7	1317-39-1									
7	lead { lead chromate }			1	20	mg/kg	1.56	26.267	mg/kg	0.00168 %	✓	
	082-004-00-2	231-846-0	7758-97-6									
8	mercury { mercury dichloride }				<0.1	mg/kg	1.353	<0.135	mg/kg	<0.0000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7									
9	molybdenum { molybdenum(VI) oxide }				3.7	mg/kg	1.5	4.674	mg/kg	0.000467 %	✓	
	042-001-00-9	215-204-7	1313-27-5									
10	nickel { nickel chromate }				47.5	mg/kg	2.976	119.036	mg/kg	0.0119 %	✓	
	028-035-00-7	238-766-5	14721-18-7									
11	selenium { nickel selenate }				2	mg/kg	2.554	4.301	mg/kg	0.00043 %	✓	
	028-031-00-5	239-125-2	15060-62-5									
12	zinc { zinc chromate }				96	mg/kg	2.774	224.24	mg/kg	0.0224 %	✓	
	024-007-00-3	236-878-9	13530-65-9									
13	TPH (C6 to C40) petroleum group				<52	mg/kg		<52	mg/kg	<0.0052 %		<LOD
			TPH									
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	603-181-00-X	216-653-1	1634-04-4									
15	benzene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-020-00-8	200-753-7	71-43-2									
16	toluene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-021-00-3	203-625-9	108-88-3									





#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
17	ethylbenzene 601-023-00-4	202-849-4	100-41-4		<0.005 mg/kg		<0.005 mg/kg	<0.0000005 %		<LOD
18	xylene 601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]		<0.01 mg/kg		<0.01 mg/kg	<0.000001 %		<LOD
19	pH		PH		7.9 pH		7.9 pH	7.9 pH		
20	naphthalene 601-052-00-2	202-049-5	91-20-3		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
21	acenaphthylene	205-917-1	208-96-8		<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
22	acenaphthene	201-469-6	83-32-9		<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
23	fluorene	201-695-5	86-73-7		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
24	phenanthrene	201-581-5	85-01-8		<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
25	anthracene	204-371-1	120-12-7		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
26	fluoranthene	205-912-4	206-44-0		<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
27	pyrene	204-927-3	129-00-0		<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
28	benzo[a]anthracene 601-033-00-9	200-280-6	56-55-3		<0.06 mg/kg		<0.06 mg/kg	<0.000006 %		<LOD
29	chrysene 601-048-00-0	205-923-4	218-01-9		<0.02 mg/kg		<0.02 mg/kg	<0.000002 %		<LOD
30	benzo[b]fluoranthene 601-034-00-4	205-911-9	205-99-2		<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
31	benzo[k]fluoranthene 601-036-00-5	205-916-6	207-08-9		<0.02 mg/kg		<0.02 mg/kg	<0.000002 %		<LOD
32	benzo[a]pyrene; benzo[def]chrysene 601-032-00-3	200-028-5	50-32-8		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
33	indeno[123-cd]pyrene 205-893-2	193-39-5			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
34	dibenz[a,h]anthracene 601-041-00-2	200-181-8	53-70-3		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
35	benzo[ghi]perylene 205-883-8	191-24-2			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
36	polychlorobiphenyls; PCB 602-039-00-4	215-648-1	1336-36-3		<0.035 mg/kg		<0.035 mg/kg	<0.0000035 %		<LOD
37	barium { barium oxide } 215-127-9	1304-28-5			92 mg/kg	1.117	86.489 mg/kg	0.00865 %	✓	
38	coronene 205-881-7	191-07-1			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
39	benzo[j]fluoranthene 601-035-00-X	205-910-3	205-82-3		<1 mg/kg		<1 mg/kg	<0.0001 %		<LOD
Total:								0.063 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- Determinand defined or amended by HazWasteOnline (see Appendix A)
- ⚡ Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD** Below limit of detection
- ND** Not detected
- CLP: Note 1 Only the metal concentration has been used for classification



Classification of sample: TP05-25/01/2022-1.00-2.00m

✔ **Non Hazardous Waste**  
Classified as **17 05 04**  
in the List of Waste

**Sample details**

Sample name: <b>TP05-25/01/2022-1.00-2.00m</b>	LoW Code: Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Moisture content: <b>10.4%</b> (wet weight correction)	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

**Hazard properties**

None identified

**Determinands**

Moisture content: 10.4% Wet Weight Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	antimony { antimony trioxide } 051-005-00-X	215-175-0	1309-64-4		1	mg/kg	1.197	1.073	mg/kg	0.000107 %	✓	
2	arsenic { arsenic trioxide } 033-003-00-0	215-481-4	1327-53-3		9.3	mg/kg	1.32	11.002	mg/kg	0.0011 %	✓	
3	cadmium { cadmium oxide } 048-002-00-0	215-146-2	1306-19-0		0.7	mg/kg	1.142	0.716	mg/kg	0.0000716 %	✓	
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) } 215-160-9		1308-38-9		41	mg/kg	1.462	53.692	mg/kg	0.00537 %	✓	
5	chromium in chromium(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex } 024-017-00-8				<0.3	mg/kg	2.27	<0.681	mg/kg	<0.0000681 %		<LOD
6	copper { dicopper oxide; copper (I) oxide } 029-002-00-X	215-270-7	1317-39-1		18	mg/kg	1.126	18.158	mg/kg	0.00182 %	✓	
7	lead { lead chromate } 082-004-00-2	231-846-0	7758-97-6	1	8	mg/kg	1.56	11.181	mg/kg	0.000717 %	✓	
8	mercury { mercury dichloride } 080-010-00-X	231-299-8	7487-94-7		<0.1	mg/kg	1.353	<0.135	mg/kg	<0.0000135 %		<LOD
9	molybdenum { molybdenum(VI) oxide } 042-001-00-9	215-204-7	1313-27-5		2.7	mg/kg	1.5	3.629	mg/kg	0.000363 %	✓	
10	nickel { nickel chromate } 028-035-00-7	238-766-5	14721-18-7		25	mg/kg	2.976	66.668	mg/kg	0.00667 %	✓	
11	selenium { nickel selenate } 028-031-00-5	239-125-2	15060-62-5		<1	mg/kg	2.554	<2.554	mg/kg	<0.000255 %		<LOD
12	zinc { zinc chromate } 024-007-00-3	236-878-9	13530-65-9		39	mg/kg	2.774	96.94	mg/kg	0.00969 %	✓	
13	TPH (C6 to C40) petroleum group TPH				<52	mg/kg		<52	mg/kg	<0.0052 %		<LOD
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane 603-181-00-X	216-653-1	1634-04-4		<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
15	benzene 601-020-00-8	200-753-7	71-43-2		<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
16	toluene 601-021-00-3	203-625-9	108-88-3		0.006	mg/kg		0.0053	mg/kg	0.00000538 %	✓	





#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number								
17	ethylbenzene				<0.005 mg/kg		<0.005 mg/kg	<0.0000005 %			<LOD
	601-023-00-4	202-849-4	100-41-4								
18	xylene				<0.01 mg/kg		<0.01 mg/kg	<0.000001 %			<LOD
	601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]								
19	pH				7.71 pH		7.71 pH	7.71 pH			
			PH								
20	naphthalene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
	601-052-00-2	202-049-5	91-20-3								
21	acenaphthylene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
		205-917-1	208-96-8								
22	acenaphthene				<0.05 mg/kg		<0.05 mg/kg	<0.000005 %			<LOD
		201-469-6	83-32-9								
23	fluorene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
		201-695-5	86-73-7								
24	phenanthrene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
		201-581-5	85-01-8								
25	anthracene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
		204-371-1	120-12-7								
26	fluoranthene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
		205-912-4	206-44-0								
27	pyrene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
		204-927-3	129-00-0								
28	benzo[a]anthracene				<0.06 mg/kg		<0.06 mg/kg	<0.000006 %			<LOD
	601-033-00-9	200-280-6	56-55-3								
29	chrysene				<0.02 mg/kg		<0.02 mg/kg	<0.000002 %			<LOD
	601-048-00-0	205-923-4	218-01-9								
30	benzo[b]fluoranthene				<0.05 mg/kg		<0.05 mg/kg	<0.000005 %			<LOD
	601-034-00-4	205-911-9	205-99-2								
31	benzo[k]fluoranthene				<0.02 mg/kg		<0.02 mg/kg	<0.000002 %			<LOD
	601-036-00-5	205-916-6	207-08-9								
32	benzo[a]pyrene; benzo[def]chrysene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
	601-032-00-3	200-028-5	50-32-8								
33	indeno[123-cd]pyrene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
		205-893-2	193-39-5								
34	dibenz[a,h]anthracene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
	601-041-00-2	200-181-8	53-70-3								
35	benzo[ghi]perylene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
		205-883-8	191-24-2								
36	polychlorobiphenyls; PCB				<0.035 mg/kg		<0.035 mg/kg	<0.0000035 %			<LOD
	602-039-00-4	215-648-1	1336-36-3								
37	barium { barium oxide }				79 mg/kg	1.117	79.031 mg/kg	0.0079 %	✓		
		215-127-9	1304-28-5								
38	coronene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
		205-881-7	191-07-1								
39	benzo[j]fluoranthene				<1 mg/kg		<1 mg/kg	<0.0001 %			<LOD
	601-035-00-X	205-910-3	205-82-3								
Total:									0.0395 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- Determinand defined or amended by HazWasteOnline (see Appendix A)
- Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD** Below limit of detection
- ND** Not detected
- CLP: Note 1 Only the metal concentration has been used for classification



---

### Supplementary Hazardous Property Information

---

**HP 3(i): Flammable** "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and ≤ 75°C"

Force this Hazardous property to non hazardous because Solid waste without liquid phase

Hazard Statements hit:

---

**Flam. Liq. 2; H225** "Highly flammable liquid and vapour."


Because of determinand:

---

toluene: (conc.: 5.38e-07%)



**Classification of sample: TP06-25/01/2022-0.10-1.00m**

 **Non Hazardous Waste**  
Classified as **17 05 04**  
in the List of Waste

**Sample details**

Sample name:	LoW Code:	
<b>TP06-25/01/2022-0.10-1.00m</b>	Chapter:	<b>17: Construction and Demolition Wastes (including excavated soil from contaminated sites)</b>
Moisture content:	Entry:	<b>17 05 04 (Soil and stones other than those mentioned in 17 05 03)</b>
<b>14.8%</b>		
(wet weight correction)		

**Hazard properties**

None identified

**Determinands**

Moisture content: 14.8% Wet Weight Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	antimony { antimony trioxide }				3	mg/kg	1.197	3.06	mg/kg	0.000306 %	✓	
	051-005-00-X	215-175-0	1309-64-4									
2	arsenic { arsenic trioxide }				22	mg/kg	1.32	24.748	mg/kg	0.00247 %	✓	
	033-003-00-0	215-481-4	1327-53-3									
3	cadmium { cadmium oxide }				1.3	mg/kg	1.142	1.265	mg/kg	0.000127 %	✓	
	048-002-00-0	215-146-2	1306-19-0									
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }				59	mg/kg	1.462	73.469	mg/kg	0.00735 %	✓	
		215-160-9	1308-38-9									
5	chromium in chromium(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<0.3	mg/kg	2.27	<0.681	mg/kg	<0.0000681 %		<LOD
	024-017-00-8											
6	copper { dicopper oxide; copper (I) oxide }				35	mg/kg	1.126	33.574	mg/kg	0.00336 %	✓	
	029-002-00-X	215-270-7	1317-39-1									
7	lead { lead chromate }			1	19	mg/kg	1.56	25.25	mg/kg	0.00162 %	✓	
	082-004-00-2	231-846-0	7758-97-6									
8	mercury { mercury dichloride }				<0.1	mg/kg	1.353	<0.135	mg/kg	<0.0000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7									
9	molybdenum { molybdenum(VI) oxide }				3.4	mg/kg	1.5	4.346	mg/kg	0.000435 %	✓	
	042-001-00-9	215-204-7	1313-27-5									
10	nickel { nickel chromate }				43.6	mg/kg	2.976	110.56	mg/kg	0.0111 %	✓	
	028-035-00-7	238-766-5	14721-18-7									
11	selenium { nickel selenate }				1	mg/kg	2.554	2.176	mg/kg	0.000218 %	✓	
	028-031-00-5	239-125-2	15060-62-5									
12	zinc { zinc chromate }				100	mg/kg	2.774	236.357	mg/kg	0.0236 %	✓	
	024-007-00-3	236-878-9	13530-65-9									
13	TPH (C6 to C40) petroleum group				<52	mg/kg		<52	mg/kg	<0.0052 %		<LOD
			TPH									
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	603-181-00-X	216-653-1	1634-04-4									
15	benzene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-020-00-8	200-753-7	71-43-2									
16	toluene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-021-00-3	203-625-9	108-88-3									



#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
17	ethylbenzene 601-023-00-4   202-849-4   100-41-4				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
18	xylene 601-022-00-9   202-422-2 [1]   95-47-6 [1] 203-396-5 [2]   106-42-3 [2] 203-576-3 [3]   108-38-3 [3] 215-535-7 [4]   1330-20-7 [4]				0.02	mg/kg		0.017	mg/kg	0.0000017 %	✓	
19	pH PH				8.02	pH		8.02	pH	8.02 pH		
20	naphthalene 601-052-00-2   202-049-5   91-20-3				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
21	acenaphthylene 205-917-1   208-96-8				<0.03	mg/kg		<0.03	mg/kg	<0.000003 %		<LOD
22	acenaphthene 201-469-6   83-32-9				<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
23	fluorene 201-695-5   86-73-7				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
24	phenanthrene 201-581-5   85-01-8				<0.03	mg/kg		<0.03	mg/kg	<0.000003 %		<LOD
25	anthracene 204-371-1   120-12-7				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
26	fluoranthene 205-912-4   206-44-0				<0.03	mg/kg		<0.03	mg/kg	<0.000003 %		<LOD
27	pyrene 204-927-3   129-00-0				<0.03	mg/kg		<0.03	mg/kg	<0.000003 %		<LOD
28	benzo[a]anthracene 601-033-00-9   200-280-6   56-55-3				<0.06	mg/kg		<0.06	mg/kg	<0.000006 %		<LOD
29	chrysene 601-048-00-0   205-923-4   218-01-9				<0.02	mg/kg		<0.02	mg/kg	<0.000002 %		<LOD
30	benzo[b]fluoranthene 601-034-00-4   205-911-9   205-99-2				<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
31	benzo[k]fluoranthene 601-036-00-5   205-916-6   207-08-9				<0.02	mg/kg		<0.02	mg/kg	<0.000002 %		<LOD
32	benzo[a]pyrene; benzo[def]chrysene 601-032-00-3   200-028-5   50-32-8				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
33	indeno[123-cd]pyrene 205-893-2   193-39-5				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
34	dibenz[a,h]anthracene 601-041-00-2   200-181-8   53-70-3				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
35	benzo[ghi]perylene 205-883-8   191-24-2				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
36	polychlorobiphenyls; PCB 602-039-00-4   215-648-1   1336-36-3				<0.035	mg/kg		<0.035	mg/kg	<0.0000035 %		<LOD
37	barium ( * barium oxide ) 215-127-9   1304-28-5				107	mg/kg	1.117	101.785	mg/kg	0.0102 %	✓	
38	coronene 205-881-7   191-07-1				<0.04	mg/kg		<0.04	mg/kg	<0.000004 %		<LOD
39	benzo[j]fluoranthene 601-035-00-X   205-910-3   205-82-3				<1	mg/kg		<1	mg/kg	<0.0001 %		<LOD
Total:										0.0662 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- ♦ Determinand defined or amended by HazWasteOnline (see Appendix A)
- ⚗ Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD Below limit of detection
- ND Not detected
- CLP: Note 1 Only the metal concentration has been used for classification



---

### Supplementary Hazardous Property Information

---

**HP 3(i): Flammable** "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because Solid waste without liquid phase

Hazard Statements hit:

---

**Fam. Liq. 3; H226** "Flammable liquid and vapour."

Because of determinand:

---

xylene: (conc.: 1.7e-06%)



Classification of sample: TP06-25/01/2022-1.00-2.00m

**Non Hazardous Waste**  
Classified as **17 05 04**  
in the List of Waste

**Sample details**

Sample name:	LoW Code:
<b>TP06-25/01/2022-1.00-2.00m</b>	Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Moisture content:	Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)
<b>13.3%</b> (wet weight correction)	

**Hazard properties**

None identified

**Determinands**

Moisture content: 13.3% Wet Weight Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	antimony { antimony trioxide }				2	mg/kg	1.197	2.076	mg/kg	0.000208 %	✓	
	051-005-00-X	215-175-0	1309-64-4									
2	arsenic { arsenic trioxide }				11.1	mg/kg	1.32	12.706	mg/kg	0.00127 %	✓	
	033-003-00-0	215-481-4	1327-53-3									
3	cadmium { cadmium oxide }				0.9	mg/kg	1.142	0.891	mg/kg	0.0000891 %	✓	
	048-002-00-0	215-146-2	1306-19-0									
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }				43.3	mg/kg	1.462	54.868	mg/kg	0.00549 %	✓	
		215-160-9	1308-38-9									
5	chromium in chromium(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<0.3	mg/kg	2.27	<0.681	mg/kg	<0.0000681 %		<LOD
	024-017-00-8											
6	copper { dicopper oxide; copper (I) oxide }				27	mg/kg	1.126	26.356	mg/kg	0.00264 %	✓	
	029-002-00-X	215-270-7	1317-39-1									
7	lead { lead chromate }			1	14	mg/kg	1.56	18.933	mg/kg	0.00121 %	✓	
	082-004-00-2	231-846-0	7758-97-6									
8	mercury { mercury dichloride }				<0.1	mg/kg	1.353	<0.135	mg/kg	<0.0000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7									
9	molybdenum { molybdenum(VI) oxide }				2.9	mg/kg	1.5	3.772	mg/kg	0.000377 %	✓	
	042-001-00-9	215-204-7	1313-27-5									
10	nickel { nickel chromate }				38.7	mg/kg	2.976	99.862	mg/kg	0.00999 %	✓	
	028-035-00-7	238-766-5	14721-18-7									
11	selenium { nickel selenate }				1	mg/kg	2.554	2.214	mg/kg	0.000221 %	✓	
	028-031-00-5	239-125-2	15060-62-5									
12	zinc { zinc chromate }				59	mg/kg	2.774	141.906	mg/kg	0.0142 %	✓	
	024-007-00-3	236-878-9	13530-65-9									
13	TPH (C6 to C40) petroleum group				<52	mg/kg		<52	mg/kg	<0.0052 %		<LOD
			TPH									
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	603-181-00-X	216-653-1	1634-04-4									
15	benzene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-020-00-8	200-753-7	71-43-2									
16	toluene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-021-00-3	203-625-9	108-88-3									





#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number							
17	ethylbenzene				<0.005 mg/kg		<0.005 mg/kg	<0.0000005 %		<LOD
	601-023-00-4	202-849-4	100-41-4							
18	xylene				<0.01 mg/kg		<0.01 mg/kg	<0.000001 %		<LOD
	601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]							
19	pH				7.96 pH		7.96 pH	7.96 pH		
			PH							
20	naphthalene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
	601-052-00-2	202-049-5	91-20-3							
21	acenaphthylene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
		205-917-1	208-96-8							
22	acenaphthene				<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
		201-469-6	83-32-9							
23	fluorene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
		201-695-5	86-73-7							
24	phenanthrene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
		201-581-5	85-01-8							
25	anthracene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
		204-371-1	120-12-7							
26	fluoranthene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
		205-912-4	206-44-0							
27	pyrene				<0.03 mg/kg		<0.03 mg/kg	<0.000003 %		<LOD
		204-927-3	129-00-0							
28	benzo[a]anthracene				<0.06 mg/kg		<0.06 mg/kg	<0.000006 %		<LOD
	601-033-00-9	200-280-6	56-55-3							
29	chrysene				<0.02 mg/kg		<0.02 mg/kg	<0.000002 %		<LOD
	601-048-00-0	205-923-4	218-01-9							
30	benzo[b]fluoranthene				<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
	601-034-00-4	205-911-9	205-99-2							
31	benzo[k]fluoranthene				<0.02 mg/kg		<0.02 mg/kg	<0.000002 %		<LOD
	601-036-00-5	205-916-6	207-08-9							
32	benzo[a]pyrene; benzo[de]chrysene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
	601-032-00-3	200-028-5	50-32-8							
33	indeno[123-cd]pyrene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
		205-893-2	193-39-5							
34	dibenz[a,h]anthracene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
	601-041-00-2	200-181-8	53-70-3							
35	benzo[ghi]perylene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
		205-883-8	191-24-2							
36	polychlorobiphenyls; PCB				<0.035 mg/kg		<0.035 mg/kg	<0.0000035 %		<LOD
	602-039-00-4	215-648-1	1336-36-3							
37	barium { barium oxide }				61 mg/kg	1.117	59.049 mg/kg	0.0059 %	✓	
		215-127-9	1304-28-5							
38	coronene				<0.04 mg/kg		<0.04 mg/kg	<0.000004 %		<LOD
		205-881-7	191-07-1							
39	benzo[j]fluoranthene				<1 mg/kg		<1 mg/kg	<0.0001 %		<LOD
	601-035-00-X	205-910-3	205-82-3							
Total:								0.047 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- ◆ Determinand defined or amended by HazWasteOnline (see Appendix A)
- ⚗ Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD** Below limit of detection
- ND** Not detected
- CLP: Note 1 Only the metal concentration has been used for classification



Classification of sample: WS01-25/01/2022-3.00m

✔ **Non Hazardous Waste**  
Classified as **17 05 04**  
in the List of Waste

Sample details

Sample name:	LoW Code:	
<b>WS01-25/01/2022-3.00m</b>	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Moisture content:	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)
<b>12.6%</b> (wet weight correction)		

Hazard properties

None identified

Determinands

Moisture content: 12.6% Wet Weight Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number									
1	antimony { antimony trioxide }				2	mg/kg	1.197	2.093	mg/kg	0.000209 %	✓	
	051-005-00-X	215-175-0	1309-64-4									
2	arsenic { arsenic trioxide }				9.6	mg/kg	1.32	11.078	mg/kg	0.00111 %	✓	
	033-003-00-0	215-481-4	1327-53-3									
3	cadmium { cadmium oxide }				1.4	mg/kg	1.142	1.398	mg/kg	0.00014 %	✓	
	048-002-00-0	215-146-2	1306-19-0									
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }				27	mg/kg	1.462	34.49	mg/kg	0.00345 %	✓	
		215-160-9	1308-38-9									
5	chromium in chromium(VI) compounds { chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<0.3	mg/kg	2.27	<0.681	mg/kg	<0.0000681 %		<LOD
	024-017-00-8											
6	copper { dicopper oxide; copper (I) oxide }				29	mg/kg	1.126	28.537	mg/kg	0.00285 %	✓	
	029-002-00-X	215-270-7	1317-39-1									
7	lead { lead chromate }			1	21	mg/kg	1.56	28.629	mg/kg	0.00184 %	✓	
	082-004-00-2	231-846-0	7758-97-6									
8	mercury { mercury dichloride }				<0.1	mg/kg	1.353	<0.135	mg/kg	<0.0000135 %		<LOD
	080-010-00-X	231-299-8	7487-94-7									
9	molybdenum { molybdenum(VI) oxide }				2.5	mg/kg	1.5	3.278	mg/kg	0.000328 %	✓	
	042-001-00-9	215-204-7	1313-27-5									
10	nickel { nickel chromate }				46.4	mg/kg	2.976	120.698	mg/kg	0.0121 %	✓	
	028-035-00-7	238-766-5	14721-18-7									
11	selenium { nickel selenate }				2	mg/kg	2.554	4.464	mg/kg	0.000446 %	✓	
	028-031-00-5	239-125-2	15060-62-5									
12	zinc { zinc chromate }				71	mg/kg	2.774	172.147	mg/kg	0.0172 %	✓	
	024-007-00-3	236-878-9	13530-65-9									
13	TPH (C6 to C40) petroleum group				<52	mg/kg		<52	mg/kg	<0.0052 %		<LOD
			TPH									
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane				0.025	mg/kg		0.0219	mg/kg	0.00000219 %	✓	
	603-181-00-X	216-653-1	1634-04-4									
15	benzene				<0.005	mg/kg		<0.005	mg/kg	<0.0000005 %		<LOD
	601-020-00-8	200-753-7	71-43-2									
16	toluene				0.008	mg/kg		0.0069	mg/kg	0.000000699 %	✓	
	601-021-00-3	203-625-9	108-88-3									





#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	EU CLP index number	EC Number	CAS Number								
17	ethylbenzene 601-023-00-4	202-849-4	100-41-4		<0.005 mg/kg		<0.005 mg/kg	<0.0000005 %			<LOD
18	xylene 601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]		<0.01 mg/kg		<0.01 mg/kg	<0.000001 %			<LOD
19	pH		PH		8.03 pH		8.03 pH	8.03 pH			
20	naphthalene 601-052-00-2	202-049-5	91-20-3		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
21	acenaphthylene 205-917-1	208-96-8			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
22	acenaphthene 201-469-6	83-32-9			<0.05 mg/kg		<0.05 mg/kg	<0.000005 %			<LOD
23	fluorene 201-695-5	86-73-7			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
24	phenanthrene 201-581-5	85-01-8			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
25	anthracene 204-371-1	120-12-7			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
26	fluoranthene 205-912-4	206-44-0			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
27	pyrene 204-927-3	129-00-0			<0.03 mg/kg		<0.03 mg/kg	<0.000003 %			<LOD
28	benzo[a]anthracene 601-033-00-9	200-280-6	56-55-3		<0.06 mg/kg		<0.06 mg/kg	<0.000006 %			<LOD
29	chrysene 601-048-00-0	205-923-4	218-01-9		<0.02 mg/kg		<0.02 mg/kg	<0.000002 %			<LOD
30	benzo[b]fluoranthene 601-034-00-4	205-911-9	205-99-2		<0.05 mg/kg		<0.05 mg/kg	<0.000005 %			<LOD
31	benzo[k]fluoranthene 601-036-00-5	205-916-6	207-08-9		<0.02 mg/kg		<0.02 mg/kg	<0.000002 %			<LOD
32	benzo[a]pyrene; benzo[def]chrysene 601-032-00-3	200-028-5	50-32-8		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
33	indeno[123-cd]pyrene 205-893-2	193-39-5			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
34	dibenz[a,h]anthracene 601-041-00-2	200-181-8	53-70-3		<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
35	benzo[ghi]perylene 205-883-8	191-24-2			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
36	polychlorobiphenyls; PCB 602-039-00-4	215-648-1	1336-36-3		<0.035 mg/kg		<0.035 mg/kg	<0.0000035 %			<LOD
37	barium { barium oxide } 215-127-9	1304-28-5			55 mg/kg	1.117	53.67 mg/kg	0.00537 %	✓		
38	coronene 205-881-7	191-07-1			<0.04 mg/kg		<0.04 mg/kg	<0.000004 %			<LOD
39	benzo[j]fluoranthene 601-035-00-X	205-910-3	205-82-3		<1 mg/kg		<1 mg/kg	<0.0001 %			<LOD
Total:									0.0505 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- Determinand defined or amended by HazWasteOnline (see Appendix A)
- Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD** Below limit of detection
- ND** Not detected
- CLP: Note 1 Only the metal concentration has been used for classification



---

### Supplementary Hazardous Property Information

---

**HP 3(i): Flammable** "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because Solid waste without liquid phase

Hazard Statements hit:

---

**Fam. Liq. 2; H225** "Highly flammable liquid and vapour."

Because of determinands:

---

tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane: (conc.: 2.19e-06%)

toluene: (conc.: 6.99e-07%)



## Appendix A: Classifier defined and non EU CLP determinands

### ◊ **chromium(III) oxide (worst case)** (EC Number: 215-160-9, CAS Number: 1308-38-9)

Description/Comments: Data from C&L Inventory Database

Data source: <https://echa.europa.eu/information-on-chemicals/cl-inventory-database/-/discli/details/33806>

Data source date: 17 Jul 2015

Hazard Statements: Acute Tox. 4; H332 , Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Resp. Sens. 1; H334 , Skin Sens. 1; H317 , Repr. 1B; H360FD , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

### ◊ **TPH (C6 to C40) petroleum group** (CAS Number: TPH)

Description/Comments: Hazard statements taken from WM3 1st Edition 2015; Risk phrases: WM2 3rd Edition 2013

Data source: WM3 1st Edition 2015

Data source date: 25 May 2015

Hazard Statements: Flam. Liq. 3; H226 , Asp. Tox. 1; H304 , STOT RE 2; H373 , Muta. 1B; H340 , Carc. 1B; H350 , Repr. 2; H361d , Aquatic Chronic 2; H411

### ◊ **ethylbenzene** (EC Number: 202-849-4, CAS Number: 100-41-4)

EU CLP index number: 601-023-00-4

Description/Comments:

Additional Hazard Statement(s): Carc. 2; H351

Reason for additional Hazards Statement(s):

03 Jun 2015 - Carc. 2; H351 hazard statement sourced from: IARC Group 2B (77) 2000

### ◊ **pH** (CAS Number: PH)

Description/Comments: Appendix C4

Data source: WM3 1st Edition 2015

Data source date: 25 May 2015

Hazard Statements: None.

### ◊ **acenaphthylene** (EC Number: 205-917-1, CAS Number: 208-96-8)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 17 Jul 2015

Hazard Statements: Acute Tox. 4; H302 , Acute Tox. 1; H330 , Acute Tox. 1; H310 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315

### ◊ **acenaphthene** (EC Number: 201-469-6, CAS Number: 83-32-9)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 17 Jul 2015

Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Aquatic Chronic 2; H411

### ◊ **fluorene** (EC Number: 201-695-5, CAS Number: 86-73-7)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 06 Aug 2015

Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

### ◊ **phenanthrene** (EC Number: 201-581-5, CAS Number: 85-01-8)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 06 Aug 2015

Hazard Statements: Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Carc. 2; H351 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Skin Irrit. 2; H315

### ◊ **anthracene** (EC Number: 204-371-1, CAS Number: 120-12-7)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 17 Jul 2015

Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

### ◊ **fluoranthene** (EC Number: 205-912-4, CAS Number: 206-44-0)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 21 Aug 2015

Hazard Statements: Acute Tox. 4; H302 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410





☉ **pyrene** (EC Number: 204-927-3, CAS Number: 129-00-0)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 2014

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 21 Aug 2015

Hazard Statements: Skin Irrit. 2; H315 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

☉ **indeno[123-cd]pyrene** (EC Number: 205-893-2, CAS Number: 193-39-5)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 06 Aug 2015

Hazard Statements: Carc. 2; H351

☉ **benzo[ghi]perylene** (EC Number: 205-883-8, CAS Number: 191-24-2)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 28/02/2015

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 23 Jul 2015

Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

☉ **polychlorobiphenyls; PCB** (EC Number: 215-648-1, CAS Number: 1336-36-3)

EU CLP index number: 602-039-00-4

Description/Comments: Worst Case: IARC considers PCB Group 1; Carcinogenic to humans; POP specific threshold from ATP1 (Regulation 756/2010/EU) to POPs Regulation (Regulation 850/2004/EC). Where applicable, the calculation method laid down in European standards EN 12766-1 and EN 12766-2 shall be applied.

Additional Hazard Statement(s): Carc. 1A; H350

Reason for additional Hazards Statement(s):

29 Sep 2015 - Carc. 1A; H350 hazard statement sourced from: IARC Group 1 (23, Sup 7, 100C) 2012

☉ **barium oxide** (EC Number: 215-127-9, CAS Number: 1304-28-5)

Description/Comments: Data from ECHA's C&L Inventory Database, Sigma Aldrich SDS dated 6/2/20

Data source: <https://echa.europa.eu/information-on-chemicals/cl-inventory-database/-/discli/details/88825>

Data source date: 02 Apr 2020

Hazard Statements: Acute Tox. 3; H301 , Skin Corr. 1B; H314 , Eye Dam. 1; H318 , Acute Tox. 1; H332

☉ **coronene** (EC Number: 205-881-7, CAS Number: 191-07-1)

Description/Comments: Data from C&L Inventory Database; no entries in Registered Substances or Pesticides Properties databases; SDS: Sigma Aldrich, 1907/2006 compliant, dated 2012 - no entries; IARC – Group 3, not carcinogenic.

Data source: <http://clp-inventory.echa.europa.eu/SummaryOfClassAndLabelling.aspx?SubstanceID=17010&HarmOnly=no?fc=true&lang=en>

Data source date: 16 Jun 2014

Hazard Statements: STOT SE 2; H371

## Appendix B: Rationale for selection of metal species

### antimony {antimony trioxide}

Worst case CLP species based on hazard statements/molecular weight and low solubility. Industrial sources include: flame retardants in electrical apparatus, textiles and coatings (edit as required)

### arsenic {arsenic trioxide}

Reasonable case CLP species based on hazard statements/molecular weight and most common (stable) oxide of arsenic. Industrial sources include: smelting; main precursor to other arsenic compounds (edit as required)

### cadmium {cadmium oxide}

Reasonable case CLP species based on hazard statements/molecular weight, very low solubility in water. Industrial sources include: electroplating baths, electrodes for storage batteries, catalysts, ceramic glazes, phosphors, pigments and nematocides. (edit as required) Worst case compounds in CLP: cadmium sulphate, chloride, fluoride & iodide not expected as either very soluble and/or compound's industrial usage not related to site history (edit as required)

### chromium in chromium(III) compounds {chromium(III) oxide (worst case)}

Reasonable case species based on hazard statements/molecular weight. Industrial sources include: tanning, pigment in paint, inks and glass (edit as required)

### chromium in chromium(VI) compounds {chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex}

Worst case species based on hazard statements/molecular weight (edit as required)

### copper {dicopper oxide; copper (I) oxide}

Reasonable case CLP species based on hazard statements/molecular weight and insolubility in water. Industrial sources include: oxidised copper metal, brake pads, pigments, antifouling paints, fungicide. (edit as required) Worst case copper sulphate is very soluble and likely to have been leached away if ever present and/or not enough soluble sulphate detected. (edit as required)



**lead {lead chromate}**

Worst case CLP species based on hazard statements/molecular weight (edit as required)

**mercury {mercury dichloride}**

Worst case CLP species based on hazard statements/molecular weight (edit as required)

**molybdenum {molybdenum(VI) oxide}**

Worst case CLP species based on hazard statements/molecular weight (edit as required)

**nickel {nickel chromate}**

Worst case CLP species based on hazard statements/molecular weight (edit as required)

**selenium {nickel selenate}**

Worst case CLP species based on hazard statements/molecular weight (edit as required)

**zinc {zinc chromate}**

Worst case CLP species based on hazard statements/molecular weight (edit as required)

**barium {barium oxide}**

Cr VI not detected

**Appendix C: Version**

HazWasteOnline Classification Engine: WM3 1st Edition v1.1.NI - Jan 2021  
 HazWasteOnline Classification Engine Version: 2022.25.4995.9469 (25 Jan 2022)  
 HazWasteOnline Database: 2022.25.4995.9469 (25 Jan 2022)

This classification utilises the following guidance and legislation:

- WM3 v1.1.NI - Waste Classification** - 1st Edition v1.1.NI - Jan 2021
- CLP Regulation** - Regulation 1272/2008/EC of 16 December 2008
- 1st ATP** - Regulation 790/2009/EC of 10 August 2009
- 2nd ATP** - Regulation 286/2011/EC of 10 March 2011
- 3rd ATP** - Regulation 618/2012/EU of 10 July 2012
- 4th ATP** - Regulation 487/2013/EU of 8 May 2013
- Correction to 1st ATP** - Regulation 758/2013/EU of 7 August 2013
- 5th ATP** - Regulation 944/2013/EU of 2 October 2013
- 6th ATP** - Regulation 605/2014/EU of 5 June 2014
- WFD Annex III replacement** - Regulation 1357/2014/EU of 18 December 2014
- Revised List of Waste 2014** - Decision 2014/955/EU of 18 December 2014
- 7th ATP** - Regulation 2015/1221/EU of 24 July 2015
- 8th ATP** - Regulation (EU) 2016/918 of 19 May 2016
- 9th ATP** - Regulation (EU) 2016/1179 of 19 July 2016
- 10th ATP** - Regulation (EU) 2017/776 of 4 May 2017
- HP14 amendment** - Regulation (EU) 2017/997 of 8 June 2017
- 13th ATP** - Regulation (EU) 2018/1480 of 4 October 2018
- 14th ATP** - Regulation (EU) 2020/217 of 4 October 2019
- 15th ATP** - Regulation (EU) 2020/1182 of 19 May 2020
- The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)(Amendment etc.) (EU Exit) Regulations 2020** - UK: 2020 No. 1567 of 16th December 2020
- The Waste and Environmental Permitting etc. (Legislative Functions and Amendment etc.) (EU Exit) Regulations 2020** - UK: 2020 No. 1540 of 16th December 2020
- 17th ATP** - Regulation (EU) 2021/849 of 11 March 2021

## APPENDIX 6 – WAC Summary Data



[www.gii.ie](http://www.gii.ie)





## **APPENDIX 7 – Potential Material Outlets**





Waste Category	Classification Criteria	Potential Outlets
Category A Unlined Soil Recovery Facilities	Soil and Stone only which are free from <sup>7</sup> anthropogenic materials such as concrete, brick, timber. Soil must be free from "contamination" e.g. PAHs, Hydrocarbons <sup>8</sup> .	Soil Recovery Facilities, Waste Facility Permitted Sites, COR Sites or potential by-product if deemed not to be a waste and complying with requirements under Article 27 of European Waste Directive Regulations (2011). <sup>9</sup>
Category B1 Inert Landfill	Reported concentrations within inert waste limits, which are set out by the adopted EU Council Decision 2003/33/EC establishing criteria and procedures for the acceptance of waste at landfills pursuant to Article 16 and Annex II of Directive 1999/31/EC (2002). Results also found to be non-hazardous using the HWOL application.	Integrated Materials Solutions Limited Partnership (IMS), Naul, County Dublin W0129-02  Walshestown Landfill Walshestown, Blackhall, Tipperkevin & Bawnoge, Naas, County Kildare W0254-01
Category B2 Inert Landfill	Reported concentrations greater than Category B1 criteria but less than IMS Hollywood Landfill acceptance criteria, as set out in their Waste Licence W0129-02. Results also found to be non-hazardous using the HWOL application.	Integrated Materials Solutions Limited Partnership (IMS), Naul, County Dublin W0129-02  Walshestown Landfill Walshestown, Blackhall, Tipperkevin & Bawnoge, Naas, County Kildare W0254-01 <sup>10</sup>
Category C Non-Haz Landfill	Reported concentrations greater than Category B2 criteria but within non-haz landfill waste acceptance limits set out by the adopted EU Council Decision 2003/33/EC establishing criteria and procedures for the acceptance of waste at landfills pursuant to Article 16 and Annex II of Directive 1999/31/EC (2002). Results also found to be non-hazardous using the HWOL application.	Walshestown Landfill Walshestown, Blackhall, Tipperkevin & Bawnoge, Naas, County Kildare W0254-01 <sup>11</sup>  Ballynagran Landfill, Co. Wicklow. W165-02  Drehid Landfill, Co. Kildare. W0201-01  East Galway Landfill, Co. Galway. W0178-02  Knockharley Landfill, Co. Meath. W0146-02
Category C 1 Non-Haz Landfill	As Category C but containing < 0.001% w/w asbestos fibres.	RILTA Environmental LTD. W0192-03

<sup>7</sup> Free from equates to less than 2%.

<sup>8</sup> Total BTEX 0.05mg/kg, Mineral Oil 50mg/kg, Total PAHs 1mg/kg, Total PCBs 0.05mg/kg and Asbestos No Asbestos Detected – EPA Guidance on Waste Acceptance Criteria at Authorised Soil Recovery Facilities, 2020.

<sup>9</sup> S.I. No. 126/2011 - European Communities (Waste Directive) Regulations 2011 (Article 27).

<sup>10</sup> Licenced to accept Category B2 material for recovery.

<sup>11</sup> Licenced to accept Category C material for recovery.

		Enva Portlaoise. W0184-02
Category C 2 Non-Haz Landfill	As Category C but containing >0.001% and <0.01% w/w asbestos fibres.	RILTA Environmental LTD. W0192-03  Enva Portlaoise. W0184-02
Category C 3 Non-Haz Landfill	As Category C but containing >0.01% and <0.1% w/w asbestos fibres.	RILTA Environmental LTD. W0192-03  Enva Portlaoise. W0184-02
Category D Hazardous Treatment	Results found to be hazardous using HWOL Application.	RILTA Environmental LTD. W0192-03  Enva Portlaoise. W0184-02
Category D 1 Hazardous Treatment	Results found to be hazardous due to the presence of asbestos (>0.1%).	RILTA Environmental LTD. W0192-03