

Client: HOSTEDOSIX LIMITED
 Unit 55 Broomhill Industrial Estate
 Tallight, Dublin 24

Prepared by: Richard Burke
 Issue Date: 25.07.22
 Revision: C2

Areas Requirements Schedule

Floor Area	Likely no. of occupants	Dry Storage req	Cold Storage req	Refuse (per week)				
				General Waste	Recycling	Organic	Grease	
Kitchen 1 (Pizza Unit)	20 m ²	5	2 m ²	2.5 m ²	150 L	175 L	90 L	30 L
Kitchen 2	20 m ²	5	2 m ²	2.5 m ²	150 L	175 L	90 L	30 L
Kitchen 3	20 m ²	5	2 m ²	2.5 m ²	150 L	175 L	90 L	30 L
Kitchen 4	20 m ²	5	2 m ²	2.5 m ²	150 L	175 L	90 L	30 L
Kitchen 5	20 m ²	5	2 m ²	2.5 m ²	150 L	175 L	90 L	30 L
Kitchen 6	20 m ²	5	2 m ²	2.5 m ²	150 L	175 L	90 L	30 L
Kitchen 7	19.4 m ²	4.85	2 m ²	2.5 m ²	150 L	175 L	90 L	30 L
Kitchen 8	19.4 m ²	4.85	2 m ²	2.5 m ²	150 L	175 L	90 L	30 L
Kitchen 9	19.4 m ²	4.85	2 m ²	2.5 m ²	150 L	175 L	90 L	30 L
Kitchen 10	19.4 m ²	4.85	2 m ²	2.5 m ²	150 L	175 L	90 L	30 L
Kitchen 11	19.4 m ²	4.85	2 m ²	2.5 m ²	150 L	175 L	90 L	30 L
Totals	217 m ²	54.25 ppl	22 m ²	27.5 m ²	1650 L	1925 L	990 L	330 L
Total No. of Kitchens	11							

Storage Spaces	Provided	Required	Difference
Total Dry Storage	22.3 m ²	22 m ²	0.3 m ²
Total Cold Storage	37.6 m ²	27.5 m ²	10.1 m ²
Cleaners Space	6.3 m ²	3.63 m ²	2.67 m ²
Refuse Compound	28.4 m ²	See table below	

Ancillary Spaces	Provided
Manager's Office	9.7 m ²
Staff Room	33.5 m ²
Female Changing / WC area	22.8 m ²
Male Changing /WC area	26.1 m ²
Decant Area	25.9 m ²

Refuse	Provided	Required	Difference
General Waste	2200 L	1650 L	550 L
Mixed Recycling	2200 L	1925 L	275 L
Organic Material	1100 L	990 L	110 L
Grease	750 L	330 L	420 L

Bathroom Requirement	
1-5	1
6-15	2
16-30	3
31-45	4
46-60	5
61-75	6
76-90	7
91-100	8