



NOTES:
 ALL TIMBERS TO BE SCS IN ACCORDANCE WITH BS 11 1991.
 PROVIDE LATERAL SUPPORT TO WALLS WHERE THEY RUN PARALLEL TO JOISTS BY FIXING 30x30mm GALV. M.S. STRIPS AT 2M C/S ACROSS JOISTS.
 SOLID NOGGING PIECES TO BE FIRED DIRECTLY UNDER STRIPS. DITTO ALONG ROOF SLOPE.
 INSULATION BETWEEN RAFTERS TO BUILDING REGULATIONS. PROVIDE SOAM UNRESTRICTED AIR SPACE BETWEEN INSULATION AND ROOF FELL PROVIDE VENTILATION AT EAVES TO PROMOTE CROSS VENTILATION 10MM STRIP FULL LENGTH.

NOTES:
 MODIFY EXISTING ROOF STRUCTURE TO FACILITATE ACCESS INTO EXISTING ATTIC SPACE FOR STORAGE PURPOSES.
 ROOF TILES Laid ON 50x25 BATTENS Laid OVER UNPERMEABLE ROOFING FELT FELT TO RUN OUT OVER FILET PIECE AND HED PVC GUTTER.
 ROOF TRUSS RAFTERS 100x50mm @400 C.C. ON 100x75 WALL PLATES SUPPORT WITH 175x75 PURLINS AND 100x50 HANGERS & TIE'S COMPLY WITH S. 193.

KEY
 ■ PROPOSED WALL
 □ EXISTING WALL

Status of Drawing:
FOR PLANNING APPLICATION PURPOSES ONLY
 Do not scale from this drawing.
 All dimensions to be taken from architect's drawings.
 Discrepancies to be referred to the Architect for clarification.
 The copyright of this drawing is vested in the Architects.
 This drawing may not be copied or reproduced without written consent.

Revisions:
 Rev B.

Drawn By: Andrew Adam
 Checked By: Aurelian Adam

Re Dec Ltd.
 redeclimited@gmail.com
 087 932 8286
 7 Kilmalogue Downs, Portlanning, Co. Laois

Date: 06 May 2022
 Scale: Varies @ A1
 Job No: 2205
 Dwg No: PA-001
 Rev. 0

Job Title: No. 8 Johnsbridge Grove, Esker South, Lucan, Dublin
 Drawing Title: Planning Application