



SECTION VIEW SHOWING PROPOSED EXTENSION





PRECAST


LAYER

CONCRETE


LINTEL ON DPC

255 HOLLOW CONCRETE BLOCK FINISHED AS PER EXISTING HOUSE. 90mm XTRATHERM THIN-R/TLMF (FOILBACKED) BONDED TO 12.5 PLASTERBOARD MECHANICALLY FIXED TO INNER FACE AND WITH 6mm PLASTER SKIM FINISH. PROVIDE GROUNDS AS INDICATED/REQUIRED 50mm FLOOR INSULATION ON 1000 GAUGE POLYTHENE DPM TURNED CONCRETE REINFORCED STRIP -UP AT EDGES ON 50mm SAND FOUNDATION 675 x 225 BLINDING ON 150mm MINIMUM MINIMUM. DEPTH 900mm BELOW CONSOLIDATED HARDCORE DPC SURROUNDING GROUND LEVEL MINIMUM 150mm ABOVE GROUND OR TO SOLID BEARING GROUND. LEVEL SOLID BLOCKWORK BELOW (BASED ON SOLID FIRM SOIL CONDITIONS)





TYPICAL ROOF WINDOW DETAIL



TYPICAL FLAT ROOF DETAIL

SECTION VIEW SHOWING PROPOSED EXTENSION

The information contained in this drawing is confidential and must not be divulged to any third party without the written consent of 4bes Design Services.



38 Larkfield Avenue Co. Dublin

17 Fforster Green Ballydowd Manor Lucan, Co. Dublin K78 KX05

PROPOSED SECTION AND **DETAILS**

DRAWN	JOHN FORBES ,	38 LARKFIELD AVE., LUCAN, Co.
DATE	Sept 2022	Teddy and Zoe O'Connor
SCALE	1:50 @ A3	

5m

DUBLIN

FG - 11