



**NOTES**

1. **Tree** to have a clear stem height of 2000mm.
2. **Tree Support**
  - a) 75mm diameter stakes pressure treated driven 1200mm below ground 800mm above ground with specified biodegradable adjustable tie affixed to tree & stake.
3. **Irrigation**
  - a) 100mm diameter perforated flexible plastic drainage pipe positioned as shown around rootball with one end open to surface to facilitate watering.
4. **Mulch**
  - a) 50mm layer of hardwood bark
5. **Tree pit soils**
  - a) **Planting soil**  
Depth; 800mm
  - b) **Structural Soil**  
Depth; 750mm
6. Loosening of subsoil to a depth of 200mm
7. **Structure -To engineers specification**
  - a) Concrete foundation
  - b) Raised kerb
8. **Railings - Estate Style**  
Height: 1200mm  
Colour: Black

A Plan - Treepit  
SCALE: 1:100@A1

B Visual of Railed Communal Tree and Garden Area



C Section A - Treepit  
SCALE: 1:25@A1

D Section B - Treepit  
SCALE: 1:25@A1

REV	DATE	AMENDMENT
A	040422	Details updated

**CUNNANE STRATTON REYNOLDS**  
**LAND PLANNING & DESIGN**

DUBLIN OFFICE  
3 MOLESWORTH PLACE DUBLIN 2  
TEL 01 661 0419 FAX 01 661 0431  
EMAIL info@csrlandplan.ie



PROJECT: PROPOSED RESIDENTIAL DEVELOPMENT AT GORDON PARK	DATE: Mar 2022
DRAWING: DETAIL OF COMMUNAL TREE GARDEN AND SUDS TREE PIT	SCALE: As shown@A1
	DRAWN: CHECKED: RF DOL
	DRAWING NO: 21578-2-701

SIRA 10576