

Henry J Lyons
51-54 Pearse Street
Dublin 2

NOTIFICATION TO GRANT PERMISSION
PLANNING & DEVELOPMENT ACT, 2000 (as amended) AND PLANNING
REGULATIONS THEREUNDER

Final Grant Order No.:	1397	Date of Final Grant:	08-Nov-2022
Decision Order No.:	1223	Date of Decision:	29-Sep-2022
Register Reference:	SD22A/0149	Date:	02-Sep-2022

Applicant: United Drug (Wholesale) Limited
Development: Single storey warehouse extension of 150sq.m to the south of the existing warehouse together with ancillary works including site landscaping and drainage.
Location: United Drug House, Magna Drive, Magna Business Park, Citywest Road, Dublin 24.

Time extension(s) up to and including:

Additional Information Requested/Received: 18-Jul-2022 / 02-Sep-2022

A Permission has been granted for the development described above, subject to the following conditions.

Conditions and Reasons:

1. Development to be in accordance with submitted plans and details.
The development shall be carried out and completed in its entirety in accordance with the plans, particulars and specifications lodged with the application, and as amended by Further Information received on 2nd September 2022, save as may be required by the other conditions attached hereto.
REASON: To ensure that the development shall be in accordance with the permission, and that effective control be maintained.
2. Drainage - Irish Water.
(a) The water supply and drainage infrastructure, shall comply with the requirements of Irish Water.
(b) There shall be complete separation of the foul and surface water drainage systems, both in respect of installation and use. All new precast surface water manholes shall have a minimum thickness surround of 150mm Concrete Class B.
REASON: In the interests of public health, the proper planning and sustainable development of the area and in order to ensure adequate water supply and drainage provision.
3. Irish Water Connection Agreement.
Prior to the commencement of development the applicant or developer shall enter into water and/or wastewater connection agreement(s) with Irish Water, as necessary.
REASON: In the interest of public health and to ensure adequate water/wastewater facilities.

4. Minimise Air Blown Dust.

During the construction and or demolition phase of the development, Best Practicable Means shall be employed to minimise air blown dust being emitted from the site. This shall include covering skips and slack-heaps, netting of scaffolding, daily washing down of pavements or other public areas, and any other precautions necessary to prevent dust nuisances. The applicant/developer shall comply with British Standard B.S. 5228 Noise Control on Construction and Open sites and British Standard B.S. 6187 Code of Practice for demolition. REASON: In the interest of public health and to uphold the Council's policies set out in the South Dublin County Council Development Plan.

5. Construction Noise and Hours.

To control, limit and prevent the generation of unacceptable levels of Environmental Noise Pollution from occurring during construction activity, no Equipment or Machinery (to include pneumatic drills, on-site construction vehicles, generators, etc.) that could give rise to unacceptable levels of noise pollution as set out generally for evening and night-time in S.I. No. 140/2006 - Environmental Noise Regulations 2006 shall be operated on the site before 7.00 hours on weekdays and 9.00 hours on Saturdays nor after 19.00 hours on weekdays and 13.00 hours on Saturdays, nor at any time on Sundays, Bank Holidays or Public Holidays. Any construction work outside these hours that could give rise to unacceptable levels of noise pollution shall only be permitted following a written request to the Planning Authority and the subsequent receipt of the written consent of the Planning Authority, having regard to the reasonable justification and circumstances and a commitment to minimise as far as practicable any unacceptable noise outside the hours stated above. In this respect, the applicant or developer shall also comply with BS 5228:2009 Noise and Vibration Control on Construction and Open Sites, and have regard to the World Health Organisation (WHO) – Guidelines for Community Noise (1999).

The applicant or developer shall also endeavour to engage in local consultation in respect of any noise sensitive location within 30 metres of the development as approved prior to construction activity commencing on site. Such noise sensitive locations should be provided with the following:

- Schedule of works to include approximate timeframes
- Name and contact details of contractor responsible for managing noise complaints
- Hours of operation- including any scheduled times for the use of equipment likely to be the source of significant noise.

REASON: In the interest of public health by the prevention of unacceptable levels of noise pollution which could interfere with normal sleep and rest patterns and/or when people could reasonably expect a level of quietness, the proper planning and sustainable development of the area and to uphold the Council's amenity policies set out in the South Dublin County Council Development Plan.

6. Operational Noise.

(a) Noise due to the normal operation of the proposed development, expressed as Laeq over 15 minutes at the façade of any noise sensitive location, shall not exceed the daytime background level i.e. 0700 – 1900 by more than 10 dB(A) and shall not exceed the background level for evening and night time (currently 19:00 – 07:00) as determined in S.I. No. 140/2006 - Environmental Noise Regulations 2006 .

Clearly audible and impulsive tones at noise sensitive locations during evening and night as determined in S.I. No. 140/2006 - Environmental Noise Regulations 2006 shall be avoided irrespective of the noise level.

(b) Noise levels from the proposed development shall not be so loud, so continuous, so repeated, of such duration or pitch or occurring at such times as to give reasonable cause for annoyance to a person in any residence, adjoining premises or public place in the vicinity.

(c) All mechanical plant and ventilation inlets and outlets should be sound insulated and/or fitted with sound attenuators as necessary to ensure that the noise level as expressed as LAeq over 15 minutes at 1 meter from the façade of any noise sensitive location does not exceed the background level by more than 10 dB(A) for daytime and shall not exceed the background level for evening and night time (currently 19:00 – 07:00) as determined in S.I. No. 140/2006 - Environmental Noise Regulations 2006.

REASON: In the interest of public health by the prevention of unacceptable levels of noise pollution which could interfere with normal sleep and rest patterns and/or when people could reasonably expect a level of quietness, and to uphold the Council's amenity policies set out in the South Dublin County Council Development Plan.

7. Aviation Safety.

(a) Operation of cranes shall be coordinated with Air Corps Air Traffic Services, no later than 28 days before use. Air Corps Traffic Services are contactable at airspaceandobstacles@defenceforces.ie or 01 - 403 7681.

(b) The developer should implement adequate bird control measures during the construction phase to mitigate the effects of birds on Air Corps flight operations.

REASON: To protect Aviation safety at Casement Aerodrome.

8. Financial Contribution.

The developer shall pay to the Planning Authority a financial contribution of €14,814.00 (Fourteen Thousand, Eight-Hundred and Fourteen Euro), in respect of public infrastructure and facilities benefiting development within the area of the Planning Authority, that is provided, or intended to be provided by or on behalf of the authority, in accordance with the terms of the Development Contribution Scheme 2021 - 2025, made under Section 48 of the Planning and Development Acts 2000-2011 (as amended).

The contributions under the Scheme shall be payable prior to commencement of development or as otherwise agreed in writing by the Council. Contributions due in respect of permission for retention will become payable immediately on issue of the final grant of permission.

Contributions shall be payable at the index adjusted rate pertaining to the year in which implementation of the planning permission is commenced.

REASON: The provision of such facilities will facilitate the proposed development. It is considered reasonable that the payment of a contribution be required, in respect of public infrastructure and facilities benefiting development in the area of the Planning Authority and that is provided, or that is intended will be provided, by or on behalf of the Local Authority.

NOTE RE: CONDITION - Please note that with effect from 1st January 2014, Irish Water is now the statutory body responsible for water services. Further details/clarification can be obtained from Irish Water at Tel. 01 6021000 or by emailing customerservice@water.ie.

NOTES :

NOTE: The applicant is advised that under the provisions of Section 34 (13) of the Planning and Development Act 2000 (as amended) a person shall not be entitled solely by reason of a permission to carry out any development.

NOTE: The applicant or developer should ensure that all necessary measures shall be taken by the contractor to prevent the spillage or deposit of clay, rubble or other debris on adjoining roads during the course of the works and to ensure that any such instances arising are remedied immediately.

NOTE: The applicant is advised that where industrial effluent is produced or stored a licence may be required under the provisions of the Waste Management Act.

NOTE: The applicant shall notify the Irish Aviation Authority and the Department of Defence regarding any cranes likely to penetrate ICAO surfaces.

NOTE: Adequate provision should be made to facilitate access to and the use of the development, buildings, facilities and services by disabled persons, including sanitary conveniences. The minimum requirements should be as per Part M of the Building Regulations.

NOTE: Notwithstanding any grant of planning permission; if an applicant requires permission to access local authority land (e.g. public footpaths, public open space or roadways) in order to access utilities, or for any other reason; please apply via <https://maproadroadworkslicensing.ie/MRL/> for a licence from the Local Authority to carry out those works.

- (1) All buildings must be designed and constructed in accordance with the Building Regulations 1997.
- (2) Building Control Regulations require a Commencement Notice. Please log onto www.localgov.ie and click on BCMS link.
- (3) A Fire Safety Certificate must be obtained from the Building Control Authority, where applicable.
- (4) Free Standing Walls must be designed and constructed in accordance with IS 325: Code of Practice for use of Masonry Part 1: Structural use of reinforced Masonry. The Owner must also ensure that the construction of all walls is supervised by a competent person.

Signed on behalf of South Dublin County Council.

M. Crowley

08-Nov-2022

for Senior Planner