

CDP Architecture  
4 The Mall  
Main Street  
Lucan  
Co. Dublin

**NOTIFICATION TO GRANT PERMISSION  
PLANNING & DEVELOPMENT ACT, 2000 (as amended) AND PLANNING  
REGULATIONS THEREUNDER**

Final Grant Order No.:	<b>1198</b>	Date of Final Grant:	<b>26-Sep-2022</b>
Decision Order No.:	<b>1055</b>	Date of Decision:	<b>17-Aug-2022</b>
Register Reference:	<b>SD22B/0142</b>	Date:	<b>21-Jul-2022</b>

**Applicant:** Roisin and Chris Cadden

**Development:** Demolition of existing single storey extension to rear and side garage.  
Construction of a 2 storey extension at front and side creating an additional bedroom with ensuite. A single storey extension to the rear with velux roof lights increasing floor area to the kitchen and dining room. Conversion of the existing attic with 2 velux windows and dormer window. All associated landscaping, site development works and drainage

**Location:** 53 Butterfield Close, Rathfarnham, Dublin 14.

**Time extension(s) up to and including:**

**Additional Information Requested/Received:** 02-Jun-2022 / 21-Jul-2022

A Permission has been granted for the development described above, subject to the following conditions.

**Conditions and Reasons:**

1. Development to be in accordance with submitted plans and details.  
The development shall be carried out and completed in its entirety in accordance with the plans, particulars and specifications lodged with the application, and as amended by Further Information received on 21/07/2022, save as may be required by the other conditions attached hereto.  
REASON: To ensure that the development shall be in accordance with the permission, and that effective control be maintained.
2. (a) External Finishes.  
All external finishes shall harmonise in colour or texture that is complementary to the house or its context.  
REASON: In the interest of visual amenity.  
(b) Restriction on Use.  
The house and the proposed extension shall be jointly used as a single dwelling unit for residential purposes and shall not be sub-divided or used for any commercial purposes, and the extension shall not be sold, let (including short-term letting), leased or otherwise transferred or

conveyed, by way of sale, letting or otherwise save as part of the single dwelling unit.

REASON: To prevent unauthorised development.

(c) Drainage - Irish Water.

(i) The water supply and drainage infrastructure, shall comply with the requirements of Irish Water.

(ii) All drainage works for this development shall comply fully with the Greater Dublin Regional Code of Practice for Drainage Works.

REASON: In the interests of public health, the proper planning and sustainable development of the area and in order to ensure adequate water supply and drainage provision.

(d) Minimise Air Blown Dust.

During the construction and or demolition phase of the development, Best Practicable Means shall be employed to minimise air blown dust being emitted from the site. This shall include covering skips and slack-heaps, netting of scaffolding, daily washing down of pavements or other public areas, and any other precautions necessary to prevent dust nuisances. The applicant/developer shall comply with British Standard B.S. 5228 Noise Control on Construction and Open sites and British Standard B.S. 6187 Code of Practice for demolition.

REASON: In the interest of public health and to uphold the Council's policies set out in the South Dublin County Council Development Plan.

(e) Construction Noise and Hours.

To control, limit and prevent the generation of unacceptable levels of Environmental Noise Pollution from occurring during construction activity, Equipment or Machinery (to include pneumatic drills, on-site construction vehicles, generators, etc.) that could give rise to unacceptable levels of noise pollution as set out generally for evening and night-time in S.I. No. 140/2006 - Environmental Noise Regulations 2006 shall only be operated on the site between 7.00 hours and 19.00 hours weekdays and between 9.00 hours and 13.00 hours on Saturdays. No works shall take place at any time on Sundays, Bank Holidays or Public Holidays.

Any construction work outside these hours that could give rise to unacceptable levels of noise pollution shall only be permitted following a written request to the Planning Authority and the subsequent receipt of the written consent of the Planning Authority, having regard to the reasonable justification and circumstances and a commitment to minimise as far as practicable any unacceptable noise outside the hours stated above. In this respect, the applicant or developer shall also comply with BS 5228:2009 Noise and Vibration Control on Construction and Open Sites, and have regard to the World Health Organisation (WHO) – Guidelines for Community Noise (1999).

The applicant or developer shall also endeavour to engage in local consultation in respect of any noise sensitive location within 30 metres of the development as approved prior to construction activity commencing on site. Such noise sensitive locations should be provided with the following:

- Schedule of works to include approximate timeframes
- Name and contact details of contractor responsible for managing noise complaints
- Hours of operation- including any scheduled times for the use of equipment likely to be the source of significant noise.

REASON: In the interest of public health by the prevention of unacceptable levels of noise pollution which could interfere with normal sleep and rest patterns and/or when people could reasonably expect a level of quietness, the proper planning and sustainable development of the area and to uphold the Council's amenity policies set out in the South Dublin County Council Development Plan.

3. Surface Water.

1.1 Prior to commencement of development, the applicant is required to submit site specific soil percolation test results, design calculations and dimensions to the Planning Authority for written agreement to demonstrate that the proposed soakaway is feasible in accordance with BRE Digest 365 – Soakaway Design. The applicant is required to submit a revised drawing showing plan and cross-sectional views, dimensions, and location of proposed soakaway to the Planning Authority. Any proposed soakaway shall be located fully within the curtilage of the property and shall be:

- i) At least 5m from any building, public sewer, road boundary or structure.
  - ii) Generally, not within 3m of the boundary of the adjoining property.
  - iii) Not in such a position that the ground below foundations is likely to be adversely affected.
  - iv) 10m from any sewage treatment percolation area and from any watercourse / floodplain.
  - v) Soakaways must include an overflow connection to the surface water drainage network.
- In the event that the proposed soakaway is not feasible in accordance with BRE Digest 365 – Soakaway Design, the applicant shall submit the following for the written agreement of the Planning Authority:

- i) Soil percolation test results demonstrating a soakaway is not feasible
- ii) A revised surface water layout drainage drawing for the development showing the inclusion of the following SuDS (Sustainable Drainage Systems) features

1.2 Include water butts as part of additional SuDS (Sustainable Drainage Systems) features for the proposed development.

- (a) The disposal of surface water, shall fully comply with all of the technical requirements of the Council's Water Services Section.
- (b) The applicant shall include water butts as part of Sustainable Drainage Systems (SuDS) for the development.
- (c) All drainage works for this development shall comply fully with the Greater Dublin Regional Code of Practice for Drainage Works.

REASON: In the interests of public health, safety, the proper planning and sustainable development of the area and in order to ensure adequate and appropriate surface water drainage provision

4. 1. The boundary walls at both vehicle access points shall be limited to a maximum height of 0.9m, and any boundary pillars shall be limited to a maximum height of 1.2m, in order to improve forward visibility for vehicles.
2. The existing vehicular access point shall be limited to a width of maximum 3.5m wide for the proposed development.
3. If applicable, footpath and kerb shall be dished and widened, and the dropped crossing shall be constructed to the satisfaction of South Dublin County Council and at the applicant's expense. The footpath and kerb shall be dished and widened to the full width of the proposed widened driveway entrance.
4. Any gates shall open inwards and not out over the public domain.
5. All vehicles parked in the driveways must exit the site in a forward direction. No vehicles to reverse onto the public roadway at any time.

REASON: In the interests of public health, safety, the proper planning and sustainable development of the area

5. Financial Contribution.

The developer shall pay to the Planning Authority a financial contribution of €5,145.09 (five thousand one hundred and forty five euros and nine cents), in respect of public infrastructure and facilities benefiting development within the area of the Planning Authority, that is

provided, or intended to be provided by or on behalf of the authority, in accordance with the terms of the Development Contribution Scheme 2021 - 2025, made under Section 48 of the Planning and Development Acts 2000-2011 (as amended).

The contributions under the Scheme shall be payable prior to commencement of development or as otherwise agreed in writing by the Council. Contributions due in respect of permission for retention will become payable immediately on issue of the final grant of permission. Contributions shall be payable at the index adjusted rate pertaining to the year in which implementation of the planning permission is commenced.

REASON: The provision of such facilities will facilitate the proposed development. It is considered reasonable that the payment of a contribution be required, in respect of public infrastructure and facilities benefiting development in the area of the Planning Authority and that is provided, or that is intended will be provided, by or on behalf of the Local Authority.

NOTE RE: CONDITION - Please note that with effect from 1st January 2014, Irish Water is now the statutory body responsible for water services. Further details/clarification can be obtained from Irish Water at Tel. 01 6021000 or by emailing customerservice@water.ie.

#### **NOTES :**

NOTE: The applicant is advised that under the provisions of Section 34 (13) of the Planning and Development Act 2000 (as amended) a person shall not be entitled solely by reason of a permission to carry out any development.

NOTE: The applicant or developer should ensure that all necessary measures shall be taken by the contractor to prevent the spillage or deposit of clay, rubble or other debris on adjoining roads during the course of the works and to ensure that any such instances arising are remedied immediately.

NOTE: The applicant/developer of these lands is advised that in the event of encroachment or oversailing of adjoining property, the consent of the adjoining property owner is required.

NOTE: The applicant is advised that, in order to use the attic conversion as a habitable room, it must comply with the Building Regulations.

- (1) All buildings must be designed and constructed in accordance with the Building Regulations 1997.
- (2) Building Control Regulations require a Commencement Notice. Please log onto [www.localgov.ie](http://www.localgov.ie) and click on BCMS link.
- (3) A Fire Safety Certificate must be obtained from the Building Control Authority, where applicable.
- (4) Free Standing Walls must be designed and constructed in accordance with IS 325: Code of Practice for use of Masonry Part 1: Structural use of reinforced Masonry. The Owner must also ensure that the construction of all walls is supervised by a competent person.

Signed on behalf of South Dublin County Council.

*M. Crowley*

\_\_\_\_\_  
for Senior Planner 27-Sep-2022