

Stephen Mason Architectural & Planning Services
2 Clonkeefy
Castlerahan
Ballyjamesduff
Co. Cavan

**NOTIFICATION TO GRANT PERMISSION
PLANNING & DEVELOPMENT ACT, 2000 (as amended) AND PLANNING
REGULATIONS THEREUNDER**

Final Grant Order No.:	1184	Date of Final Grant:	21-Sep-2022
Decision Order No.:	1021	Date of Decision:	11-Aug-2022
Register Reference:	SD22B/0278	Date:	17-Jun-2022

Applicant: Stephen & Eimear Shields

Development: Planning Permission for (1) Construction of a two storey pitched roof side extension to the existing dwelling
(2) Construction of a single storey flat roof rear extension to the existing dwelling and extending for the width of the two storey extension.
(3) Works to the existing house (a) Internal alterations at ground and first floor level to facilitate the new extension (b) Alterations to existing ground floor window on the front elevation
(4) Increased width vehicular entrance of the public road and
(5) All necessary ancillary site development works to facilitate this development

Location: 53 Michael Collins Park, Dublin 22

Time extension(s) up to and including:

Additional Information Requested/Received:

A Permission has been granted for the development described above, subject to the following conditions.

Conditions and Reasons:

1. Development in accordance with submitted plans and details.
The development shall be carried out and completed in its entirety fully in accordance with the plans, particulars and specifications lodged with the application, save as may be required by the other conditions attached hereto.
REASON: To ensure that the development shall be in accordance with the permission and that effective control be maintained.
2. Roads and Access
 - i) The vehicular access points shall be limited to a width of 3.5 meters.
 - ii) The boundary walls at vehicle access points shall be limited to a maximum height of 0.9m, and any boundary pillars shall be limited to a maximum height of 1.2m, in order to improve forward visibility for vehicles.

iii) Footpath and kerb shall be dished and widened, and the dropped crossing shall be constructed to the satisfaction of South Dublin County Council and at the applicant's expense. The footpath and kerb shall be dished and widened to the full width of the proposed widened driveway entrance.

iv) Any gates shall open inwards and not out over the public domain.

REASON: In the interest of public safety, proper planning and sustainable development.

3. First Floor Gable Window

Prior to the commencement of development, the applicant/developer shall submit drawings including elevations, floor plans and site plans showing one a new window on the first-floor of the gable wall (southern elevation) that shall be similar in design and dimensions to the window projecting onto the proposed new bedroom on the western (front) elevation at first floor level for the written agreement of the Planning Authority.

REASON: In the interest of residential amenity.

4. Drainage - Surface Water.

The disposal of surface water, shall fully comply with all of the technical requirements of the Council's Water Services Section. In this regard, prior to the commencement of development, the applicant/developer shall submit the following for the written agreement of the Planning Authority:

(a) Fully detailed foul and surface water drainage plans for the proposed development as approved showing location of all manholes, AJs etc located within the site boundary up to and including point of connection to the public sewer that fully accords with the requirements Council's Water Services Section and or Irish Water,

(b) There shall be complete separation of the foul and surface water drainage systems, both in respect of installation and use. All new precast surface water manholes shall have a minimum thickness surround of 150mm Concrete Class B.

(c) All drainage works for this development shall comply fully with the Greater Dublin Regional Code of Practice for Drainage Works.

(d) The soakaway design to be submitted shall be certified to BRE Digest 365 standard by a suitably qualified person carrying professional indemnity insurance and shall include documented evidence of infiltration test results to demonstrate that the soakaway complies with the requirements of BRE Digest 365.

The revised plans shall provide for a soakaway to be located within the curtilage of the property and this shall be:

(i) at least 5m from any buildings, public sewers or structures and not in such a position that the ground below foundations is likely to be adversely affected.

(ii) at least 5m from the nearest road boundary and not within 3m of the boundary of the adjoining site.

(iii) a minimum of 10m from any sewage treatment percolation area.

(iv) at least 10m from any stream / river / flood plain.

In addition only rainwater shall be discharged to soakaways.

REASON: In the interests of public health, safety, the proper planning and sustainable development of the area and in order to ensure adequate and appropriate surface water drainage provision.

5. Sustainable Urban Drainage Systems (SuDS)

The applicant has not proposed any SuDS (Sustainable Drainage Systems) features for the proposed development. Prior to the commencement of development, the applicant is required to submit a drawing in plan and cross sectional views clearly showing proposed Sustainable Drainage Systems (SuDS) features for the development, such as but not limited to the following:

- Rain Gardens , Planter boxes with overflow connection to the public surface water sewer.
- Permeable Paving
- Grasscrete
- Green Roofs,
- Swales
- Permeable Paving
- Grasscrete
- Channel Rills
- Planter Boxes water butts

The applicant should reference the SDCC Sustainable Drainage Explanatory Design & Evaluation Guide prior to submission.

REASON: In the interest of providing suitable SuDS measures and sustainable development of the area.

6. Protection of Street Trees in Grass Margins

The applicant shall ensure the protection of the existing street tree to be retained through the installation of suitable tree protection fencing in order to protect the existing tree during any construction works pertaining to retention of the gate. Commencement of development shall not be permitted without adequate protective fencing being in place. This fencing, enclosing the tree protection area must be installed prior to any plant, vehicle or machinery access on site. Fencing must be clearly signed 'Tree Protection Area – No Construction Access'. No Excavation, plant vehicle movement, materials or soil storage shall be permitted within the fenced tree protection areas indicated on plan.

REASON: In the interest of proper planning and sustainable development.

7. Financial Contribution.

The developer shall pay to the Planning Authority a financial contribution of €2,089.80 (two thousand and eighty nine euros and eighty cents), in respect of public infrastructure and facilities benefiting development within the area of the Planning Authority, that is provided, or intended to be provided by or on behalf of the authority, in accordance with the terms of the Development Contribution Scheme 2021 - 2025, made under Section 48 of the Planning and Development Acts 2000-2011 (as amended).

The contributions under the Scheme shall be payable prior to commencement of development or as otherwise agreed in writing by the Council. Contributions due in respect of permission for retention will become payable immediately on issue of the final grant of permission. Contributions shall be payable at the index adjusted rate pertaining to the year in which implementation of the planning permission is commenced.

REASON: The provision of such facilities will facilitate the proposed development. It is considered reasonable that the payment of a contribution be required, in respect of public infrastructure and facilities benefiting development in the area of the Planning Authority and that is provided, or that is intended will be provided, by or on behalf of the Local Authority.

NOTE RE: CONDITION - Please note that with effect from 1st January 2014, Irish Water is now the statutory body responsible for water services. Further details/clarification can be obtained from Irish Water at Tel. 01 6021000 or by emailing customerservice@water.ie.

NOTES :

NOTE: The applicant is advised that under the provisions of Section 34 (13) of the Planning and Development Act 2000 (as amended) a person shall not be entitled solely by reason of a permission to carry out any development.

NOTE: The applicant or developer should ensure that all necessary measures shall be taken by the contractor to prevent the spillage or deposit of clay, rubble or other debris on adjoining roads during the course of the works and to ensure that any such instances arising are remedied immediately.

NOTE: Adequate provision should be made to facilitate access to and the use of the development, buildings, facilities and services by disabled persons, including sanitary conveniences. The minimum requirements should be as per Part M of the Building Regulations.

NOTE: The applicant/developer of these lands is advised that in the event of encroachment or oversailing of adjoining property, the consent of the adjoining property owner is required.

NOTE: Notwithstanding any grant of planning permission; if an applicant requires permission to access local authority land (e.g. public footpaths, public open space or roadways) in order to access utilities, or for any other reason; the applicant should apply via <https://maproadroadworkslicensing.ie/MRL/> for a licence from the Local Authority to carry out those works.

- (1) All buildings must be designed and constructed in accordance with the Building Regulations 1997.
- (2) Building Control Regulations require a Commencement Notice. Please log onto www.localgov.ie and click on BCMS link.
- (3) A Fire Safety Certificate must be obtained from the Building Control Authority, where applicable.
- (4) Free Standing Walls must be designed and constructed in accordance with IS 325: Code of Practice for use of Masonry Part 1: Structural use of reinforced Masonry. The Owner must also ensure that the construction of all walls is supervised by a competent person.

Signed on behalf of South Dublin County Council.

M. Crowley

_____ 21-Sep-2022
for Senior Planner