

**Date:** 09-Nov-2022  
**Register Reference:** SD22A/0363  
**Development:** A new unmanned service station development consisting of construction of new petrol filling station forecourt with 4 dispensers, 2 underground fuel storage tanks with canopy structure (covering c. 235sq.m and 6.2m in height) with associated signage; Widen existing site entrance to the north-east of the site and creation of new egress location onto the Fonthill Road along the northern boundary to allow one-way internal road network incorporating new pedestrian crossing over existing footpath at site egress location; Automatic brush car wash and adjoining jet car wash with water recycling system; Single storey services building structure comprising of a car wash plant room and comms room area (gross floor area 16.3sq.m.) ; 4 electric charging bays, each comprising of a parking space and electric vehicle charging unit and associated signage; 3-room ESB substation to cater for EV charging infrastructure (gross floor area 38.3sq.m.); Air/Water services area with 2 car parking spaces; 2 internally illuminated double-sided totem signs, 1 at site entrance (4m high x 1.91m wide) with advertising area 15.3sq.m and 1 adjacent the new site egress location (5.8m high x 1.91m wide) with advertising area 22.16sq.m; All other associated underground and overground infrastructure, drainage, lighting, CCTV unmanned systems, landscaping and site development works.

**Location:** Fonthill Road, Liffey Valley, Clondalkin, Dublin 22  
**Applicant:** Certas Energy Ireland Limited  
**App. Type:** Permission  
**Planning Officer:** CONOR DOYLE  
**Date Received:** 20-Sep-2022  
**Decision Due Date:** 14-Nov-2022

The proposal is **acceptable** to Environmental Health subject to the following conditions set out below;

1. No heavy / noisy construction equipment or machinery (to include pneumatic drills, construction vehicles, generators, etc) shall be operated on or adjacent to the construction site before 07:00 hours on weekdays and 09:00 hours on Saturdays nor after 19:00 hours on weekdays and 13:00 hours on Saturdays, nor at any time on Sundays, Bank Holidays or Public Holidays.

Any work outside of these hours shall only be permitted following a written request to the Planning Authority and subsequent receipt of the written consent of the Planning Authority, having regard to the reasonable justification and circumstances and a commitment to minimise as far as practicable any unwanted noise outside the hours stated above.

2. Noise levels arising from construction activities shall not be so loud, so continuous, so repeated, of such duration or pitch or occurring at such times as to give rise to a noise nuisance affecting a person in any premises in the neighbourhood.
3. During the construction / demolition phase of the development, Best Practicable Means shall be employed to minimise air blown dust being emitted from the site. This shall include covering skips and slack-heaps, netting of scaffolding, daily washing down of pavements or other public areas, and any other precautions necessary to prevent dust nuisances.
4. A suitable location for the storage of refuse shall be provided during the construction and operational phase of the development so as to prevent a public health nuisance.
5. The applicant shall put in place a pest control contract for the site for the duration of the construction works.
6. The development shall be so operated that there will be no emissions of malodours, gas, dust, fumes or other deleterious materials, no noise vibration on site as would give reasonable cause for annoyance to any person in any residence, adjoining unit or public place in the vicinity.
7. Noise due to the normal operation of the proposed development, expressed as Laeq over 15 minutes at the façade of a noise sensitive location, shall not exceed the daytime background level by more than 10 dB(A) and shall not exceed the background level for evening and night time. Clearly audible and impulsive tones at noise sensitive locations during evening and night shall be avoided irrespective of the noise level.
8. Signage or lighting to be used on site during both construction and the on-going operation of the development must not be intrusive to any light sensitive location including residential properties in close proximity to the development.

*Mark Whelan*

Mark Whelan  
Environmental Health Officer



---

Kieran Groarke  
Environmental Health Officer