

**Adebolanle Adenuga**  
**14D Fitzherbert Court**  
**Navan**  
**Co Meath**

**NOTIFICATION TO GRANT PERMISSION**  
**PLANNING & DEVELOPMENT ACT, 2000 (as amended) AND PLANNING**  
**REGULATIONS THEREUNDER**

Final Grant Order No.:	<b>1129</b>	Date of Final Grant:	<b>05-Sep-2022</b>
Decision Order No.:	<b>0938</b>	Date of Decision:	<b>25-Jul-2022</b>
Register Reference:	<b>SD22B/0252</b>	Date:	<b>31-May-2022</b>

**Applicant:** Mr Deepak Kimar Tohani

**Development:** (1) To remove Hippedroof over existing sigle storey extension  
(2) Move out the wall to the side of the extension by one meter  
(3) Increase the size of the existing utility room and bedroom with en-suite on the ground floor  
(4) Erect first floor extension and extend main hipped roof at the side of the house brdering Liffey Cresent

**Location:** 69 Liffey Terrace, Lucan, Co. Dublin

**Time extension(s) up to and including:**

**Additional Information Requested/Received:**

A Permission has been granted for the development described above, subject to the following conditions.

**Conditions and Reasons:**

1. Development in accordance with submitted plans and details.  
The development shall be carried out and completed in its entirety fully in accordance with the plans, particulars and specifications lodged with the application, save as may be required by the other conditions attached hereto.  
REASON: To ensure that the development shall be in accordance with the permission and that effective control be maintained.
2. (a) External Finishes.  
All external finishes shall harmonise in colour or texture that is complementary to the house or its context.  
REASON: In the interest of visual amenity.  
(b) Restriction on Use.  
The house and the proposed extension shall be jointly used as a single dwelling unit for residential purposes and shall not be sub-divided or used for any commercial purposes, and the extension shall not be sold, let (including short-term letting), leased or otherwise transferred or conveyed, by way of sale, letting or otherwise save as part of the single dwelling unit.  
REASON: To prevent unauthorised development.

(c) Drainage - Irish Water.

(i) The water supply and drainage infrastructure, shall comply with the requirements of Irish Water.

(ii) There shall be complete separation of the foul and surface water drainage systems, both in respect of installation and use. All new precast surface water manholes shall have a minimum thickness surround of 150mm Concrete Class B.

(iii) All drainage works for this development shall comply fully with the Greater Dublin Regional Code of Practice for Drainage Works.

REASON: In the interests of public health, the proper planning and sustainable development of the area and in order to ensure adequate water supply and drainage provision.

(d) Minimise Air Blown Dust.

During the construction and or demolition phase of the development, Best Practicable Means shall be employed to minimise air blown dust being emitted from the site. This shall include covering skips and slack-heaps, netting of scaffolding, daily washing down of pavements or other public areas, and any other precautions necessary to prevent dust nuisances. The applicant/developer shall comply with British Standard B.S. 5228 Noise Control on Construction and Open sites and British Standard B.S. 6187 Code of Practice for demolition.

REASON: In the interest of public health and to uphold the Council's policies set out in the South Dublin County Council Development Plan.

(e) Construction Noise and Hours.

To control, limit and prevent the generation of unacceptable levels of Environmental Noise Pollution from occurring during construction activity, Equipment or Machinery (to include pneumatic drills, on-site construction vehicles, generators, etc.) that could give rise to unacceptable levels of noise pollution as set out generally for evening and night-time in S.I. No. 140/2006 - Environmental Noise Regulations 2006 shall only be operated on the site between 7.00 hours and 19.00 hours weekdays and between 9.00 hours and 13.00 hours on Saturdays. No works shall take place at any time on Sundays, Bank Holidays or Public Holidays.

Any construction work outside these hours that could give rise to unacceptable levels of noise pollution shall only be permitted following a written request to the Planning Authority and the subsequent receipt of the written consent of the Planning Authority, having regard to the reasonable justification and circumstances and a commitment to minimise as far as practicable any unacceptable noise outside the hours stated above. In this respect, the applicant or developer shall also comply with BS 5228:2009 Noise and Vibration Control on Construction and Open Sites, and have regard to the World Health Organisation (WHO) – Guidelines for Community Noise (1999).

The applicant or developer shall also endeavour to engage in local consultation in respect of any noise sensitive location within 30 metres of the development as approved prior to construction activity commencing on site. Such noise sensitive locations should be provided with the following:

- Schedule of works to include approximate timeframes
- Name and contact details of contractor responsible for managing noise complaints
- Hours of operation- including any scheduled times for the use of equipment likely to be the source of significant noise.

REASON: In the interest of public health by the prevention of unacceptable levels of noise pollution which could interfere with normal sleep and rest patterns and/or when people could reasonably expect a level of quietness, the proper planning and sustainable development of the area and to uphold the Council's amenity policies set out in the South Dublin County Council Development Plan.

3. (a) The disposal of surface water, shall fully comply with all of the technical requirements of the Council's Water Services Section.
- (b) The applicant shall include water butts as part of Sustainable Drainage Systems (SuDS) for the development.
- (c) All drainage works for this development shall comply fully with the Greater Dublin Regional Code of Practice for Drainage Works.

REASON: In the interests of public health, safety, the proper planning and sustainable development of the area and in order to ensure adequate and appropriate surface water drainage provision

**NOTES :**

NOTE: The applicant is advised that under the provisions of Section 34 (13) of the Planning and Development Act 2000 (as amended) a person shall not be entitled solely by reason of a permission to carry out any development.

NOTE: The applicant or developer should ensure that all necessary measures shall be taken by the contractor to prevent the spillage or deposit of clay, rubble or other debris on adjoining roads during the course of the works and to ensure that any such instances arising are remedied immediately.

- (1) All buildings must be designed and constructed in accordance with the Building Regulations 1997.
- (2) Building Control Regulations require a Commencement Notice. Please log onto [www.localgov.ie](http://www.localgov.ie) and click on BCMS link.
- (3) A Fire Safety Certificate must be obtained from the Building Control Authority, where applicable.
- (4) Free Standing Walls must be designed and constructed in accordance with IS 325: Code of Practice for use of Masonry Part 1: Structural use of reinforced Masonry. The Owner must also ensure that the construction of all walls is supervised by a competent person.

Signed on behalf of South Dublin County Council.

*M. Crowley*

\_\_\_\_\_06-Sep-2022  
*for Senior Planner*