

EXISTING CITYWEST & SAGGART COMMUNITY NATIONAL SCHOOL CONSTRUCTED AS PART OF PREVIOUS PLANNING APPLICATION REF SD/16A/0255

EXISTING NURSING HOME CONSTRUCTED AS PART OF PREVIOUS PLANNING APPLICATION REF SD/06A/0933

EXISTING CUIL DUIN RESIDENTIAL DEVELOPMENT CONSTRUCTED AS PART OF PREVIOUS PLANNING APPLICATION REF SD/14A/0121

ON ORIGINAL

© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.

NO CHANGES OF WHATSOEVER NATURE ARE TO BE MADE TO ANY DETAILS SET OUT OR CONTAINED IN ANY DBFL SPECIFICATIONS OR DRAWINGS UNLESS THE EXPRESS CONSENT HAS BEEN OBTAINED IN ADVANCE, IN WRITING, FROM DBFL.

NOTES:

- ALL DIMENSIONS AND LEVELS ARE IN METERS AND ARE RELATED TO ORDNANCE DATUM. CO-ORDINATES RELATE TO IRISH TRANSVERSE MERCATOR.
- ALL FOUL SEWERS, MANHOLES AND CONNECTIONS TO BE CONSTRUCTED IN ACCORDANCE WITH IRISH WATER CODE OF PRACTICE FOR WASTEWATER INFRASTRUCTURE AND IRISH WATER WASTEWATER INFRASTRUCTURE STANDARD DETAILS.
- ALL PUBLIC SURFACE WATER SEWERS TO BE MINIMUM 225 DIA. CLASS H CONCRETE TO EN1918 & IS 62004.
- SURFACE WATER CONNECTIONS TO BE TO I.S. EN 295-1/2/3:1992 IN ACCORDANCE WITH THE GREATER DUBLIN REGIONAL CODE OF PRACTICE FOR DRAINAGE WORKS.
- ALL COVER LEVELS TO MATCH FINISHED ROAD/VERGE/FOOTPATH/CYCLETRACK LEVELS UNLESS OTHERWISE STATED.
- ALL FOUL SEWERS TO BE CONCRETE OR UPVC TO IS EN 1916 AND SECTION 3.13 OF WASTEWATER CODE OF PRACTICE

LEGEND:

- SITE BOUNDARY
- FILTER DRAINS
- PROPOSED SURFACE WATER DRAIN
- PROPOSED FOUL DRAIN
- SOIL VENT PIPE
- RAIN WATER ACCESS JUNCTION
- EXISTING SURFACE WATER DRAIN
- EXISTING FOUL DRAIN
- ACC SLOT DRAIN
- RAIN WATER DOWN PIPE
- RAIN WATER ACCESS JUNCTION
- FILTER DRAIN
- STORM INSPECTION CHAMBER
- FOUL INSPECTION CHAMBER
- PROPOSED BUILDING
- FINISHED FLOOR LEVEL
- PERMEABLE PAVING (PRIVATE)
- WAYLEAVE
- WATERMAIN
- EXISTING WATERMAIN
- BOUNDARY BOX
- INDICATIVE ESB 2 WAY DUCTS

ORDNANCE SURVEY IRELAND LICENCE No CYAL5027885
 © ORDNANCE SURVEY IRELAND GOVERNMENT OF IRELAND

P02	14-10-22	PLANNING SUBMISSION	RFC	KMM
P01	07-10-22	PLANNING SUBMISSION	RMC	KMM
rev	date	description	by	chkd
		A - Approved		
		B - Approved with comments		
		C - Do not use		

client approval

submittal

S4 - STAGE APPROVAL

PLANNING

DBFL Consulting Engineers
 Civil, Structural & Transportation Engineering
 www.dbfl.ie

DUBLIN OFFICE: Ormside House, Upper Ormside Quay, Dublin 7, D07 W0W4
 PHONE: +353 1 400 4000

COOR. OFFICE: 14 South Mall, Cork, T12 CT91
 PHONE: +353 21 254545

WATERFORD OFFICE: Suite 10 The Ark, Millbrook Gate, Canessa Street, Waterford, X01 W029
 PHONE: +353 51 309 900

project ref:

CUIL DUIN CRECHE & COMMUNITY CENTRE

drawing title:

SITE SERVICES LAYOUT

client:

GREENACRE RESIDENTIAL DAC

designed by	author	scale	sheet size
KMM	RMC	1:200	A1
drawing no.	revision		
132071-DBFL-CS-SP-DR-C-1001	P02		