

- NOTES**
1. ALL DRAWINGS TO BE CHECKED BY CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES
 2. ALL LEVELS ARE IN METRES AND ARE RELATED TO ORDNANCE DATUM
 3. ALL DIMENSIONS TO BE IN MILLIMETERS UNLESS NOTED OTHERWISE
 4. CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF PAVEMENT LEVELS ON SITE PRIOR TO COMMENCEMENT OF WORKS ON SITE
 5. ALL SURFACE WATER DRAINAGE WORKS TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE LOCAL AUTHORITY'S CODE OF PRACTICE FOR DRAINAGE AND THE GDSOS
 6. ALL SURFACE WATER SEWERS TO BE CLASS H CONCRETE TO EN1518 & IS 6 2004.
 7. ALL FOUL DRAINAGE WORKS TO BE IN ACCORDANCE WITH IRISH WATERS' CODE OF PRACTICE FOR WASTEWATER SUPPLY AND WASTEWATER INFRASTRUCTURE STANDARD DETAILS.
 8. FOUL SEWERS TO BE THERMOPLASTIC STRUCTURED WALL PIPES (COMPLYING WITH THE PROVISION OF IS 13476 AND WIS 4-35-01 2000) AND COMPLY WITH THE REQUIREMENTS OF THE IRISH WATER CODE OF PRACTICE FOR WATER SUPPLY AND WATER INFRASTRUCTURE STANDARD DETAILS
 9. WATERMAIN INSTALLATION AND ALL WATER SUPPLY WORKS TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF IRISH WATERS' CODE OF PRACTICE FOR WATER SUPPLY AND WATER INFRASTRUCTURE STANDARD DETAILS
 10. WATERMANS TO BE TYPE HPPE - PE-100, SDR-17 RATED AND SHALL CONFORM TO IS EN 12201 (PART 1, PART 2 & PART 3).
 11. WATERMAIN SERVICE CONNECTION PIPES TO BE HOPE (PE-80) MATERIAL WITH SDR-17 RATING
 12. ANCHOR BLOCKS TO BE POSITIONED AT DEAD ENDS, TEES, BENDS AND AT EACH SIDE OF HYDRANTS AND VALVES IN ACCORDANCE WITH THE REQUIREMENTS OF IRISH WATER STANDARD DETAIL STD-W-28 (WATER MAIN THRUST AND SUPPORT BLOCKS)
 13. HYDRANT OUTLET TO BE 200mm BELOW GROUND LEVEL UNLESS REQUESTED OTHERWISE
 14. WHERE COVER TO PIPE IS LESS THAN 900mm IN GREEN AREAS AND 1200mm IN TRAFFICKED AREAS, ENCASE PIPE IN NEW 150mm CONCRETE WITH MOVEMENT JOINTS.

- LEGEND**
- 58.50 EXISTING SPOT/ROAD LEVEL
 - 58.30 PROPOSED ROAD/SPOT LEVEL
 - SITE BOUNDARY
 - PROPOSED BUILDING
 - PROPOSED FOOTPATH
 - PROPOSED ROADWAY
 - EXTENT OF BASEMENT

U-STORE-IT LIFFEY VALLEY
 GROUND FFL = 58.500
 BASEMENT FFL = 55.000

Rev	Date	Description	SM	SJ	By	Chk
P	28/10/22	PLANNING SUBMISSION	SM	SJ		

PLANNING

gdcl
 CONSULTING ENGINEERS


Scope House, 75 Shelton Street, Covent Garden, London WC2H 9JQ
 Parystown, Dublin D12 K8PP
 www.gdalconsulting.com

PROJECT
 U-Store-It, Liffey Valley

CLIENT
 Oceanglade Ltd

DRAWING TITLE
 Proposed Road/Paving Levels

dm. by: SM	date: Oct 22	scale: 1:250
drawing size: A1	chk: SJ	app: GD
job no: P2005	dr. no: P2005-C-306	rev: p



NOT FOR CONSTRUCTION