



NOTES

1. ALL DRAWINGS TO BE CHECKED BY CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES
2. ALL LEVELS ARE IN METRES AND ARE RELATED TO A LOCAL DATUM
3. CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF PAVEMENT LEVELS ON SITE PRIOR TO COMMENCEMENT OF WORKS ON SITE
4. ALL WORKS TO BE CONSTRUCTED IN ACCORDANCE WITH THE REQUIREMENTS OF THE LOCAL PLANNING AUTHORITY
5. MANHOLE COVER LEVELS ARE TO CONFORM WITH FINISHED ROAD AND PATH LEVELS
6. WHERE COVER TO PIPE IS LESS THAN 1200mm (ROAD/PATH/VERGE) OR 900mm (OPEN SPACE) SURROUND PIPE IN MINIMUM 150mm CONCRETE

P	28/10/22	PLANNING SUBMISSION	SM	SJ
Rev	Date	Description	By	Chk

**PLANNING**

**gdcl**  
CONSULTING ENGINEERS

Scope House, 75 Shelton Street,  
Perrystown, Covent Garden,  
Dublin D12 K8PP London WC2H 9JQ  
www.gdalyc consulting.com

PROJECT  
U-Store-It, Liffey Valley

CLIENT  
Oceanglade Ltd.

DRAWING TITLE  
Longitudinal Sections Through  
Foul and Surface Water Sewers

dm. by: PTC	date: Oct '22	scale: 1:250
drawing size: A1	chk: SJ	app: GD
job no: P2005	drg. no: P2005-C-320	rev: P

NOT FOR CONSTRUCTION