

**Mr. Michael Finnan**  
**Lower Friarstown**  
**Bohernabreena**  
**Dublin 24**

**NOTIFICATION TO GRANT PERMISSION**  
**PLANNING & DEVELOPMENT ACT, 2000 (as amended) AND PLANNING**  
**REGULATIONS THEREUNDER**

Final Grant Order No.:	<b>1302</b>	Date of Final Grant:	<b>17-Oct-2022</b>
Decision Order No.:	<b>1137</b>	Date of Decision:	<b>05-Sep-2022</b>
Register Reference:	<b>SD22A/0031</b>	Date:	<b>08-Aug-2022</b>

**Applicant:** Stella Browne

**Development:** (1) Demolition of existing single storey garage and rear single storey extension;  
(2) construction of a new two storey, semi-detached dwelling house with an attic conversion and widening existing vehicular access to serve existing dwelling house at 29 Ballyboden Road, Rathfarnham, Dublin 14.

**Location:** 29 Ballyboden Road, Rathfarnham, Dublin 14

**Time extension(s) up to and including:**

**Additional Information Requested/Received:** 30-Mar-2022 / 08-Aug-2022

A Permission has been granted for the development described above, subject to the following conditions.

**Conditions and Reasons:**

1. Development to be in accordance with submitted plans and details.  
The development shall be carried out and completed in its entirety in accordance with the plans, particulars and specifications lodged with the application, and as amended by Further Information received on 8th August 2022, save as may be required by the other conditions attached hereto.  
REASON: To ensure that the development shall be in accordance with the permission, and that effective control be maintained.
2. Amendments.  
Prior to the commencement of development the applicant, owner or developer shall submit the following for the written agreement of the Planning Authority:  
Revised plans that incorporate all of the following amendments-
  - (a) Omission of the ground floor rear return;
  - (b) Provision of a ground floor front extension to the proposed dwelling, across the width of the proposed dwelling, at a depth of 1.5 metres and under an appropriate roof.
  - (c) The moving forward of the internal staircase and understairs bathroom to allow for accommodation of a kitchen area to the rear.REASON: To ensure adequate private amenity space to the rear, and to protect the amenities of the area and in the interests of the proper planning and sustainable development of the area.

3. Permission Required for Class 1 & 3 Exemptions.

Notwithstanding the exempted development provisions of the Planning and Development Regulations, 2001 as amended, and any statutory provision replacing or amending them, no development falling within Class 1 or Class 3 of Part 1 of Schedule 2 of those Regulations and any statutory provision replacing or amending them shall take place within the curtilage of the proposed development without a prior grant of planning permission.

REASON: In order to ensure that a reasonable amount of rear garden space is retained for the benefit of the occupants of the dwelling, compliance with Development Plan policy, and in order to protect the residential amenity of the area.

4. Roads.

(a) Both vehicular access points shall be limited to a width of 3.5 meters.

(b) The boundary walls at vehicle access points shall be limited to a maximum height of 0.9m, and any boundary pillars shall be limited to a maximum height of 1.2m, in order to improve forward visibility for vehicles.

(c) Footpath and kerb shall be dished and widened, and the dropped crossing shall be constructed to the satisfaction of South Dublin County Council and at the applicant's expense. The footpath and kerb shall be dished and widened to the full width of the proposed driveway entrance.

(d) Any gates shall open inwards and not out over the public domain.

Reason: in the interest of pedestrian and traffic safety.

5. External Finishes.

All external finishes shall harmonise in colour and texture with the adjoining dwelling at No. 29.

REASON: In the interest of visual amenity.

6. House Number.

The number of the house shall be 29A, and this number shall be placed on the completed house prior to its occupation in a manner so as to be clearly legible from the public road.

In the event that this number already exists no development shall take place under this permission until the applicant, owner or developer has lodged with the Planning Authority;

(a) a street name and dwelling/unit number plan to resolve any possible conflict and,

(b) this has been acknowledged as acceptable in writing by the Planning Authority.

Following receipt of an acknowledgement of acceptability, the agreed number / name shall be placed on the completed house prior to occupation in a manner so as to be clearly legible from the public road.

The applicant is advised that the development number or name should

(i) avoid any duplication within the county;

(ii) reflect the local and historical context of the approved development;

(iii) comply with Development Plan policy, the guidelines on naming and numbering of the Department of the Environment, Heritage and Local Government,

(iv) have regard to the Guidelines issued by the Place Names Commission (An Coimisiún Logainmneacha) and;

(v) preferably make exclusive use of the Irish language.

The applicant, owner or developer is advised to consult with Naming and Numbering section of the Planning Authority in advance of lodging the required plan.

REASON: In the interests of the proper planning and sustainable development of the area and

compliance with the Council's Development Plan.

7. Irish Water Connection Agreement.

Prior to the commencement of development the applicant or developer shall enter into water and/or wastewater connection agreement(s) with Irish Water, including a Deed of Easement as required by Irish Water.

REASON: In the interest of public health and to ensure adequate water/wastewater facilities.

8. Drainage - Surface Water.

(a) There shall be complete separation of the foul and surface water drainage systems, both in respect of installation and use. All new precast surface water manholes shall have a minimum thickness surround of 150mm Concrete Class B.

(b) All drainage works for this development shall comply fully with the Greater Dublin Regional Code of Practice for Drainage Works.

(c) The disposal of surface water shall fully comply with all of the technical requirements of the Council's Water Services Section. In this regard, prior to the commencement of development, the applicant/developer shall submit the following for the written agreement of the Planning Authority:

- The soakaway design, certified to BRE Digest 365 standard by a suitably qualified person carrying professional indemnity insurance and shall include documented evidence of infiltration test results to demonstrate that the soakaway complies with the requirements of BRE Digest 365.

The plans shall provide for a soakaway to be located within the curtilage of the property and this shall be:

(i) at least 5m from any buildings, public sewers or structures and not in such a position that the ground below foundations is likely to be adversely affected.

(ii) at least 5m from the nearest road boundary and not within 3m of the boundary of the adjoining site.

(iii) a minimum of 10m from any sewage treatment percolation area.

(iv) at least 10m from any stream / river / flood plain.

In addition only rainwater shall be discharged to soakaways.

REASON: In the interests of public health, safety, the proper planning and sustainable development of the area and in order to ensure adequate and appropriate surface water drainage provision.

9. Minimise Air Blown Dust.

During the construction and or demolition phase of the development, Best Practicable Means shall be employed to minimise air blown dust being emitted from the site. This shall include covering skips and slack-heaps, netting of scaffolding, daily washing down of pavements or other public areas, and any other precautions necessary to prevent dust nuisances. The applicant/developer shall comply with British Standard B.S. 5228 Noise Control on Construction and Open sites and British Standard B.S. 6187 Code of Practice for demolition.

REASON: In the interest of public health and to uphold the Council's policies set out in the South Dublin County Council Development Plan.

10. Construction Noise and Hours.

To control, limit and prevent the generation of unacceptable levels of Environmental Noise Pollution from occurring during construction activity, no Equipment or Machinery (to include pneumatic drills, on-site construction vehicles, generators, etc.) that could give rise to unacceptable levels of noise pollution as set out generally for evening and night-time in S.I. No. 140/2006 - Environmental Noise Regulations 2006 shall be operated on the site before 7.00 hours on weekdays and 9.00 hours on Saturdays nor after 19.00 hours on weekdays and

13.00 hours on Saturdays, nor at any time on Sundays, Bank Holidays or Public Holidays. Any construction work outside these hours that could give rise to unacceptable levels of noise pollution shall only be permitted following a written request to the Planning Authority and the subsequent receipt of the written consent of the Planning Authority, having regard to the reasonable justification and circumstances and a commitment to minimise as far as practicable any unacceptable noise outside the hours stated above. In this respect, the applicant or developer shall also comply with BS 5228:2009 Noise and Vibration Control on Construction and Open Sites, and have regard to the World Health Organisation (WHO) – Guidelines for Community Noise (1999).

The applicant or developer shall also endeavour to engage in local consultation in respect of any noise sensitive location within 30 metres of the development as approved prior to construction activity commencing on site. Such noise sensitive locations should be provided with the following:

- Schedule of works to include approximate timeframes
- Name and contact details of contractor responsible for managing noise complaints
- Hours of operation- including any scheduled times for the use of equipment likely to be the source of significant noise.

REASON: In the interest of public health by the prevention of unacceptable levels of noise pollution which could interfere with normal sleep and rest patterns and/or when people could reasonably expect a level of quietness, the proper planning and sustainable development of the area and to uphold the Council's amenity policies set out in the South Dublin County Council Development Plan.

#### 11. Financial Contribution.

The developer shall pay to the Planning Authority a financial contribution of €8,150.22 (Eight thousand, one hundred and fifty Euro and twenty-two cents), in respect of public infrastructure and facilities benefiting development within the area of the Planning Authority, that is provided, or intended to be provided by or on behalf of the authority, in accordance with the terms of the Development Contribution Scheme 2021 - 2025, made under Section 48 of the Planning and Development Acts 2000-2011 (as amended).

The contributions under the Scheme shall be payable prior to commencement of development or as otherwise agreed in writing by the Council. Contributions due in respect of permission for retention will become payable immediately on issue of the final grant of permission. Contributions shall be payable at the index adjusted rate pertaining to the year in which implementation of the planning permission is commenced.

REASON: The provision of such facilities will facilitate the proposed development. It is considered reasonable that the payment of a contribution be required, in respect of public infrastructure and facilities benefiting development in the area of the Planning Authority and that is provided, or that is intended will be provided, by or on behalf of the Local Authority.

NOTE: Please note that with effect from 1st January 2014, Irish Water is now the statutory body responsible for water services. Further details/clarification can be obtained from Irish Water at Tel. 01 6021000 or by emailing [customerservice@water.ie](mailto:customerservice@water.ie).

NOTE: The financial contribution is calculated on the basis of a 78sqm house.

NOTE: The applicant is advised that under the provisions of Section 34 (13) of the Planning and Development Act 2000 (as amended) a person shall not be entitled solely by reason of a permission to carry out any development.

NOTE: The applicant is advised that, in order to use the attic conversion as a habitable room, it must comply with the Building Regulations.

NOTE: The applicant or developer should ensure that all necessary measures shall be taken by the contractor to prevent the spillage or deposit of clay, rubble or other debris on adjoining roads during the course of the works and to ensure that any such instances arising are remedied immediately.

NOTE: Waste, arising from the site, must be kept to a minimum, segregated where appropriate, and disposed in accordance with the Waste Management Regulations 2007, as amended. Transport of such waste, must be by an authorised waste permit holder. Waste disposal records must be maintained and made available, for inspection by Authorised Persons appointed under the Waste Management Act 1996, as amended. A Waste Transfer Form shall accompany the transportation of all hazardous waste arising from the construction works.

NOTE: A Roads Opening Licence must be obtained from South Dublin County Council prior to the commencement of any works in the public domain in order to comply with the Roads Act 1993, Section 13, paragraph 10. Under this Act, non-compliance constitutes an offence.

NOTE: Notwithstanding any grant of planning permission; if an applicant requires permission to access local authority land (e.g. public footpaths, public open space or roadways) in order to access utilities, or for any other reason; please apply via <https://maproadroadworkslicensing.ie/MRL/> for a licence from the Local Authority to carry out those works.

- (1) All buildings must be designed and constructed in accordance with the Building Regulations 1997.
- (2) Building Control Regulations require a Commencement Notice. Please log onto [www.localgov.ie](http://www.localgov.ie) and click on BCMS link.
- (3) A Fire Safety Certificate must be obtained from the Building Control Authority, where applicable.
- (4) Free Standing Walls must be designed and constructed in accordance with IS 325: Code of Practice for use of Masonry Part 1: Structural use of reinforced Masonry. The Owner must also ensure that the construction of all walls is supervised by a competent person.

Signed on behalf of South Dublin County Council.

*M. Crowley*

\_\_\_\_\_17-Oct-2022  
for Senior Planner