


REV.	DATE	BY	DESCRIPTION
PL.5	09.11.2022	SG	ISSUED FOR PLANNING

DRAWING NOTES:

1. This Drawing is to be read in conjunction with the relevant Specifications & other Architectural & Engineering Drawings. Engineers to be informed immediately of any discrepancies before work proceeds.
2. Do Not Scale from this Drawing. Metric Figured Dimension only are to be used.
3. It is "The Contractors" responsibility to ensure that all works are carried out in accordance with the requirements of the current Building Regulations and all other statutory documents relevant to this project including the grant of planning permission, Fire Safety Certificate and Disability Access Certificate.
4. SDS (Structural Design Solutions) Ltd./ SDS-UK (Structural Design Solutions) Ltd. bear no liability for unilateral changes/modifications made during the course of construction based on the drawing prepared, without prior consultation and confirmation of acceptance of the revision by SDS (Structural Design Solutions) Ltd./ SDS-UK (Structural Design Solutions) Ltd.



SECTION THROUGH RETAINING WALL AT REAR OF LIDL STORE
SCALE 1:20

DRAINAGE SERVICES - NOTES:

ALL MANHOLES TO BE PRECAST CONCRETE IN ACCORDANCE WITH IRISH WATER STANDARDS.

ALL MANHOLES TO BE INSTALLED ON SITE TO BE FULLY SEALED

ALL MANHOLE COVERS TO BE DN400

ALL FOUL SEWER PIPES TO COMPLY WITH IRISH WATER SPECIFICATION & REQUIREMENTS

ALL FOUL SEWER AND SURFACE WATER PIPELINES TO HAVE AN AIR PRESSURE TEST CARRIED OUT IN ACCORDANCE WITH TGD PART H OF THE CURRENT BUILDING REGULATIONS.

ALL CONNECTIONS FROM SURFACE WATER GULLIES TO BE 150mm Ø MINIMUM.

ALL CONNECTIONS TO THE FOUL SEWER NETWORK TO BE THROUGH APPROVED INSPECTION CHAMBER AS PER IRISH WATER REQUIREMENTS STANDARD DETAIL, REF. STD-WW-03

FINAL CONNECTION AND INVERT LEVELS TO BE VERIFIED BY MAIN CONTRACTOR PRIOR COMMENCING OF DRAINAGE WORKS. ANY DISCREPANCY TO BE NOTIFIED TO DESIGN ENGINEER BEFORE PROCEEDING.

JUMBO MIDI GREASE TRAP TO BE INSTALLED ON BAKERY DISCHARGE PIPE TO FOUL SEWER REFER TO M&E DRAWINGS FOR DETAILS OF PUBLIC LIGHTING, ELECTRICITY SUPPLY, GATEKEEPER SYSTEM, TELECOM SUPPLY AND GAS SUPPLY IF AVAILABLE.

REFER TO EXISTING SITE SURVEY FOR DETAILS OF ALL EXISTING SERVICES. COVER LEVELS OF ALL EXISTING MANHOLES WHICH ARE BEING MAINTAINED TO BE ADJUSTED TO SUIT THE PROPOSED FINISHED GROUND LEVELS FOR NEW CAR PARK ARRANGEMENT.

NOTE 2:

EXISTING SITE SURVEY TO BE VERIFIED ON SITE. ALL LEVELS, INVERTS, POSITIONS OF SERVICES, EXISTING WALLS, ROADS ETC TO BE CHECKED ON SITE AND ANY DISCREPANCIES NOTIFIED TO THE ENGINEER BEFORE WORKS PROCEED.

© THIS DRAWING IS PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF SDS (Structural Design Solutions) Ltd. / SDS-UK Ltd. IT MAY NOT BE USED, REPRODUCED OR DISCLOSED TO ANYONE WITHOUT THE PRIOR WRITTEN APPROVAL OF THE AUTHORS.

CIVIL, STRUCTURAL & BUILDING ENGINEERS
DUBLIN • LONDON • CASTLEBAR • SPAIN

Head Office: Unit 9, NS Business Park, Castlebar, Co. Mayo F23 E283. Tel: +353 (0)94 9034914
Dublin: Silverdale, Old Swords Road, Dublin 9, D09 CA24. Tel: +353 (0)1 6877480
London: Bridge House, 25-27 The Bridge, Wealdstone, Harrow, HA3 5AB. Tel: +44 (0)20 30266724
Spain: Calle Virgen de Guadalupe, 4A. Utebo, 23400, Jaen.

SDS
design engineers

info@structuraldesign.ie Web: www.structuraldesign.ie

Client: **LIDL Ireland GmbH**

Project Title: **PROPOSED DEVELOPMENT OF LIDL STORE AT NEWCASTLE, DUBLIN, CO. DUBLIN**

Drawing Title: **SECTION THROUGH RETAINING WALL AT REAR OF LIDL STORE**

Scale	Page No.	Status
AS SHOWN	A1	PLANNING
Drawn by	Date	Checked
SG	NOVEMBER 2022	MM
Project No. 22058 Drawing No. 1031 Revision PL.5		