

South Dublin County Council
An Rannóg Talamhúsáide, Pleanála agus Iompair
Land Use, Planning & Transportation Department
Telephone: 01 4149000 Fax: 01 4149104 Email: planning.dept@sdublincoco.ie

Michael McCormack,
McElroy Associates
69, Lower Leeson Street
Dublin 2

**NOTIFICATION TO GRANT PERMISSION
PLANNING & DEVELOPMENT ACT, 2000 (as amended) AND PLANNING
REGULATIONS THEREUNDER**

Final Grant Order No.:	0575	Date of Final Grant:	05-May-2022
Decision Order No.:	0364	Date of Decision:	21-Mar-2022
Register Reference:	SD22A/0022	Date:	26-Jan-2022

Applicant: Takeda Ireland Limited

Development: The construction of a 2-storey extension and any associated site works to the south elevation of the existing engineering stores in the administration offices building which comprises of construction of circa 34sq.m area with a maximum height of 9.4m to accommodate two storey units at Grange Castle Business Park, Grange Castle, Dublin 22. The application relates to development which comprises of an activity, which requires an Industrial Emissions Licence in accordance with the First Schedule of the EPA Act 1922 as amended.

Location: Takeda Ireland Limited, Grange Castle Business Park, Clondalkin, Dublin 22

Time extension(s) up to and including:

Additional Information Requested/Received: /

A Permission has been granted for the development described above, subject to the following conditions.

Conditions and Reasons:

1. Development in accordance with submitted plans and details.
The development shall be carried out and completed in its entirety fully in accordance with the plans, particulars and specifications lodged with the application, save as may be required by the other conditions attached hereto.
REASON: In the interest of public health, public safety and environmental protection.
2. EHO Requirements.
(a) No heavy / noisy construction equipment or machinery (to include pneumatic drills, construction vehicles, generators, etc) shall be operated on or adjacent to the construction site before 07:00 hours on weekdays and 09:00 hours on Saturdays nor after 19:00 hours on weekdays and 13:00 hours on Saturdays, nor at any time on Sundays, Bank Holidays or Public Holidays.

(b) Noise levels arising from construction activities shall not be so loud, so continuous, so repeated, of such duration or pitch or occurring at such times as to give rise to a noise nuisance affecting a person in any premises in the neighbourhood.

(c) During the construction / demolition phase of the development, Best Practicable Means shall be employed to minimise air blown dust being emitted from the site. This shall include covering skips and slack-heaps, netting of scaffolding, daily washing down of pavements or other public areas, and any other precautions necessary to prevent dust nuisances.

(d) A suitable location for the storage of refuse shall be provided during the construction and operational phase of the development so as to prevent a public health nuisance.

(e) The applicant shall put in place a pest control contract for the site for the duration of the construction works.

(f) Noise due to the normal operation of the proposed development, expressed as Laeq over 15 minutes at the façade of a noise sensitive location, shall not exceed the daytime background level by more than 10 dB(A).

(g) Any connections to the main sewer must be connected so as not to give rise to a public health nuisance.

(h) Signage or lighting to be used on site during both construction and the on-going operation of the development must not be intrusive to any light sensitive location including residential properties in close proximity to the development.

(i) Clearly audible or impulsive tones at noise sensitive locations during evening and night shall be avoided irrespective of the noise level.

REASON: For the health and safety purposes.

3. Drainage - Surface Water.

(i) The Developer shall ensure that there is complete separation of the foul and surface water drainage for the proposed development.

(ii) All works for this development shall comply with the requirements of the Greater Dublin Regional Code of Practice for Drainage Works

REASON: In the interests of public health, safety, the proper planning and sustainable development of the area and in order to ensure adequate and appropriate surface water drainage provision.

4. Drainage - Irish Water.

(a) The water supply and drainage infrastructure, shall comply with the requirements of Irish Water.

(b) There shall be complete separation of the foul and surface water drainage systems, both in respect of installation and use. All new precast surface water manholes shall have a minimum thickness surround of 150mm Concrete Class B.

REASON: In the interests of public health, the proper planning and sustainable development of the area and in order to ensure adequate water supply and drainage provision.

5. Further Development.

No additional development shall take place above roof parapet level, including lift motor enclosures, air handling equipment, storage tanks, ducts or other external plant, telecommunication aerials, antennae or equipment, unless authorised by a further grant of planning permission.

REASON: To protect the visual amenities of the area.

6. Signage.

No advertising sign(s) or structure(s) (including any signs installed to be visible through

windows), banners, canopies, flags, or other projecting elements shall be erected except those, which are exempted development, without the prior approval of the Planning Authority or An Bord Pleanála on appeal.

REASON: In the interest of visual amenity, compliance with development plan policies and the proper planning and sustainable development of the area.

7. Minimise Air Blown Dust.

During the construction and or demolition phase of the development, Best Practicable Means shall be employed to minimise air blown dust being emitted from the site. This shall include covering skips and slack-heaps, netting of scaffolding, daily washing down of pavements or other public areas, and any other precautions necessary to prevent dust nuisances. The applicant/developer shall comply with British Standard B.S. 5228 Noise Control on Construction and Open sites and British Standard B.S. 6187 Code of Practice for demolition.

REASON: In the interest of public health and to uphold the Council's policies set out in the South Dublin County Council Development Plan.

8. Financial Contribution.

The developer shall pay to the Planning Authority a financial contribution of €3,357.84 (three thousand, three hundred and fifty seven euro and eighty four cent), in respect of public infrastructure and facilities benefiting development within the area of the Planning Authority, that is provided, or intended to be provided by or on behalf of the authority, in accordance with the terms of the Development Contribution Scheme 2021 - 2025, made under Section 48 of the Planning and Development Acts 2000-2011 (as amended).

The contribution shall be paid prior to commencement of development, or in such phased payments as the Planning Authority may facilitate. Contributions shall be payable at the rate pertaining to the year in which implementation of the planning permission is commenced as outlined in the South Dublin County Council Development Contribution Scheme 2021 - 2025.

REASON: The provision of such facilities will facilitate the proposed development. It is considered reasonable that the payment of a contribution be required, in respect of public infrastructure and facilities benefiting development in the area of the Planning Authority and that is provided, or that is intended will be provided, by or on behalf of the Local Authority.

NOTE RE: CONDITION - Please note that with effect from 1st January 2014, Irish Water is now the statutory body responsible for water services. Further details/clarification can be obtained from Irish Water at Tel. 01 6021000 or by emailing customerservice@water.ie.

NOTE: The applicant is advised that under the provisions of Section 34 (13) of the Planning and Development Act 2000 (as amended) a person shall not be entitled solely by reason of a permission to carry out any development.

NOTE: The applicant or developer should ensure that all necessary measures shall be taken by the contractor to prevent the spillage or deposit of clay, rubble or other debris on adjoining roads during the course of the works and to ensure that any such instances arising are remedied immediately.

NOTE: The requirements of the HSE Environmental Health Officer shall be ascertained prior to the commencement of development in the interest of public health.

NOTE: The applicant is advised that where industrial effluent is produced or stored a licence may be required under the provisions of the Waste Management Act.

- (1) All buildings must be designed and constructed in accordance with the Building Regulations 1997.
- (2) Building Control Regulations require a Commencement Notice. Please log onto www.localgov.ie and click on BCMS link.
- (3) A Fire Safety Certificate must be obtained from the Building Control Authority, where applicable.
- (4) Free Standing Walls must be designed and constructed in accordance with IS 325: Code of Practice for use of Masonry Part 1: Structural use of reinforced Masonry. The Owner must also ensure that the construction of all walls is supervised by a competent person.

Signed on behalf of South Dublin County Council.


for Senior Planner

06-May-2022