



Notes - Fence:

- Fences shall be constructed in accordance with IS435: 2005 except where otherwise shown and T11 Drawing no. RCD/300/1; T11 Publication no. CC-SCD_00301
- Any length of fencing (including branches or spurs) shall start with a post and end with a post. An additional post shall be provided at fence junctions and at fence corners.
- Fence post and rail shall be treated with Preservative in accordance with the requirements of Series 300 of the Specifications for Road Works and Appendix B of IS435: 2005.
- Concrete foundations to posts shall be provided where stated in Appendix 1/3.
- Post holes falling in rock shall be excavated to the depth shown on this drawing or, with the engineer's approval, to a depth of 500mm, and shall be backfilled with mix ST2 concrete, where a reduced depth of hole is accepted by the engineer.
- The top of the post shall be suitably cut and treated in accordance with the recommendations of IS435: 2005.
- Where sideling ground slopes down towards the fence at a slope greater than 1:4 then the permanent fencing post height shall be increased by a minimum height of 250mm and an additional rail added.
- Fixing in accordance with IS435: 2005, Notes 13 & 14 and Section 4.4 of IS435-1, 2005.



1. This drawing is intended to show landscape architectural proposals only. Please refer to Architects and Engineer's drawings for relevant details of buildings, structures, roads, parking, etc.
2. The copyright of this drawing is vested with Murray & Associates. This drawing may not be copied or reproduced without written consent.
3. All materials referred to on this drawing, including plant species, are indicative and subject to change following detailed site investigation. Significant changes, if any are required, will be referred to the relevant authority for agreement.
4. This drawing is not suitable for use for construction purposes.
5. Discrepancies to be referred to Murray & Associates for clarification.

murray & associates
landscape architecture

15 The Seaport Building, 44-45 Clontarf Road, Dublin 3, D03 RY63
m@murray-associates.com
+353 (0)1 854 0090

PROJECT TITLE	MA	JW
Proposed Cemetery, Citywest Hotel and Convention Centre, Saggart, Co. Dublin		
SHEET TITLE	Landscape Details	
SHEET NO.	1872_PL_D_01	SHEET SIZE
SCALE	As Shown	REVISION
STAGE	Planning	DATE
		01/12/22