




**PROPOSED CHAMBER LAYOUT PLAN**  
not to scale




**STORMTECH OUTLET ROW**  
**CROSS SECTION DETAIL C-C**  
not to scale



GRANULAR WELL GRADED SOIL/AGGREGATE MIXTURES, <35% FINES.  
COMPACT IN 15 CM LIFTS TO 95% PROCTOR DENSITY. SEE THE TABLE OF  
ACCEPTABLE FILL MATERIALS IN STORMTECH'S DESIGN MANUAL,  
INSTALLATION MANUAL, OR WWW.STORMTECH.COM.



**STORMTECH CHAMBER**  
**CROSS SECTION DETAIL A-A**  
not to scale



**STORMTECH ISOLATOR™ ROW**  
**CROSS SECTION DETAIL B-B**  
not to scale

**Notes:**  
1. Refer to Drawing No. 22\_112-CSE-00-XX-DR-C-2110 for proposed surface water drainage layout plan.

REV.	DATE	DESCRIPTION	DRN	ENG	CHK	APP
P03	09/12/22	PLANNING ISSUE	LT	CD	CD	HF
P02	14/10/22	PLANNING ISSUE	LT	CD	CD	HF
P01	02/09/22	DRAFT PLANNING ISSUE	LT	CD	CD	HF

ANY UNAUTHORIZED USE OR REPRODUCTION OF THIS DOCUMENT IN WHOLE OR IN PART IS PROHIBITED. DELETE THIS DOCUMENT IF YOU HAVE RECEIVED IT IN ERROR

MECHANICAL & ELECTRICAL ENGINEER CIVIL & STRUCTURAL ENGINEER

**Clifton Scannell Emerson Associates**

ARCHITECT **KAVANAGH TUITE ARCHITECTS**

ARCHITECT **BB7**

SECURITY ENGINEER **CUNSTALL**

PROJECT: Unit 1, M50 Business Park

TITLE: PROPOSED SURFACE WATER ATTENUATION SYSTEM GENERAL ARRANGEMENT (SHEET 1 OF 3)

DRAWING NO.: 22\_112-CSE-00-XX-DR-C-2112

SCALE: A1 NOT TO SCALE AGILE No.: REV: P03