




CONCRETE FOOTWAY DETAIL
SCALE 1:10




NRA TYPE A - PRECAST CONCRETE KERB DETAIL
(RCD/1100/1)
SCALE 1:10




IN SITU CONCRETE KERBS
SCALE 1:10




PROPOSED GRASSCRETE / ACCESS PATH REINSTATEMENT DETAIL
SCALE 1:20




TYPICAL PLAN OF PEDESTRIAN RAMP
SCALE 1:20




VIEW A-A DROPPED KERB RAMP
SCALE 1:20




PLAN - CONCRETE FOOTPATH
SCALE 1:25



SECTION B-B
SCALE 1:20



CONTRACTION JOINT (C.J. 1)
Scale 1:20



GULLIES IN JOINTED CONCRETE PAVEMENT
SCALE 1:25






FIG.1 JOINT WITHIN GULLY DIMENSION (PREFERRED POSITION)
SCALE 1:25




PRECAST CONCRETE GULLY
SCALE 1:25


DETAIL - PRECAST CONCRETE GULLY




RIGID TO FLEXIBLE PAVEMENT CONSTRUCTION DETAIL
Scale 1:20




SECTION A-A
SCALE 1:25




SECTION B-B (JOINT DETAIL)
SCALE 1:25



CONCRETE PAVEMENT CONSTRUCTION
SCALE 1:10




SECTION B-B
SCALE 1:25



TYPICAL BOLLARD DETAIL
SCALE 1:25


- MANHOLES IN CONCRETE NOTES**
1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS STATED OTHERWISE.
 2. THE OVERALL DIMENSIONS OF THE RECESS MAY VARY IN ACCORDANCE WITH THE TYPE OF MANHOLE AND COVER USED.
 3. CONCRETE SURROUND TO BE GRADE C40.
 4. ALL REINFORCEMENT TO BE GRADE 250 BARS TO BS 4449 AND FIRMLY FIXED AT ALL BAR INTERSECTIONS OR FABRIC TO BS 4485. COVER TO BARS TO BE 60+10 VERTICAL AND 80+10 HORIZONTALLY.
 5. NORMAL JOINT SPACINGS MAY BE ADJUSTED BY UP TO 1m SO THAT THE MANHOLE IS ASTRIDE OR ADJACENT TO THE JOINT AS SHOWN IN FIG 1 & 2. IF THIS IS NOT POSSIBLE AN EXTRA JOINT SHALL BE FORMED IN THAT LANE AT THE MANHOLE POSITION AS IN FIG 3, AND THAT JOINT SHALL BE A WARPING JOINT.
 6. THE MANHOLE SLAB SHALL BE ISOLATED FROM THE PAVEMENT BY JOINT FILLER BOARD AT ALL JOINTS, WITHOUT DOWELS OR TIE BARS, AND THE JOINT SHALL BE SEALED.
 7. FOR MANHOLE DETAILS SEE 500 SERIES DRAWINGS.

DETAIL - MANHOLES IN JOINTED CONCRETE PAVEMENT



PROPOSED ACO CHANNEL IN CONCRETE SLAB S100 UNIT
SCALE 1:10

DETAIL DG 2
DETAIL - DETAIL FOR ACO CHANNEL IN CONCRETE PAVING



ISOLATION JOINT (I.J. 1)
Scale 1:20

REV.	DATE	DESCRIPTION	DRN	ENG	CHK	APP
P03	09/12/22	PLANNING ISSUE		LT	CD	CD HF
P02	14/10/22	PLANNING ISSUE		LT	CD	CD HF
P01	02/09/22	DRAFT PLANNING ISSUE		LT	CD	CD HF

ANY UNAUTHORIZED USE OR REPRODUCTION OF THIS DOCUMENT IN WHOLE OR IN PART IS PROHIBITED. DELETE THIS DOCUMENT IF YOU HAVE RECEIVED IT IN ERROR

MECHANICAL & ELECTRICAL ENGINEER CIVIL & STRUCTURAL ENGINEER

Clifton Scannell Emerson Associates

ARCHITECT FIRE ENGINEER

KAVANAGH TUITE ARCHITECTS

BB7

SECURITY ENGINEER OTHER ENGINEER

CUNJALL

PROJECT: Unit 1, M50 Business Park

TITLE: PROPOSED ROAD DETAIL SHEET 1

DRAWING NO.: 22_112-CSE-00-XX-DR-C-2900

SCALE: AS INDICATED

AGILE No.:

REV: P03