

Armstrong Fenton Associates
Unit 13, The Seapoint Building
44/45, Clontarf Road
Dublin 3

Date: 24-Jan-2023

**PLANNING & DEVELOPMENT ACT, 2000 (as amended) AND PLANNING
REGULATIONS THEREUNDER**

Register Reference: SD21A/0327/C20-1

Development: A residential development of 77 dwellings comprised of 63 two storey houses and 14 apartments & duplex units accommodated in one 3 storey building. The proposed houses are comprised of 8 two bed houses & 55 three bed houses; the proposed apartments & duplex units are comprised of 7 one bed apartments at ground floor & 7 three bed duplex units overhead. The proposed development also provides for all associated site development & infrastructural works, car & bicycle parking, open spaces, hard & soft landscaping, boundary treatments and bin & bicycle storage; access to the development will be via a new vehicular entrance at the south-west corner of the site off the Old Naas Road. Permission is also sought to demolish the existing building on site approximately 455sq.m. all on a site area of 2.28Ha, at Gordon Park, Old Naas Road, Kingswood, Dublin 22 bounded to the west by the Old Nass Road, to the south by the Silken Park development and is located in the townland of Brownsbarn.

Condition 20. Public Realm Facilities for Charging Electric Vehicles.

Prior to the commencement of development, the applicant/owner shall submit the following for the writtem agreement of the Planning Authority:

- (i) a revised site layout plan clearly setting out full details of the location of all proposed facilities and equipment in the public realm (whether to be offered for taking in charge or not) for charging electric vehicles, including details of the overall height, design, colour and all safety features of such equipment including isolation of power supply, and measures to provide for suitable pedestrian safety, along with completed Electrical designs to serve the development as approved prepared by competent electrical design consultants all of which have been agreed with the Council's Roads Section, and
- (ii) Agreed arrangements for the operation and management of such facilities for charging electric vehicles, along with:

All facilities for charging electric vehicles should be clearly marked as being designated for Electric Vehicle charging. Appropriate signage clearly indicating the presence of a Charge Point or Points should also be erected. All Charge Points fitted in publicly accessible areas should be capable of communicating usage data with the National Charge Point Management System and use the latest version of the Open Charge Point Protocol

(OCCP). The facilities for charging electric vehicles should also support a user identification system such as Radio Frequency Identification (RFID).

Location: Gordon Park, Old Naas Road, Kingswood, Dublin 22
Applicant: Greenwalk Development Ltd. 29, Earlsfort Terrace, Dublin 2
Application Type: Compliance with Conditions

Dear Sir/Madam,

With reference to the above, I wish to acknowledge receipt of your submission in compliance with condition (s) of the planning permission, received on 29-Nov-2022.

This submission will be considered in accordance with Section 34(5) of the Planning and Development Act 2000 (as amended).

Yours faithfully,

Z.McAuley
for **Senior Planner**