


- NOTES:**
1. IN-SITU CONCRETE KERBS SHALL COMPLY WITH THE RECOMMENDATIONS OF B.S. 5931.
 2. KERBS SHALL BE PROTECTED FROM THE EFFECTS OF ADVERSE WEATHER UNTIL CURED.
 3. DROP KERB DETAIL 2 HEIGHT VARIES. KERB HEIGHT IS 25mm MAX FOR VEHICLE ENTRANCES AND 6mm MAX FOR PEDESTRIAN CROSSING LOCATIONS.



REFER TO DWG P1956.C31 FOR PERMEABLE PAVING DETAILS

NOTES:
THIS DRAWING IN WHOLE OR IN PART SHALL NOT BE COPIED WITHOUT THE PRIOR PERMISSION OF McArdle Doyle Ltd.
ALL WORKS TO COMPLY WITH THE CURRENT BUILDING REGULATIONS.
DO NOT SCALE.
ORDNANCE SURVEY IRELAND LICENCE No. AR 0105722
© ORDNANCE SURVEY IRELAND / GOVERNMENT OF IRELAND

- LEGEND:**
- PROPOSED CONCRETE PAVING AREA = 10m²
 - PROPOSED ASPHALT CONCRETE PAVING - CAR PAVEMENT AREA = 1100m²
 - PROPOSED TANK FARM AND TANKER OFF-LOADING SLAB AREA = 151m²
 - PROPOSED FORECOURT AND CAR WASH SLAB AREA = 335m²
 - PROPOSED PERMEABLE PAVEMENT AREA = 200m²
 - TACTILE PAVING
 - IN-SITU KERB (125mm). REFER TO TII CC-SCD-01102 LENGTH = 220m
 - IN-SITU DROP KERB (10mm). REFER TO TII CC-SCD-01102 LENGTH = 13m
 - IN-SITU TAPER KERB LENGTH = 10m
 - HARD STRIP FLUSH KERB LENGTH = 35m

REV A

- NOTE:**
- ALL PROPOSED HARDSTANDING AREAS TO BE REDUCED DOWN TO ORIGINAL GROUND LEVEL FOR FORMATION LEVEL OF CAPPING LAYER.
 - ORIGINAL GROUND LEVEL/FORMATION LEVEL TO BE ASCERTAINED ON REVIEW OF GI1 GROUND INVESTIGATION REPORT.
 - ALL LANDSCAPED AREAS TO BE REMOVED OF EXISTING FILL MATERIAL CONTAINING DEBRIS AND REPLACED WITH SUBSOIL LAYER TO LANDSCAPE ARCHITECTS SPECIFICATION.
 - MINIMUM 200MM TOPSOIL TO BE PLACED IN ALL PROPOSED LANDSCAPED AREAS WITHIN SITE BOUNDARY.

Rev.	Description	By	Date
A	ISSUED FOR PLANNING F.I.	GR	20.01.23
-	ISSUED FOR INFORMATION	GDR	24.08.22

McArdle Doyle
Second Floor
Exchange Building
The Long Walk
Dundalk, Co. Louth

Chartered Engineers
Architectural Services
& Project Managers

mail@mcardle-doyle.ie
+353(0) 42 942 9052

PROJECT:
**UNMANNED SERVICE STATION
LIFFEY VALLEY**

CLIENT:

DRAWING TITLE:
PROPOSED PAVING LAYOUT

Date	Drawn	Checked	Approved
09/09/22	GDR	RMA	RMA

Scale at A1	Drawing Number	Status	Rev.
1:200	P1956.C11	PL	A

